

Распашонка, сарафан, штанишки на лямках р.40 (для куклы)



1. Wraparound jacket for a premature baby

40-45-50-56 cm

Page 20



MATERIALS

- 50-50-55-55 cm pale-colored or printed cotton or bamboo knit, stretch 20% (CO, CO/BAMBOO)
- 10 cm ribbing (CO/EL)
- 120 cm cotton twill tape or taffeta ribbon, width 5 mm
- 5 cm piece of ribbon trim

CUTTING

Cut jacket panel from cotton or bamboo knit and bindings from ribbing as indicated on list of pattern pieces. Pattern pieces for bindings* include seam allowances. Check length of binding strips before sewing as the stretch and recovery qualities of different knits may vary.

SEWING


Seams and hems: Stitch seams with serger. See illustrated instructions for finishing edges with rib binding at the bottom of this page.

Tie strings: Cut twill tape or taffeta ribbon into six equal-length pieces. Machine-baste tie strings in place as marked on pattern:

- right front panel: two strings to right side of side seam and one string to wrong side of front edge
- left front panel: two strings to wrong side of front edge and one string to wrong side of side seam

Joining: Stitch piece of ribbon trim to sleeve edge. Finish sleeve edges with rib binding. Stitch sleeve underarm seams and side seams. Stitch ends of long binding strip together to form circle and finish front edges, bottom hem and neckline with binding.

Finishing: Fold tie strings on front edges right way out and topstitch them to binding close to edge.



PATTERN PIECES

	cut
1 jacket	1
2 binding*	1
3 sleeve-edge binding*	2

*PATTERN SHEET A red

2. Pinafore dress for a premature baby

40-45-50-56 cm

Page 20



MATERIALS

- 40-40-45-50 cm babycord
- 30 cm lightweight cotton fabric
- 80 cm cotton twill tape or taffeta ribbon, width 5 mm
- 5 cm piece of ribbon trim
- pearl button, ø 14 mm

CUTTING

Cut front and back panels from babycord and bias bindings from lightweight cotton fabric as indicated on list of pattern pieces. Pattern pieces include all seam allowances.

SEWING

Seams and hems: Stitch seams with straight stitch.


Tie strings: Cut twill tape or taffeta ribbon into four equal-length pieces. Machine-baste ends of tapes/ribbons to corners of front and back panel, to their wrong side, as marked on pattern.

Joining: Sew narrow hems at sides and bottom hem of both front and back panel. Pin one edge of bias binding to front panel, with right side of binding facing

PATTERN PIECES

	cut
4 front	1
5 back	1
6 bias binding for front	1
7 bias binding for back	1

PATTERN SHEET A red



wrong side of front panel. Stitch binding in place using presser-foot edge as guide, stretching binding slightly as you sew. Fold binding to right side of front panel, turn seam allowance on its free edge and ends under and stitch binding to front panel close to edge. Finish edges of back panel in the same way. Press dress panels thoroughly, fold tie strings right way out and

stitch them in position.

Stitch piece of ribbon trim to front panel. Stitch buttonhole on left back panel and sew button on front panel as marked on pattern. Pin right-hand back shoulder strap to front panel and stitch it in place as shown in design sketch.

3. Overall for a premature baby

40-45-50-56 cm

Page 20




MATERIALS

- 45-45-50-55 cm bamboo knit, stretch 20% (CO/BAMBOO)
- 10 cm ribbing (CO/EL)
- 6 cm piece of ribbon trim
- 2 snap fasteners, ø 8 mm, Prym Mini 390 360

PATTERN PIECES

	cut
8 overall panel	1
8 reinforcing piece	4
9 bottom-leg cuff*	2
10 binding*	1


PATTERN SHEET A red





bottom: Finish side of ribbon trim to

Finish one straight edge of reinforcing


(1, 1)



⊥ (2, 1) ⊥




⊥ (3, 1)



2003-1-1

40 p

1 деталь со сги



2003-1-3

р-р

со сгибом

2003-1-3

40 р-р

2 дет

2003-1-2

40 p-p

1 деталь со сгибом

