



SCARF NECK

cardigan

An open-front layering cardigan made with lightweight knit, featuring form-fitting princess seams, a draping scarf neck, and an irregular bottom hem. Half sleeve or full length sleeve options.

Sizes: S, M, L, XL, XXL

**When printing, do not select "Fit to Printable Area" or enlarge/shrink in any way.
Always print at "Actual Size" with Adobe Reader.**

www.swoonpatterns.com

Copyright 2013 Swoon Sewing Patterns. Please do not copy, redistribute, or sell this pattern.
Feel free to sell your clothing made with this pattern.

Instructions & Pattern


Materials Needed:

- 2 yards 60" wide lightweight knit fabric, add 1/2 yard for directional
- Coordinating thread



1) PREPPING

Cut out all of the pieces of the pattern. Trace out all your pieces on the wrong side of the fabric and cut out. Make sure you cut on the fold of your fabric where marked. You should have the following pieces.




2) SEWING

If you don't have a serger, don't fret! We can sew this with nice finished french seams. To sew a french seam, you will be sewing with **WRONG** sides together at a 1/4" seam allowance first. After you sew this first seam, trim the seam allowance down as close to the stitching as you can get it. Then, turn it wrong side out and press the seam right sides together. Then, with right sides still together, sew another seam along the last one at 1/4" seam allowance again. Now the raw edges of your first seam are encased inside the finished french seam. If you aren't worried about finishing the seams, you may also sew this together using a regular old seam at 1/2" seam allowance. Whatever you do, please use a ballpoint needle! They're designed to push between the fibers of your knit, a sharp point can and will tear them resulting in runs.

Using any seam method you wish, pin then sew the pieces (pictured above) together in this order:

- 1) The Side Panels to the Front Panels as shown in the layout above
- 2) The tops of the Front Panels to each other as shown by the arrows above
- 3) The Side Panels to the Back Panel, matching the curves
- 4) Sew the "L" curves at the top of the Top Panels to the entire top of the Back Panel
- 5) Hem the straight edge of each sleeve panel, fold 1/4" then 1/4" again and sew at 1/8"
- 6) Fold Sleeve in half matching raw edges, then sew along long raw edge to enclose - repeat with other
- 7) For french seam, slide sleeve (wrong side out) inside cardigan (right side out) and match the sleeve seam to the back/side seam to sew your first 1/4" seam
For regular seam, slide sleeve (right side out) inside cardigan (wrong side out) and match the sleeve seam to the back/side seam to sew your 1/2" seam
- 8) Now all you need to do is hem all raw edges along the open front, up around the scarf neck and along the bottom. Fold 1/4" then 1/4" again and sew at 1/8", OR fold under once at 1/2" and sew around 3/8", then edge stitch.

Diagram for how the Front Panels match up to the Back Panel



Layout guide to help you match pieces together

The pages will print in rows, from left to right.




Sizing Chart

Use your body measurements to find your correct size below (in inches)


	Sm	Md	Lg	XL	XXL
Bust	32-34	36-38	40-42	44-46	48-50
Cross Back	14.5	15	15.5	16.5	17.5
Upper Arm	10	11	12	13	15.5
Waist	25-26	28-30	30-34	36-38	40-42


- Small
- Medium
- Large
- XL
- XXL



Sew this edge to same edge on mirror piece, this seam creating the "scarf neck"

A






scarf neck **CARDIGAN**


Sleeve Panel

Cut 2


Align along your fabric pattern, pe




I
pendicular to the selvage edges



Align along your fabric pattern, perpendicular to the selvage edges





scarf neck **CARDIGAN**


B

Front Panel

Cut 2 (mirrored, instructions below)

Cut 1 on wrong side, then:
Flip paper piece over so "open front" is on the right side
and cut 1 on wrong side

Enclose sleeve by sewing along this edge



7

J

FOLD

Fold under here for half sleeves

9

scarf neck

CARDIGAN

Side Panel


Cut 2 (mirrored, instructions below)

Cut 1 on wrong side, then:

Flip paper piece over so “open front” is on the right side and cut 1 on wrong side

This edge attaches to matching edge of matching Front Panel

M




E

3

Open front • This edge gets hemmed

Align along your fabric path

6



E


4

F

5

This edge attaches to matching edge of matching Side Panel

ern, perpendicular to the selvage edges



9


K


Cut here for long sleeves

O

P








5

H

G

This edge gets hemmed




S

Align along your fabric pattern, perpendicular to the selvage edges

W

R



Scarf neck CARDIGAN


Back Panel Cut 1


S

T

This edge attaches to matching edge of matching Side Panel

X










entire edge attaches to top curve of attached Front Panels



15

Sleeve

U

T

