



SCARF NECK cardigan

FOR GIRLS

An open-front layering long-sleeved cardigan made with lightweight knit, featuring form-fitting princess seams, a draping scarf neck, and an irregular bottom hem.

Sizes:

3/4, 5/6, 7/8, 9/10



**When printing, do not select "Fit to Printable Area" or enlarge/shrink in any way.
Always print at "Actual Size" or 100% with Adobe Reader.**

www.swoonpatterns.com

Copyright 2013 Swoon Sewing Patterns. Please do not copy, redistribute, or sell this pattern.
Feel free to sell your clothing made with this pattern.

Instructions & Pattern




Materials Needed:

- 1 yard 60" wide lightweight knit fabric, add 1/2 yard for directional
- Coordinating thread

1) PREPPING

Cut out all of the pieces of the pattern. Trace out all your pieces on the wrong side of the fabric and cut out. Make sure you cut on the fold of your fabric where marked. You should have the following pieces.




2) SEWING

If you don't have a serger, don't fret! We can sew this with nice finished french seams. To sew a french seam, you will be sewing with **WRONG** sides together at a 1/4" seam allowance first. After you sew this first seam, trim the seam allowance down as close to the stitching as you can get it. Then, turn it wrong side out and press the seam right sides together. Then, with right sides still together, sew another seam along the last one at 1/4" seam allowance again. Now the raw edges of your first seam are encased inside the finished french seam. If you aren't worried about finishing the seams, you may also sew this together using a regular old seam at 1/2" seam allowance. Whatever you do, please use a ballpoint needle! They're designed to push between the fibers of your knit, a sharp point can and will tear them resulting in runs.

Using any seam method you wish, pin then sew the pieces (pictured above) together in this order:


- 1) The Side Panels to the Front Panels as shown in the layout above
- 2) The tops of the Front Panels to each other as shown by the arrows above
- 3) The Side Panels to the Back Panel, matching the curves
- 4) Sew the "L" curves at the top of the Top Panels to the entire top of the Back Panel
- 5) Hem the straight edge of each sleeve panel, fold 1/4" then 1/4" again and sew at 1/8"
- 6) Fold Sleeve in half matching raw edges, then sew along long raw edge to enclose - repeat with other
- 7) For french seam, slide sleeve (wrong side out) inside cardigan (right side out) and match the sleeve seam to the back/side seam to sew your first 1/4" seam
For regular seam, slide sleeve (right side out) inside cardigan (wrong side out) and match the sleeve seam to the back/side seam to sew your 1/2" seam
- 8) Now all you need to do is hem all raw edges along the open front, up around the scarf neck and along the bottom. Fold 1/4" then 1/4" again and sew at 1/8", OR fold under once at 1/2" and sew around 3/8", then edge stitch. You may also leave unhemmed as knit doesn't fray.

See next page for diagrams on how the front panels and back panel fit together.



Layout guide to help you match pieces together

The pages will print in rows, from left to right.




Sizing Chart

Use the body measurements to find your correct size below (in inches)

	3/4	5/6	7/8	9/10
Chest	23	25	26.5	28
Cross Back	9.5	10	10.75	11
Upper Arm	7.5	8	8.5	9
Waist	21.5	22.5	23.5	24.5

- 3/4
- 5/6
- 7/8
- 9/10

This should be a
3" x 3"
square




Sew this edge to sa
This seam will be v

N

A





the edge on mirror piece, right sides together.
vertical behind neck, creating the "scarf neck"



TOP

scarf neck CARDIGAN

Front Panel


Cut 2 (mirrored, instructions below)


Cut 1 on wrong side, then:
Flip paper piece over so "open front" is on the right side
and cut 1 on wrong side


Sleeve

B

E







This edge attaches to cardigan

↑
TOP

scarf neck
CARDIGAN
Sleeve Panel
Cut 2

FOLD

Align along your fabric pattern, perpendicular to the selvage edges

L


A


Align along your fa

O

C

Open front • This edge gets hemmed





Fabric pattern, perpendicular to the selvage edges



Align along your fabric pattern, perpendicular to the

Q

scarf neck
CARDIGAN

Side Panel

Cut 2 (mirrored, instructions)


Cut 1 on wrong side
Flip paper piece over so “match”
the right side and cut 1 c

This edge attaches to matching edge of matching Side Panel

This edge attaches to matching edge of matching Front Panel

D

F



Sleeve

H

selvage edges

Q

k
nel

tions below)

e, then:
h front panel" is on
n wrong side

G

This edge attaches to matching edge of Back Panel

Align along your fabric pattern,

T

J

I

This edge attaches to match

perpendicular to the selvage edges

scarf neck
CARDIGAN


Back Panel


Cut 1

T

This edge gets hemmed

K








C


P

This edge gets hemmed









M