

Spots and Stripes

Featuring Modern Solids by Denyse Schmidt

Talk about color play--these Modern Solids create quite a splash in this boldly hued quilt.

Collection:	Modern Solids by Denyse Schmidt
Technique:	Template Piecing
Skill Level:	Intermediate
Crafting Time:	Longer Term*
Finished Size:	64" x 70" (162.56cm x 177.80cm)

**Crafting time based on Intermediate skill level*

Project designed by Stacey Day

Tech edited by Linda Turner Griepentrog


Fabric Requirements

DESIGN	COLOR	ARTICLE CODE	YARDAGE
(A) Modern Solids	10" Charm Pack	FB610DS.MODRN	
(B) Designer Essentials Solids	Mist	CSFSESS.MISTX	3¾ yards (3.43m)
(C) Designer Essentials Solids	Licorice	CSFSESS.LICOR	⅝ yard (57.15cm)

* includes binding



(A)



(B)



(C)



Backing
44"
(111.76cm)

Backing (Purchased Separately)

44" (111.76cm)

Designer Essentials

Solids Malachite CSFSESS.MALAC 4¼ yards (3.96m)

OR

108" (274.32cm) 2 yards (1.83m)

Additional Requirements

- Coats Dual Duty XP® Thread in colors to match fabrics
- 72" x 78" (182.88cm x 198.12cm) batting
- Sewing machine
- Template plastic
- Rotary cutter/mat/ruler
- Basic sewing and pressing supplies

Cutting

WOF = Width of Fabric

Trace the Stripe and End Triangle patterns onto template plastic and cut out precisely. When using the Stripe Triangle template to cut **Fabric A** and **B** pieces, place the template on a single layer of fabric, nesting together for the best use of the fabric.

When using the End Triangle template to cut the **Fabric B** pieces, fold the strips in half, wrong sides together, matching the selvages. Cutting around the template will result in (2) pieces with the second piece the reverse of the first. Place the fabric grain line on the cross grain of the fabric.

Put aside the (3) 10" (25.40cm) **Fabric A** squares that match **Fabric B**, **Fabric C**, and the Backing Fabric. Save them for another project.

From each of the (72) **Fabric A** 10" (25.40cm) squares, cut:

- (2) Stripe Triangles
- (2) 2½" (6.35cm) squares

Fabric B, cut:

(1) 64½" x WOF (163.83cm x WOF); sub-cut (12) 2½" x 64½" (6.35cm x 163.83cm), (1) 2½" x 22½" (6.35cm x 57.15cm), (2) 2½" x 16½" (6.35cm x 41.91cm), (1) 2½" x 14½" (6.35cm x 36.83cm), (1) 2½" x 10½" (6.35cm x 26.67cm), (1) 2½" x 8½" (6.35cm x 21.59cm), (1) 2½" x 4½" (6.35cm x 11.43cm), and (3) 2½" (6.35cm) squares

(3) 6½" x WOF (16.51cm x WOF); sub-cut (2) 6½" x 14½" (16.51cm x 36.83cm), (2) 6½" x 12½" (16.51cm x 31.75cm), (1) 6½" x 10½" (16.51cm x 26.67cm), (2) 6½" x 8½" (16.51cm x 21.59cm), (1) 6½" (16.51cm) square, (2) 6½" x 4½" (16.51cm x 11.43cm), and (2) 6½" x 2½" (16.51cm x 6.35cm)

(6) 6½" x WOF (16.51cm x WOF); on a single layer of fabric, sub-cut (138) Stripe Triangles (**Fig. 1** on page 4)

(1) 6½" x WOF (16.51cm x WOF); fold the strip in half, wrong sides together matching selvages, sub-cut (6) End Triangles and (6) Reverse End Triangles (**Fig. 2** on page 4)

Fabric C, cut:

(7) 2½" x WOF (6.35cm x WOF), for binding

Sewing

Note: All seam allowances are ¼" (.64cm) and pieces are sewn right sides together.

Stripe Set 1

1. Lay out (24) **Fabric A** Stripe Triangles with colors ranging from purple through orange and gold, (23) **Fabric B** Stripe Triangles, (1) **Fabric B** End Triangle, and (1) **Fabric B** Reverse End Triangle (**Fig. 3** on page 4). Sew the **Fabric A** and **B** triangles together in pairs and then sew the pairs together to complete **Stripe Set 1**. Press the seam allowances in one direction. Make a total of (2) **Stripe Set 1** (6½" x 48½" (16.51cm x 123.19cm).

Stripe Set 2

2. Repeat Step 1 selecting **Fabric A** Stripe Triangles with colors ranging from brown through grey and blue-green (**Fig. 4** on page 4). Make (2) **Stripe Set 2** (6½" x 48½" (16.51cm x 123.19cm).

Stripe Set 3

3. Repeat Step 1 selecting **Fabric A** Stripe Triangles with colors ranging from yellow-green through jade and blue (**Fig. 5** on page 4). Make (2) **Stripe Set 3** (6½" x 48½" (16.51cm x 123.19cm).

Spot Set 1

4. Using the colors of **Stripe Set 1**, lay out (23) 2½" (6.35cm) **Fabric A** squares (**Fig. 6** on page 4). Sew the squares together in pairs and then sew the pairs together to complete **Spot Set 1** (2½" x 46½" (6.35cm x 118.11cm). Press the seam allowances in one direction.

Spot Set 1a

5. Repeat Step 4 using the first (20) 2½" (6.35cm) **Fabric A** squares of Spot Set 1 to complete **Spot Set 1a** (2½" x 40½" (6.35cm x 102.87cm). (**Fig. 7** on page 4)

Spot Set 2

6. Repeat Step 4 using the colors of **Stripe Set 2**. Make (2) Spot Set 2 (2½" x 46½" (6.35cm x 118.11cm). (**Fig. 8** on page 4)

Spot Set 3

7. Repeat Step 4 using the colors of **Stripe Set 3**. Make (1) Spot Set 3 (2½" x 46½" (6.35cm x 118.11cm). (**Fig. 9** on page 4)

Note: There will be 2½" **Fabric A** squares left over. Save them for another project.

Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8



Fig. 9



Quilt Top Assembly


Note: Refer to the **Quilt Layout** on page 6 while assembling the quilt top.


8. Sew (1) $6\frac{1}{2}$ " x $10\frac{1}{2}$ " (16.51cm x 26.67cm) **Fabric B** rectangle to the left edge and (1) $6\frac{1}{2}$ " (16.51cm) **Fabric B** square to the right edge of (1) **Stripe Set 1**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 1 ($6\frac{1}{2}$ " x $64\frac{1}{2}$ " (16.51cm x 163.83cm).
9. Sew (1) $2\frac{1}{2}$ " (6.35cm) **Fabric B** square to the left edge and (1) $2\frac{1}{2}$ " x $16\frac{1}{2}$ " (6.35cm x 41.91cm) **Fabric B** strip to the right edge of **Spot Set 1**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 2 ($2\frac{1}{2}$ " x $64\frac{1}{2}$ " (6.35cm x 163.83cm).
10. Sew (1) $6\frac{1}{2}$ " x $2\frac{1}{2}$ " (16.51cm x 6.35cm) **Fabric B** strip to the left edge and (1) $6\frac{1}{2}$ " x $14\frac{1}{2}$ " (16.51cm x 36.83cm) **Fabric B** strip to the right edge of (1) **Stripe Set 2**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 3 ($6\frac{1}{2}$ " x $64\frac{1}{2}$ " (16.51cm x 163.83cm).
11. Sew (1) $2\frac{1}{2}$ " x $16\frac{1}{2}$ " (6.35cm x 41.91cm) **Fabric B** strip to the left edge and (1) $2\frac{1}{2}$ " (6.35cm) **Fabric B** square to the right edge of (1) **Spot Set 2**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 4 ($2\frac{1}{2}$ " x $64\frac{1}{2}$ " (6.35cm x 163.83cm).
12. Sew (1) $6\frac{1}{2}$ " x $4\frac{1}{2}$ " (16.51cm x 11.43cm) **Fabric B** rectangle to the left edge and (1) $6\frac{1}{2}$ " x $12\frac{1}{2}$ " (16.51cm x 31.75cm) **Fabric B** rectangle to the right edge of (1) **Stripe Set 3**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 5 ($6\frac{1}{2}$ " x $64\frac{1}{2}$ " (16.51cm x 163.83cm).
13. Sew (1) $2\frac{1}{2}$ " x $10\frac{1}{2}$ " (6.35cm x 26.67cm) **Fabric B** strip to the left edge and (1) $2\frac{1}{2}$ " x $8\frac{1}{2}$ " (6.35cm x 21.59cm) **Fabric B** strip to the right edge of **Spot Set 3**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 6 ($2\frac{1}{2}$ " x $64\frac{1}{2}$ " (6.35cm x 163.83cm).
14. Sew (1) $6\frac{1}{2}$ " x $12\frac{1}{2}$ " (16.51cm x 31.75cm) **Fabric B** rectangle to the left edge and (1) $6\frac{1}{2}$ " x $4\frac{1}{2}$ " (16.51cm x 11.43cm) **Fabric B** rectangle to the right edge of (1) **Stripe Set 1**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 7 ($6\frac{1}{2}$ " x $64\frac{1}{2}$ " (16.51cm x 163.83cm).
15. Sew (1) $2\frac{1}{2}$ " x $22\frac{1}{2}$ " (6.35cm x 57.15cm) **Fabric B** strip to the left edge and (1) $2\frac{1}{2}$ " (6.35cm) **Fabric B** square to the right edge of **Spot Set 1a**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 8 ($2\frac{1}{2}$ " x $64\frac{1}{2}$ " (6.35cm x 163.83cm).
16. Sew (1) $6\frac{1}{2}$ " x $8\frac{1}{2}$ " (16.51cm x 21.59cm) **Fabric B** rectangle to each edge of (1) **Stripe Set 2**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 9 ($6\frac{1}{2}$ " x $64\frac{1}{2}$ " (16.51cm x 163.83cm).
17. Sew (1) $2\frac{1}{2}$ " x $4\frac{1}{2}$ " (6.35cm x 11.43cm) **Fabric B** rectangle to the left edge and (1) $2\frac{1}{2}$ " x $14\frac{1}{2}$ " (6.35cm x 36.83cm) **Fabric B** strip to the right edge of (1) **Spot Set 2**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 10 ($2\frac{1}{2}$ " x $64\frac{1}{2}$ " (6.35cm x 163.83cm).
18. Sew (1) $6\frac{1}{2}$ " x $14\frac{1}{2}$ " (16.51cm x 36.83cm) **Fabric B** strip to the left edge and (1) $6\frac{1}{2}$ " x $2\frac{1}{2}$ " (16.51cm x 6.35cm) **Fabric B** strip to the right edge of (1) **Stripe Set 3**, pressing the seam allowances towards the **Fabric B** pieces, to complete Row 11 ($6\frac{1}{2}$ " x $64\frac{1}{2}$ " (16.51cm x 163.83cm).
19. Sew a $2\frac{1}{2}$ " x $64\frac{1}{2}$ " (6.35cm x 163.83cm) **Fabric B** Sashing strip to the top of each row, pressing the seam allowances towards the sashing strips. Then sew the rows together in numerical order and sew the remaining $2\frac{1}{2}$ " x $64\frac{1}{2}$ " (6.35cm x 163.83cm) **Fabric B** Sashing strip to the bottom of Row 11 to complete the quilt top.

Finishing

20. Sew together the (7) $2\frac{1}{2}$ " x WOF (6.35cm x WOF) **Fabric C** binding strips end to end using diagonal seams. Press the seams open. Press the binding strip in half wrong sides together.
21. Layer the backing (wrong side up), batting, and quilt top (right side up). Baste the layers together and quilt as desired. Trim excess batting and backing even with the top after quilting is completed.
22. Leaving an 8" (20.32cm) tail of binding, sew binding to top of quilt through all layers matching all raw edges. Miter corners. Stop approximately 12" (30.48cm) from where you started. Lay both loose ends of binding flat along quilt edge. Where these two loose ends meet, fold them back on themselves and press to form a crease. Using this crease as your stitching line, sew the two open ends of the binding together right sides together. Trim seam to $\frac{1}{4}$ " (.64cm) and press open. Finish sewing binding to quilt.
23. Turn the binding to the back of quilt and hand-stitch in place.

Quilt Layout





This square should
measure 1" x 1"
(2.54cm x 2.54cm)
when printed.

***** Measure templates before cutting to confirm printing at 100%*****