


SIGNAGE



SIGN AGE


QUILT DESIGNED BY AGF STUDIO *AGFstudio*

LETTERS

FABRICS DESIGNED BY AGF STUDIO




CAP-L-3000
ROSES & LETTERS



CAP-L-3001
LOVE PUZZLE



CAP-L-3002
XOXOXO



CAP-L-3003
LOVE LIFE




CAP-L-3004
GIVE LOVE




CAP-L-3005
LOVE SPECKLES



CAP-L-3006
LOVE BLOOMS



CAP-L-3007
LOVE DREAM



CAP-L-3008
LOVE MEANING




CAP-L-3009
ALL YOU NEED IS LOVE



PE-433
SNOW



DEN-OYD-6000
ENDLESS PARADISE



DEN-L-4000
SOFT SAND



DEN-OYD-6003
ROSE FEATHER



DEN-S-2007
NECTARINE SUNRISE



FABRIC REQUIREMENTS

Fabric A	CAP-L-3000	¼ yd.
Fabric B	CAP-L-3001	⅓ yd.
Fabric C	CAP-L-3004	⅔ yd.
Fabric D	CAP-L-3005	1 Fat 8
Fabric E	CAP-L-3006	1 Fat 8
Fabric F	CAP-L-3007	⅔ yd.
Fabric G	CAP-L-3008	1 Fat 8
Fabric H	CAP-L-3009	2 Panels
Fabric I	PE-433	4¼ yds.
Fabric J	DEN-OYD-6003	½ yd.
Fabric K	DEN-OYD-6000	⅝ yd.
Fabric L	DEN-S-2007	⅓ yd.
Fabric M	DEN-L-4000	½ yd.

BACKING FABRIC

CAP-L-3005- 5 yds. *(Suggested)*

BINDING FABRIC

DEN-L-4000- (Fabric M) *(included)*

CUTTING DIRECTIONS

*¼" seam allowances are included.**WOF means width of fabric.*

Ten (10) 2 1/2" x 4 1/2" strips from Fabric A
 Two (2) 2 1/2" x 8 1/2" strips from Fabric A
 Two (2) 1" x 10 strip from Fabric A
 One (1) 1" x 11 1/2" strip from Fabric A

Four (4) 2 1/2" x 4 1/2" strips from Fabric B
 One (1) 2 1/2" x 14 1/2" strip from Fabric B
 One (1) 2 1/2" x 6 1/2" strip from Fabric B
 Two (2) 2 1/2 squares from Fabric B

Three (3) 2 7/8" squares from Fabric C
 Four (4) 5 1/2" square from Fabric C
 Eight (8) 2 1/2" x 4 1/2" strips from Fabric C
 Six (6) 2 1/2" squares from Fabric C
 One (1) 1 1/2" x 8 1/2" strip from Fabric C

Two (2) 2 1/2" squares from Fabric D
 One (1) 2 1/2" x 6 1/2" strip from Fabric D

One (1) 4" x 11" fussy cut strip appliqué from Fabric E

Ten (10) 2 1/2" x 4 1/2" strips from Fabric F
 Ten (10) 2 1/2" squares from Fabric F
 Four (4) 2 7/8" square from Fabric F
 One (1) 2 1/2" x 6 1/2" strip from Fabric F
 One (1) 2 1/2" x 14 1/2" strip from Fabric F
 Two (2) 2" x 12 1/2" strips from Fabric F

XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX

One (1) 2 1/2" x 6 1/2" strip from Fabric G
 Two (2) 2 1/2" squares from Fabric G

One (1) 2 1/2" x 6" fussy cut strip appliqué from Fabric H
 (love) apply to a 4 1/2" x 6 1/2" strip from Fabric M

One (1) 1 1/2" x 6 1/2" fussy cut strip appliqué from Fabric H
 (laugh) apply to a 4 1/2" x 8 1/2" strip from Fabric K

One (1) 2 1/2" x 7 1/2" strip from Fabric H (random fussy cut)

Two (2) 12 1/2" fussy cut squares from Fabric H (All you
 need is love)

One (1) 4 1/2" x 10 1/2" strip from Fabric H (heart border)

One (1) 2" x 8" fussy cut strip appliqué from Fabric H (heart
 border) apply to a 4 1/2" x 10 1/2" strip from Fabric K

One (1) 3 1/2" x 12 1/2" fussy cut strip Fabric K (heart border)

Fourteen (14) 2 7/8" squares from Fabric I

Six (6) 4 7/8" squares from Fabric I

Twelve (12) 2 3/4" squares from Fabric I

Two (2) 2 1/2" x 20 1/2" strips from Fabric I

One (1) 3 1/2" x 27" strip from Fabric I

Two (2) 2 1/2" x 27" strip from Fabric I

One (1) 3" x 12 1/2" strip from Fabric I

One (1) 2 1/2" x 16 1/2" strip from Fabric I

One (1) 3" x 20 1/2" strip from Fabric I

One (1) 2 1/2" x 37 1/2" strips from Fabric I

Two (2) 3" x 14" strips from Fabric I

Two (2) 1 1/2" x 4 1/2" strips from Fabric I

One (1) 3" x 4 1/2" strip from Fabric I

One (1) 2 1/2" x 9 1/2" strip from Fabric I

Two (2) 3" x 16 1/2" strips from Fabric I

One (1) 4" x 12 1/2" strip from Fabric I

Two (2) 2 1/2" x 14 1/2" strips from Fabric I

One (1) 4 1/2" x 6 1/2" strip from Fabric I

Twenty Two (22) 2 1/2" x 4 1/2" strips from Fabric I

Two (2) 2" x 8 1/2" strips from Fabric I

Four (4) 3 1/2" x WOF strips from Fabric I (bottom and side
 border)

Hundred Thirty Six (136) 2 1/2" squares from Fabric I

Eight (8) 1" x 7 1/2" strip from Fabric I

One (1) 1 1/2" x 10" strip from Fabric I

One (1) 2" x 3 1/2" strip from Fabric I

One (1) 2" x 23 1/2" strip from Fabric I

Two (2) 1" x 10" strips from Fabric I

Two (2) 1" x 11 1/2" strips from Fabric I

One (1) 1" x 3" strip from Fabric I

One (1) 1" x 4 1/2" strip from Fabric I

One (1) 2" x 12 1/2" strip from Fabric I

One (1) 2" x 11 1/2" strip from Fabric I

CONSTRUCTION

Sew all rights sides together with 1/4" seam allowance.

Flying Geese

- To create the flying geese in this quilt we used the corner triangle method. Draw a diagonal line on the wrong side of the fabric on your 2 1/2" squares. Take your 2 1/2" x 4 1/2" rectangle and place your first square wrong sides together on one of the sides of your rectangle and sew on the diagonal you drew. Trim seam allowance to 1/4" and press open. Repeat this same process with another 2 1/2" square to get one flying geese. (Diagram 1)




DIAGRAM 1

- Follow diagram to complete all your flying geese units. (Diagram 2)

Thirteen (13)



Eight (8)



Six (6)



Seven (7)



Ten (10)



Four (4)



One (1)



Six (6)



Six (6)



Four (4)



Two (2)



Two (2)



Two (2)



DIAGRAM 2

Half Square Triangles

- There are two different half square triangles in this quilt (2" finished and 4" finished) and we used the two at a time method to create the half square triangles.

Two (2) 2 1/2" x 10 1/2" strips from Fabric I
One (1) 4 1/2" x 14 1/2" strip from Fabric I
One (1) 2 1/2" x 8 1/2" strip from Fabric I
One (1) 4 1/2" x 10 1/2" strip from Fabric I
One (1) 1 1/2" x 14 1/2" strip from Fabric I
One (1) 2 1/2" x 6 1/2" strip from Fabric I
Two (2) 2" x 6 1/2" strips from Fabric I
One (1) 3 1/2" x 21 1/2" strip from Fabric I
One (1) 4" x 21 1/2" strip from Fabric I
One (1) 4 1/2" x 17 1/2" strip from Fabric I
Two (2) 4 1/2" squares from Fabric I

One (1) 2 1/2" x 24 1/2" strip from Fabric I
One (1) 2 1/2" x 19 1/2" strip from Fabric I
One (1) 3 1/2" x 12 1/2" strip from Fabric I
One (1) 1 1/2" x 12 1/2" strip from Fabric I
One (1) 2 1/2" x 7 1/2" strip from Fabric I
One (1) 4 1/2" x 5 1/2" strip from Fabric I
One (1) 6 1/2" square from Fabric I
One (1) 3 1/2" x 14 1/2" strips from Fabric I
Two (2) 3 1/2" x 10 1/2" strips from Fabric I

Six (6) 2 1/2" x 4 1/2" strips from Fabric J
Four (4) 4 7/8" square from Fabric J
Eight (8) 2 1/2" squares from Fabric J
One (1) 2 1/2" x 10 1/2" strips from Fabric J
Two (2) 1 1/2" x 9 1/2" strips from Fabric J
Two (2) 1 1/2" x 2 1/2" strips from Fabric J
Two (2) 1" x 7 1/2" strips from Fabric J

One (1) 8 1/2" x 14 1/2" rectangle from Fabric K
Thirteen (13) 2 1/2" x 4 1/2" strips from Fabric K
Fourteen (14) 2 1/2" squares from Fabric K
One (1) 2 7/8" square from Fabric K
One (1) 4 1/2" x 8 1/2" strip from Fabric K
One (1) 4 1/2" x 10 1/2" strip from Fabric K
One (1) 7 7/8" square from Fabric K

Eight (8) 2 1/2" x 4 1/2" strips from Fabric L
Twelve (12) 2 1/2" squares from Fabric L
Six (6) 2 7/8" squares from Fabric L

Eleven (11) 2 1/2" x 4 1/2" strips from Fabric M
Two (2) 4 7/8" squares from Fabric M
One (1) 4 1/2" x 6 1/2" strip from Fabric M
Four (4) 2 1/2" squares from Fabric M
Two (2) 2 1/2" x 10 1/2" strips from Fabric M
Two (2) 1 1/2" x 8 1/2" strips from Fabric M
Eight (8) 1" x 7 1/2" strips from Fabric M

- To create two half square triangles with Fabric **M** and Fabric **I**, take 4 7/8" x 4 7/8" squares from both fabrics. (**DIAGRAM 3**)



DIAGRAM 3

- Place on top with right sides together! Draw a diagonal line from one corner to the other.
- Sew on each side of the line you drew at $1/4"$.
(DIAGRAM 4)




DIAGRAM 4

- Cut on your diagonal line. Press seams open. (DIAGRAM 5)




DIAGRAM 5

- You will need four (4) **M/I**, and eight (8) **I/J** HST's.
- Repeat this same process with your 2 7/8" squares to get twelve (12) **I/L**, two (2) **I/K**, six (6) **I/C**, and eight (8) **I/F** HST's. (Diagram 6)

XX

Twelve (12)



Two (2)



Six (6)



Eight (8)



Four (4)



Eight (8)




DIAGRAM 6

- To complete the block in Section 2, sew a 2 1/2' square from Fabric **J** to each side of a 2 1/2' square from Fabric **D**. Repeat this step again to get two rows that look like Diagram 7. Sew your two rows to each side of a 2 1/2' x 6 1/2' strip from Fabric **D**.
- This will be the same process you use to create the three blocks in Section 7.




DIAGRAM 7

- Cut your 7 7/8" square from Fabric **K** on both diagonals. (Diagram 8)
- Sew your triangles to each side of your block and trim to 9 1/2". (Diagram 9)



DIAGRAM 8




DIAGRAM 9

- To make the block in Section 6, draw a diagonal line on your 2 3/4' squares from Fabric I. Place on three of your corners and sew on the diagonal line you drew trimming to 1/4' seam allowance as you go. You should get a block that looks like Diagram 10.2. Repeat this process three more times and then sew your units together to get your block. (Diagram 11)




DIAGRAM 10.1




DIAGRAM 10.2





DIAGRAM 11

- Now that all of your units are put together it's time to start sewing the quilt together into sections.
- The quilt is broken down into nine sections. Follow the Section 1-9 diagrams to sew up each section.


- Follow the quilt assembly diagram to sew your sections together.
- Create a bottom and side border by sewing two WOF strips together and trimming the excess.




Section 1




Section 4




Section 5




Section 6



Section 7







28 1/2"

14"

24"

8 1/2" x 14 1/2"

Applique

3 1/2" x 12 1/2"

3 1/2" x WOF

Join two WOF and trim excess

66 1/2"

3 1/2" x WOF

3 1/2" x WOF

Join two WOF and trim excess

3 1/2" x WOF

QUILT ASSEMBLY

Sew rights sides together.


- Place BACKING FABRIC on a large surface wrong side up. Stretch it with masking tape against that surface.
- Place BATTING on top of backing fabric.
- Place TOP on top of the batting with right side facing up. Smooth away wrinkles using your hands.
- Pin all layers together and baste with basting thread, using long stitches. You can also use safety pins to join the layers.
- Machine or hand quilt starting at the center and working towards the corners. Remember that quilting motifs are a matter of personal preference. Have fun choosing yours!
- After you finished, trim excess of any fabric or batting, squaring the quilt to proceed to bind it.

BINDING

Sew rights sides together.

- Cut enough strips $1\frac{1}{2}$ ' wide by the width of the fabric **M** to make a final strip 274' long. Start sewing the binding strip in the middle of one of the sides of the quilt, placing the strip right side down and leaving an approximated 5' tail. Sew with $\frac{1}{4}$ ' seam allowance (using straight stitch), aligning the strip's raw edge with the quilt top's raw edge.
- Stop stitching $\frac{1}{4}$ ' before the edge of the quilt (**DIAGRAM B 1**). Clip the threads. Remove the quilt from under the machine presser foot. Fold the strip in a motion of 45° and upward, pressing with your fingers (**DIAGRAM B2**). Hold this fold with your finger, bring the strip down in line with the next edge, making a horizontal fold that aligns with the top edge of the quilt (**DIAGRAM B3**). Start sewing at $\frac{1}{4}$ ' of the border, stitching all the layers. Do the same in the four corners of the quilt.

- Stop stitching before you reach the last 5 or 6 inches. Cut the threads and remove the quilt from under the machine presser foot. Lay the loose ends of the binding flat along the quilt edge, folding the ends back on themselves where they meet. Press them together to form a crease. Using this crease as the stitching line, sew the two open ends of the binding with right sides together (you can help yourself marking with a pencil if the crease is difficult to see).
- Trim seam to $\frac{1}{4}$ ' and press open. Complete the sewing. Turn binding to back of the quilt, turn raw edge inside and stitch by hand using blind stitch.



artgalleryfabrics.com

NOTE: While all possible care has been taken to ensure the accuracy of this pattern, We are not responsible for printing errors or the way in which individual work varies.

Please read instructions carefully before starting the construction of this quilt. If desired, wash and iron your fabrics before starting to cut.

© 2017 Courtesy of Art Gallery Quilts LLC. All Rights Reserved.