

OVERNIGHT DUFFEL BAG



This pattern is for personal use only.

© The Stitching Scientist
www.thestitchingscientist.com

Updated OVERNIGHT DUFFEL BAG

Required Supplies

- 1-yard cotton fabric- main outer
- 1-yard cotton fabric-main inner/lining, pockets and straps
- 10" piping for pockets
- 2 yards' medium weight interfacing
- ¼" yard heavy weight interfacing
- 8" x 40" batting
- 20" zipper
- Coordinating tread

Cutting out the pieces

There are 9 pieces in the printable pattern. Print and tape the coordinating pieces together. There are 2 pieces for the sides ▪ 4 pieces for the main sides ▪ 2 pieces for the main bottom ▪ 1 piece for the pocket

When you finish taping all your coordinating pieces together, you will have 4 pieces all together (straps not included in picture)



Cutting for the straps

Cut 4 pieces of cotton fabric (use the same fabric used for the lining) measuring 3" wide x 40" long.

Cut 2 pieces of batting measuring 2.5" wide x 40" long

Cutting the interfacing


Cut medium weight interfacing about 1" shorter than the pattern for each of the side ovals, each of the two main sides and each of the pockets.

Cut out 1 heavy weight interfacing about 1" shorter for the bottom piece.

Instructions

Step 1

Iron on all the interfacing to the wrong side of each of your 5 main pieces.



Step 2

- a) For each of your piece, place the inner lining fabric on the main piece, right sides together and sew all the way around, leaving about 4" to turn inside out.
- b) Turn inside out, iron and top stitch close.
- c) You will now have 5 pieces; one side will be with the lining fabric and the other side will be with the outer main fabric.





Step 3

- a) For each of your straps pieces, fold down $\frac{1}{4}$ " down the length of the fabric and iron neatly.
- b) Fit in the batting in between the folds of one of your strap.
- c) Place the other strap piece over the one with the batting. Sew the ends down.
- d) Sew all 3 together like a sandwich. If you want a quilted look, you can do a few stitches in the middle.





Step 4

- a) Cut a piece of piping to measure the width of the top of the pocket piece.
- b) Align the edge of the piping to the right side of one of the pocket piece. Pin in place.
- c) Place the other pocket piece, aligning to the top and right sides together. Sew across
- d) Sew the sides closed. Turn inside out



Step 5

Baste stitch pocket piece over the main piece of the side. Repeat for each side.



Step 6

- a) Please zipper face up on the right side of one of your main side pieces. Pin and sew down.
- b) Place the other main side on the edge of the zipper, right sides together and zipper facing up. Pin and sew down.



Step 7

- a) Place each of ends of the straps about 5" from the ends of each sides of the side pieces. Pin down.
- b) Place a pin about 3" from the top of each side. Pin and sew down.



Step 8

- a) Place bottom piece to right side together on the bottom of one of the side pieces. Pin and sew.
- b) Place the other side of the bottom piece on the other main side piece and sew down.




Step 9

- a) OPEN zipper half way. Pin and sew the sides to each of side of the main bag.
- b) Turn bag inside out.




OVERNIGHT DUFFEL BAG
THE STITCHING SCIENTIST



OVAL SIDE 1 of 2

CUT 2 OUTER
CUT 2 INNER
CUT 2 MEDIUM INTERFACING



OVAL SIDE 2 of 2

CUT 2 OUTER

CUT 2 INNER

CUT 2 MEDIUM INTERFACING

MAIN SIDE 1 of 4

CUT 2 OUTER
CUT 2 INNER
CUT 2 MEDIUM INTERFACING

MAIN SIDE 2 of 4

CUT 2 OUTER

CUT 2 INNER

CUT 2 MEDIUM INTERFACING

MAIN SIDE 3 of 4

CUT 2 OUTER

CUT 2 INNER

CUT 2 MEDIUM INTERFACING

MAIN SIDE 4 of 4

CUT 2 OUTER

CUT 2 INNER

CUT 2 MEDIUM INTERFACING

BOTTOM 1 of 2

CUT 2 OUTER

CUT 2 INNER

CUT 2 HEAVY


INTERFACING

BOTTOM 2 of 2

CUT 1 OUTER

CUT 1 INNER

CUT 1 HEAVY INTERFACING



POCKET
CUT 2 LINING
CUT 2 OUTER