

McCalls 6878 Size:2-5 Part:1 Paper:a4

@ Hoimayva

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select



Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.




SEAM 1 1/4" (3.2 CM)
Child size CDD (2-3-4-5)
McCALL'S
M6878
CONTRAST : CUT 1 ON FOLD

FRONT HEM BAND C
9
BANDE D'OURLET DEVANT
BANDA DOBLADILLO DEL FRENTE
VORD. SAUMBLENDE
BORDO DELL'ORLO DAVANTI

SEAM 1 1/4" (3.2 CM)



CENTER FRONT ON FOLD



Row B, Column 1

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com



Row C, Column 1

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE

LENGTHEN OR SHORTEN HERE

A C HEM 1 1/4" (3.2 CM)

5

LENGTHEN OR SHORTEN HERE

A C HEM 1 1/4" (3.2 CM)

4

LENGTHEN OR SHORTEN HERE

A C HEM 1 1/4" (3.2 CM)

3

LENGTHEN OR SHORTEN HERE

A C HEM 1 1/4" (3.2 CM)

2


M6878

© 2014 The McCall Pattern Company
All Rights Reserved
Printed in U.S.A.

McCALL'S

CUT 1 ON FOLD

FRONT A B C D
DEVANT
FRANTE
VORDETEIL
D'AVANTI




WELSH

Row E, Column 1

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com





FOLDLINE

EASE



SEAM 1 1/4" (3.2 CM)

EASE



ON FOLD

SEAM 1 1/4" (3.2 CM)

EASE



HEM 1 1/4" (3.2 CM)

HEM 1 1/4" (3.2 CM)

HEM 1 1/4" (3.2 CM)



CUT HERE FOR A C

CUT HERE FOR A C

CUT HERE FOR A C

CUT HERE FOR A C

Les lignes des pièces imprimées, et marquées
sont imprimées clairement; si des
marquer au fil.



PREPARATION DU PATRON



Indique: pointe de poitrine, lignes de taille, de hanches et/ou avant-bras. Ces mesures sont basees sur la circonference du vetement fini (Mesures du corps + Aisance confort + Aisance mode). Ajuster le patron si necessaire.

Rallonger ou raccourcir aux lignes de rectification (—) ou a l'endroit indique sur le patron. Si le rallongement est important, un excès de tissu peut s'avérer necessaire.

• Rallonger - Couper entre les lignes de rectification. Espacer les bords (parallelement) pour obtenir la longueur desiree.

• Raccourcir - Former un pli a une des lignes de rectification. Exemple: pli de 1cm pour raccourcir de 2cm.

Reporter tous les repères sur l'envers du tissu avant d'enlever le patron. Les repères a reporter sur l'endroit seront marques au fil.

Lignes de couture - a 15mm des bords coupes, sauf contre indiquer

Repere-bouton - indique emplacement exact.

Repere-boutonniere - indique trandeur et emplacement.

Row D, Column 2


McCalls 6878 Size:2-5 Part:1 www.printsew.com




Lignes des mesures emplacement et milieu

Row E, Column 2

McCalls 6878 Size:2-5 Part:1 www.printsew.com

@ Hoimayva





McCALL'S
M6878
Child size CDD (2-3-4-5)

CONTRAST : CUT 1

Row B, Column 3

FOLD

McCalls 6878 Size:2-5 Part:1 www.printsew.com

BANDA DOBLADILLO DE LA ESPALDA
BANDE D'OURLET DOS

BACK HEM BAND C



10

CENTER BACK

@ Hoimayva

McCALL'S
M6878
e CDD (2-3-4-5)

5
4
3
2
5
4
3
2



McCalls 6878 Size:2-5 Part:1 www.printsew.com

@ Hoimayva

FABRIC : CUT 1 ON FOLD
INTERFACING : CUT 1 ON FOLD

McCALL'S

M6878

Child size CDD (2-3-4-5)



CENTER FRONT ON FOLD

3	○
2	○

५
४
३
२

2


寸

- 5
- 4
- 3
- 2

Row D, Column 3

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com



Row E, Column 3

McCalls 6878 Size:2-5 Part:1 www.printsew.com

@ Hoimayva

LENGTHEN OR SHORTEN HERE

3

SHOULDERSTRAP A B C
BRETELLE
TIRA DEL HOMBRO
TRÄGER
SPALLINA SULLA SPALLA

A B FABRIC : CUT 4
C CONTRAST : CUT 4

McCALL'S
M6878

Child size CDD (2-3-4-5)



6

SLEEVE B



MANCHE
MANGA
ÄRMEL
MANICA

CUT 4

McCALL'S
M6878

Child size CDD (2-3-4-5)

EASE



GRAINLINE



5

4

3

2

2

3

GATHER

CUT 4


Child size

RUFFLE C
VOLANT
VOLANTE
RUSCHE
VOLANT



GATHER

M



Row C, Column 4

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com

PLEAT

2

BACK A B C D

DOS
ESPALDA
RÜCKENTEIL
DIEHTO

CUT 2

MCCALL'S
M6878

Child size CDD (2-3-4-5)

PI



ference-
ment +
pattern

Length
or whe
length
additic

• To l
line
edge

• To s
Mak

Transf
moving
of fabr

Sea
edge

But
plac

But
exa
but

Syn
and

Center
clearly

CUT HERE FOR 4 C

Row D, Column 4

McCall's 6878 Size:2-5 Part:1 www.printsew.com

A C HEM 1 1/4" (3.2 CM)

@ Hoimayva

A C HEM 1 1/4" (3.2 CM)

CUT HERE FOR A C

A C HEM 1 1/4" (3.2 CM)

CUT HERE FOR A C

A C HEM 1 1/4" (3.2 CM)

HEM 1 1/4" (3.2 CM)

HEM 1 1/4" (3.2 CM)

Row E, Column 4

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com

1/4" (3.2 CM)

HEM 1 1/4" (3.2 CM)

PATTERN
GLOSSARYGLOSSAIRE
DU PATRONGLOSARIO
DEL PATRONSCHNITT-
ERKLÄRUNGEN



ENGLISH	FRANCAIS	ESPAÑOL	DEUTSCH
APPLIQUE BLOUSING CASING CENTER	APPUQUE PARTIE BLOUSANTE COULISSE MILIEU	APLICACION ABLUSADO JARETA CENTRO	APPLIKATION ÜBERFALL FÜR DURCHZUG MITTE
CENTER BACK CENTER FRONT CONTRAST	MILIEU DOS MILIEU DEVANT CONTRASTE	CENTRO DE LA ESPALDA CENTRO DEL FRENTE CONTRASTE	RÜCKW. MITTE VORDERE MITTE KONTRAST
CROTCH LINE CUT ... CUT OFF FOR ...	LIGNE DE FOURCHE COUPER ... COUPER ICI POUR ...	LÍNEA DEL TIRO CORTAR ... CORTAR AQUÍ PARA ...	SCHRITTLINIE ... X ZUSCHNEIDEN ABSCHNEIDEN FÜR ...
CUT .. ON FOLD DRESS EASE	COUPER ... SUR LA PLIURE ROBE SOUTENIR	CORTAR ... AL DOBLEZ VESTIDO ACOMODAR	... X AM STOFFBRUCH ZUSCHNEIDEN KLEID EINHALTEN
FABRIC FACING FOLD, FOLDLINE	TISSU PAREMENTURE PLIURE, LIGNE DE PLIURE	TELA VISTA DOBLEZ, LÍNEA DEL DOBLEZ	STOFF BELAG STOFFBRUCH, UMBRUCHLINIE
FOR ... FOR HALF SIZE FOR MISSES' PETITE	POUR ... POUR DEMI TAILLE POUR PETITE J. FEMME	PARA .. PARA TALLA MEDIA PARA SEÑORA JÓVEN (ESTATURA BAJA)	FÜR.. FÜR ZWISCHENGROSSE FÜR KLEINE DAMEN
GATHER GRAINLINE, GRAIN GUIDE FOR BUTTONHOLES	FRONCER DROIT F.L PIÈCE GUIDE POUR BOUTONNIÈRES	FRUNCIR HILO DE LA TELA GUÍA PARA LOS OJALES	EINKRÄUSELN FADENLAUF VORLAGE FÜR KNOPFLOCHER
HEM INTERFACE TO THIS LINE INTERFACING	OURLET COUPER ICI POUR ENTOILAGE ENTOILAGE	DOBLADILLO CORTAR AQUÍ PARA LA ENTRETELA ENTRETELA	SAUM EINLAGE HIER ABSCHNEIDEN EINLAGE
LEFT SIDE LENGTHEN OR SHORTEN HERE LINING	CÔTÉ GAUCHE RALLONGER OU RACCOURCIR ICI DOUBLURE	COSTADO IZQUIERDO ALARGAR O ACORTAR AQUÍ FORRO	LINKE SEITE HIER VERLÄNGERN ODER VERKÜRZEN FUTTER
LOWER EDGE PLACEMENT LINE PLEAT	BORD INFÉRIEUR LIGNE D'EMPLACEMENT PLI	BORDER INFERIOR LÍNEA DE COLOCACION PLIEGUE	UNTERE KANTE HIER ANLEGEN FALTE
RIGHT SIDE ROLL LINE SEAM	CÔTÉ DROIT LIGNE DE PLIURE NON REPASSEE COUTURE	COSTADO DERECHO LÍNEA DE DOBLAR SIN PLANCHAR COSTURA	RECHTE SEITE UMBRUCHLINIE NAHT
SHOULDER SLASH STIFFENING	ÉPAULE FENDRE ENTOILAGE RAIDE	HOMBRO DAR UN CORTE ATIESADOR	SCHULTER EINSCHNITT VERSTEIFUNG
STITCHING LINE STRETCH TUCK	LIGNE DE PÛTURE ÉTIRER PLI	LÍNEA DE PUNTADAS ESTIRAR ALFORZA	STEPPLINIE DEHNEN FALTE
UNDERBODICE UNDERDRESS UNDERLINING	DESSOUS DE CORSAGE DESSOUS DE ROBE TRIPLURE	CORPINO INTERIOR VESTIDO INTERIOR REFUERZO	INNERES OBERTEIL UNTERKLEID INNENFUTTER
UNDERSKIRT UPPER EDGE WAISTLINE	DESSOUS DE JUPE BORD SUPÉRIEUR LIGNE DE TAILLE	ENAGUA BORDE SUPERIOR LÍNEA DE LA CINTURA	UNTERROCK OBERE KANTE TAILLENLINIE





Row B, Column 5

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com





PREPARING PATTERN

Indicates the Bustline, Waistline and/or Biceps. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust if necessary.

Lengthen or Shorten at adjustment lines (==) are indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

Lengthen - Slash between adjustment lines. Spread amount as needed, keeping lines parallel.

Shorten - Crease along adjustment line. Make a fold half the amount needed.

Transfer all tissue markings to fabric before releasing pattern. Markings needed on right side of fabric should be thread traced.

Seamlines - 5/8" (15mm) from cut unless otherwise indicated.


Notch Marking - Indicates button placement.

Notchhole Marking - Indicates notch length and placement of notchholes.

Notches - For matching seams and construction details.

Notches, Foldlines, Placement lines, etc., are marked; thread trace if desired.

SEAMLINE



Row D, Column 5

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE

2

LENGTHEN OR SHORTEN HERE

3

LENGTHEN OR SHORTEN HERE

4

LENGTHEN OR SHORTEN HERE

5



2

Row E, Column 5

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com

3

4

5

GLOSSARIO PER MODELLI


PATROON- VERKLARINGEN


ITALIANO	NEDERLANDS
APPLICAZIONE BLUSANTE GUAINA CENTRO	APPLIQUÉ BLOESEND TUNNEL/GOOT JE MIDDEN
CENTRO DIETRO CENTRO DAVANTI CONTRASTO	MIDDEN ACHTER MIDDEN DEL FRENTE KONTRAST
LINEA DEL CAVALLO TAGLIARE ... TAGLIARE QUI PER ...	KRUISLIJN .. X KNIPPEN AFKNIPPEN VOOR ..
TAGLIARE ... SULLA PIEGA ABITO ACCOMODARE	.. AAN STOFVouw LEGGEN JURK INHOUDEN
TESSUTO MOSTRA PIEGA, LINEA DI PIEGA	STOF BELEG STOFVouw, vouwLIJN
PER ... PER MEZZA TAGLIA PER SIGNORA DI STATURA BASSA	VOOR ... VOOR HALFMATEN VOOR KLEINERE DAMES
ARRICCIARE DRITTO FILO GUIDA PER ASOLE	RIMPELEN DRAADRICHTING Sjabloon voor KNOOPSGAT
ORLO TAGLIARE L'INTERFODERA A QUESTA LINEA INTERFODERA	ZOOM TOT DEZE LIJN TUSSENVOERING TUSSENVOERING
LATO SINISTRO ALLUNGARE O ACCORCIARE QUI FODERA	LINKSE KANT HIER VERLENGEN OF VERKORTEN VOERING
BORDO INFERIORE LINEA DI SISTEMAZIONE PIEGA	ONDERKANT HIER AANLEGGEN PLOOI
LATO DESTRO LINEA DE ARROTOLARE CUCITURA	RECHTSE KANT OMSLA LIJN NIET PERSEN NAAD
SPALLA APERTURA RINFORZO RIGIDO	SCHOUDER KNIPPEN VERSTEVIGENDE VOERING
LINEA DI CUCITURA TIRARE PIRESA	NAALIJN REK PLOOI
SOTTOCORPINO SOTTO L'ABITO CONTROFODERA	ONDERLIJFJE ONDERJURK ONDERVOERING
SOTTOGONNA BORDO SUPERIORE LINEA DELLA VITA	ONDERBROK BOVENKANT TAILLELIJN

Row B, Column 6

@ Hoimayva

McCalls 6878 Size:2-5 Part:1 www.printsew.com





McCALL'S
M6878
Child size CDD (2-3-4-5)

8

TIE D
ATTACHE
LAZO

SCHLEIFE
FIOCCO

GRAINLINE

CUT 4

Row E, Column 6

McCalls 6878 Size:2-5 Part:1 www.printsew.com

FOLD HERE



2	-----	2
3	-----	3
4	-----	4
5	-----	5

@ Hoimayva