

janey
jump around
dress

Sizes:
6 mos. -
10 years

Includes
Short and
Long Sleeves

peek-a-boo
PATTERN SHOP



Materials

- Fabric: knit - jersey, interlock or waffle knit for body. Rib knit for contrast fabric.
- 2 Buttons
- Double Needle (optional)
- Serger or Ballpoint/Knit Needle
- Scrap of Fusible Interfacing

Size	Fits Chest Size		Dress Length		Sleeve Length (long sleeves)		Dress Fabric	Accent Fabric
6 mos.	19"	48.25 cm	15"	38 cm	8.75"	22.25 cm	1/2 yard	1/4 yard 25 cm
12 mos.	20"	50.75 cm	17"	43 cm	10"	25.5 cm	2/3 yard 60 cm	
18 mos.	20.5"	52 cm	18"	45.75 cm	11.5"	29.25 cm		
2T	21"	53.5 cm	20"	50.75 cm	12.25"	31 cm		
3T	22"	56 cm	21"	53.5 cm	13.75"	35 cm	3/4 yard 70 cm	
4T	23"	58.5 cm	22"	56 cm	14.5"	36.75 cm		
5	24"	61 cm	24"	61 cm	15.25"	38.75 cm		
6	25"	63.5 cm	27"	68.5 cm	15.75"	40 cm	1 yard 90 cm	
8	27"	68.5 cm	31"	78.75 cm	17"	43.25 cm		
10	28.5"	72.5 cm	33"	83.75 cm	19"	48.25 cm		

Yardage Requirements are based on a 58" bolt. Metric conversions are approximate and provided for your convenience. For an exact fit you may want to work in inches.

You may sell items made with this e-Book. You may not copy, sell, or redistribute this e-Book in any form.

Choosing Your Size

Measure your child's chest circumference and choose the corresponding size from the size chart. Measure a dress that fits well to double check the length of the dress and sleeves.

Cutting Out Your Pieces

Print your pattern pieces out at 100% with no scaling.

Size	Print Pages
6 mos.	8-9, 11-13, 18-24
12 mos. - 3t	8-9, 11-13, 17-24
4t	8-9, 11-13, 15, 17-24
5	8-13, 15, 17-24
6	8-13, 15-24
8-10	8-24

Tape your pattern pieces together along the dashed lines. All pieces should be cut so the fabric will stretch around your child's body. The neckline binding and sleeve cuffs should be cut so the stretch of the fabric goes across the width of the piece.

	Neckline Binding (l x w)		Sleeve Cuffs (l x w)*	
	Cut 1		Cut 2	
	inches	cm	inches	cm
6 mos.	3 x 16.5"	7.5 x 42	4 x 6"	10.25 x 15.25
12 mos.	3 x 17.5"	7.5 x 44.5	4 x 6"	10.25 x 15.25
18 mos.	3 x 18.25"	7.5 x 46.5	4 x 6.5"	10.25 x 16.5
2T	3 x 18.75"	7.5 x 47.75	5 x 6.5"	12.75 x 16.5
3T	3 x 20"	7.5 x 50.75	5 x 7"	12.75 x 17.75
4T	3 x 21.5"	7.5 x 54.5	5 x 7"	12.75 x 17.75
5	3 x 22"	7.5 x 56	6 x 7.5"	15.25 x 19
6	3 x 23"	7.5 x 58.5	6 x 7.5"	15.25 x 19
8	3 x 24.5"	7.5 x 62.25	6 x 8"	15.25 x 20.25
10	3 x 25.5"	7.5 x 64.75	6 x 8"	15.25 x 20.25

***Add 1.5" to the sleeve cuff width for short sleeves**

Sewing Guidelines

All seams must be sewn with a serger or with a standard sewing machine with a ball point needle and a narrow zig-zag stitch or stretch stitch or with a double needle. This will give the seams the necessary stretch for dressing and play.

Make sure you pre-wash and dry your fabric- knits shrink a lot!

Use a 1/2" (1.25 cm) seam allowance unless otherwise noted.

Sew slowly and make sure you don't stretch your fabric as you sew. If your seam looks wavy after sewing, steam and press it and it will regain its shape.

Assembly

1. Cut 2 pieces of ribbon for your button loops. They need to be long enough for your button to fit through plus 1/4" on each end for the seam allowance.

Form a loop with each ribbon and sew the tails in place along the lower edge of the front main layer.



2. With right sides together (RST) sew the 2 front pieces to the back at the shoulder seams.

*Optional: Finish the bottom edge of the under layer with a serger, zig-zag stitch or narrow hem. Knit doesn't fray so leaving it as-is will be fine.



3. Fold the binding piece in half with wrong sides together and press flat. Line up the raw edges of the binding with the raw edge of the neckline. Start just past the button loops and curve the binding off the neckline edge pinning in place.




4. Continue pinning the neck binding to the neckline continuing all the way around to the edge of the under layer. You will need to stretch the binding to fit. Sew in place **using a 1/4" seam allowance**. If you are using a serger you can serge across the rest of the front neckline as well to finish the ends of the button loops.



5. Flip the binding up so the seam allowance is on the inside of the dress and topstitch in place.



6. Overlap the 2 front pieces with the under layer on the bottom. Baste together along the arm openings and down the side seam.	
7. Add a scrap of interfacing to the wrong side of the under layer of the dress. Sew your buttons in place.	
8. With RST sew the sleeves into the arm openings. <i>*Tip: Pin the center of the sleeve to the shoulder seam and the sleeve edges to the side seams and then distribute the rest of the fabric to make sure the sleeves are sewn on evenly.</i>	
9. With RST sew up the sleeve inseam and dress side seam in one continuous seam.	

10. With RST sew the two short edges (the length dimension from the cutting chart) of each sleeve cuff together. Roll the bottom edge up so wrong sides are together and the seam is fully enclosed. Your cuff is now ready to attach to the shirt sleeve.



11. With the cuff on the right side of the sleeve sew the raw edges of the cuff to the bottom edge of the sleeve. Line up the seam in the cuff with the seam in the shirt sleeve. You will need to stretch the cuff to fit.




12. Fold the bottom edge of the dress up 3/4" and press flat. Topstitch in place using a zig-zag stitch or double needle. Your stitching should encase the raw edge on the back side.



Stuck? Email peekaboopatternshop@gmail.com for help or to make suggestions for improving this pattern.

1" when
printed
correctly



1" when
printed
correctly

10

8

6

5

4t

3t

2t

18 mos.

12 mos


6 mos.

Janey
Front Under Layer
piece 2


a

cut 1


(c) peek-a-boo pattern shop 2013




1" when
printed
correctly





1" when
printed
correctly






1" when
printed
correctly







1" when
printed
correctly

1" when
printed
correctly




1" when
printed
correctly






1" when
printed
correctly

1" when
printed
correctly





1" when
printed
correctly

Janey
Front Main Layer
piece 2

1" when
printed
correctly

1" when
printed
correctly

9

Janey Jump Around Dress

Front Main Layer piece 1

	Neckline Binding (l x w)		Sleeve Cuffs (l x w)*	
	Cut 1		Cut 2	
	inches	cm	inches	cm
6 mos.	3 x 16.5"	7.5 x 42	4 x 6"	10.25 x 15.25
12 mos.	3 x 17.5"	7.5 x 44.5	4 x 6"	10.25 x 15.25
18 mos.	3 x 18.25"	7.5 x 46.5	4 x 6.5"	10.25 x 16.5
2T	3 x 18.75"	7.5 x 47.75	5 x 6.5"	12.75 x 16.5
3T	3 x 20"	7.5 x 50.75	5 x 7"	12.75 x 17.75
4T	3 x 21.5"	7.5 x 54.5	5 x 7"	12.75 x 17.75
5	3 x 22"	7.5 x 56	6 x 7.5"	15.25 x 19
6	3 x 23"	7.5 x 58.5	6 x 7.5"	15.25 x 19
8	3 x 24.5"	7.5 x 62.25	6 x 8"	15.25 x 20.25
10	3 x 25.5"	7.5 x 64.75	6 x 8"	15.25 x 20.25

*Add 1.5" to the sleeve cuff width for short sleeves

