

Simplicity 1430 Size:4-12 Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select



Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.

1430

Simplicity



Designed and printed in the USA.
Diseñado e impreso en los Estados Unidos
Conçu et imprimé aux États-Unis



Row A, Column 1

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

E FOR VIEW - A
UPE POUR VUE
RTE PARA VISTA
OR ZICHT
E FUR ANSICHT



BETWEEN THE
MEASUREMENTS FOR A
VELOPE BACK
NT MEASUREMENTS
ERN TISSUE.

Row B, Column 1

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

R VIEW - B
POUR VUE
PARA VISTA
CHT
ANSICHT

1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

10CM

DEMAS

PERPO

DE: 10CM

Row C, Column 1

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

WAISTLINE
TAILLE
CINTURA
RIEM LIJN

CENTER FRONT SEAM
COUTURE DU MILIEU DU DEVANT
COSTURA DEL CENTRO DEL FRENTE
MIDDENVOORNAAD
VORDERE MITTELNAHT



4 6 8 10 12

*TOTAL EASE ABOVE
BODY MEASUREMENT IS
APPROXIMATELY: 5 1/2" 14CM

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

MEASUREMENTS

VORDERTEIL

Row D, Column 1

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

FRONT - A R

DEVAN,
FRENTE
VOORKANT



4, 6, 8, 10, 12

SIZES/TAILLES/TALLAS

Simplicity®
1430 - MISS

5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

4 000 2/12

4 000 000

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

4
6
8
10
12

ARMHOLE FACING - A, B
PAREMENTURE DE L'EMMANCHURE
VISTA DE LA SOBACAQUERA
ARMGAT BEKLEDING
ARMLEUCHENFASSUNG

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2



3/8 IN. SEAM
ALLOWANCE


Row A, Column 2

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

*PLEASE IS THE DIFFERENCE
STANDARD BODY MEASUR
SIZE AS GIVEN ON THE EN
AND THE FINISHED GARME
AS PRINTED ON THE PAT

CUTTING LINE
LIGNE DE COU
LINEA DE CO
KNIPLIJN VO
SCHNITTLINIE

4
6
8
10
12



5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE
CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS
MIDDEN ACHTER
RUCKWARTIGE MITTE

4
6
8
10
12

4	35 1/2"	90CM
6	36 1/2"	92.5CM
8	37 1/2"	95CM
10	38 1/2"	98CM
12	40"	102CM
HIP		
HANCHE		
CADERA		
HEUP		
HUTE		

CUTTING LINE FOR
 LIGNE DE COUPE
 LINEA DE CORTE
 KNIPLIJN VOOR ZI
 SCHNITTLINIE FUR

VIEW - B
 VUE
 VISTA
 ZICHT
 ANSICHT



CENTER BACK SEAM
 COUTURE DU MILIEU DU DOS
 COSTURA DEL CENTRO DE ATRAS
 MIDDENACHTERNAAD
 RUCKWARTIGE MITTELNAHT

WAISTLINE
 TAILLE
 CINTURA
 RIEM LIJN
 TAILLENLINIE


Row C, Column 2

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

DART
PINCE
PINZA
FIGURA NA
ABNAHER

FINISHED GARMENTS MEAS

BUST	4	35"	89CM
BUST	6	36"	91.5CM
POITRINE	8	37"	94CM
BUSTO	10	38"	96.5CM
BUSTE	12	39 1/2"	100.5CM



Row D, Column 2

Simplicity 1430 Size:4-12 Part:1 www.printsew.com



U.S. & Canada Toll-Free
1-888-588-2700



Web Site
<http://www.simplicity.com>



E-mail
info@simplicity.com

CUTTING LINE
LIGNE DE COUP
LINEA DE COR
KNIPLIJN VOOR
SCHNITTLINIE

ALLOWANCE
MARGEN DE 1.0 CM.
MARGEN DE 1.0 CM.

1430 - MISS
SIZES/TAILLES/TALLAS
4, 6, 8, 10, 12

9


Row E, Column 2

Simplicity 1430 Size:4-12 Part:1 www.printsew.com



Row A, Column 3

Simplicity 1430 Size:4-12 Part:1 www.printsew.com



Row B, Column 3

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

ESTAMPADA EN LOS ESTADOS UNIDOS

SIMPLICITY IS A REGISTERED TRADEMARK OF SIMPLICITY PATTERN CO. INC.
SIMPLICITY EST LA MARQUE DEPOSEE DE SIMPLICITY PATTERN CO. INC.



E

Row C, Column 3

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

VIEW - B
VUE
VISTA
ZICHT
ANSICHT

4 6 8 10 12

CUTTING LINE FOR VIEW - B
LIGNE DE COUPE POUR VUE
LINEA DE CORTE PARA VISTA
KNIPLIJN VOOR ZICHT
SCHNITTLINIE FÜR ANSICHT

1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

WE USE RECYCLED PAPER
FOR OUR PATTERN PRODUCTS
NOUS UTILISONS DU PAPIER
RECYCLE POUR NOS PATRONS

1430
D5(4-12)
0 3 4 5

Row D, Column 3

Simplicity 1430 Size:4-12 Part:1 www.printsew.com




FOR VIEW - A
PE POUR VUE
TE PARA VISTA
R ZICHT
FUR ANSICHT

1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

4

3/8 IN. SEAM
VALEUR DE CO
MARGEN DE CO
NAADTOESLAG
NAHTSUGABE



Row E, Column 3

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

Row A, Column 4


Simplicity 1430 Size:4-12 Part:1 www.printsew.com

IN. HEM ALLOWED
ET DE 3.2 CM.
ADILLO DE 3.2 CM.
TOESLAG
SAUMZUGABE

4
6
8
10
12

Row B, Column 4


Simplicity 1430 Size:4-12 Part:1 www.printsew.com



Row C, Column 4

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

1430 - MISS
LOOP - A, B ALL SIZES
COULANT
GAZA
LUS
SCHLINGE
CUT 1
COUPEZ 1
CORTE 1



Row E, Column 4

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

CUT
COUPEZ 4 DANS DE
CORTE 4 DE TELA


3/8 IN. SEAM ALLOWANCE

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM
MARGEN DE COSTURA DE 1.0 CM
NAADTOESLAG
NAHTSUGABE



CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

TIE - A
CORBATA
STRICK
BINDEBAND



LAS
S
Y
®

Row A, Column 5

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

1 1/4
DURL
DOBL
ZOOM
MIT S



Row B, Column 5

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

WAISTLINE
TAILLE
CINTURA
RIEM LIJN
TAILLELINIE

CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH



Row C, Column 5


Simplicity 1430 Size:4-12 Part:1 www.printsew.com

CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVOUN KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN

BACK - E
DOS
ATRAS
ACHTERKANT
RUKENTTEIL

2Ø

SIZES/TAILLES/TALLAS
4, 6, 8, 10, 12
1430 - MISS
Simplicity®



Row D, Column 5

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

CUT 2 ON FOLD
COUPEZ 2 SUR LA PLIURE
CORTE 2 EN EL DOBLEZ
2 OF DE STOVOUN KNIPPEN
2 IM STOFFBRUCH ZUSCHNEIDEN

COL
CUELLO
KRAAG
KRAGEN

COLLAR - E

4, 6, 8, 10, 12

ES/TAILLES/TALLAS

Simplicity®
1430 - MISS


21

CUT 4 OF FABRIC
COUPEZ 4 DANS DU TISSU
CORTE 4 DE TELA
KNIP 4 DE STOF
SCHNEIDEN 4 AUS DEM STOFF



CUT 4 OF INTERFACING
COUPEZ 4 DANS DE L'ENTOLAGE
CORTE 4 DE ENTRETELA
KNIP 4 DE BINNENWERK
AUS EINLAGE

ACING



OLAGE

01

Row E, Column 5

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

12	▽
10	▽
8	▽
6	▽
4	▽
3/8 IN. SEAM ALLOWANCE	
SIZES/TAILLES/TALLES 4, 6, 8, 10, 12	
Simplicity 1430 - MISS	

Row A, Column 6

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.
ZOOMTOESLAG
MIT SAUMZUGABE



Row B, Column 6


Simplicity 1430 Size:4-12 Part:1 www.printsew.com

WAISTLINE
TAILLE
CINTURA
RIEM LIJN
TAILLENLIE



CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

FRONTE
VOORKANT
VORDERTEIL



Row C, Column 6

Simplicity 1430 Size:4-12 Part:1 www.printsew.com


FRONT - E

DEVANT

19

SIZES/TAILLES/TALLAS
4, 6, 8, 10, 12

Simplicity
1430 - MISS



CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRAUCH

Year	Number of people (in thousands)
2004	4
2005	6
2006	8
2007	10
2008	12

12
10
8
6
4

IZIS

Technical drawing of a shoe sole assembly. The drawing shows a cross-section of the sole with various layers and components labeled in French. The labels include:

- AUS EINLAGE FUTTER FAL TEN SZHEINDEN
- WIP 2 DE BINNEWERK VOERING
- CORTE 2 EN DOBLEZ DE ENTRETELA
- COUPEZ 2 SUR LA PLIURE DANS DU L'ENTOILAGE
- CUT 2 ON FOLD OF INTERFACING

Dimensions are indicated by numbers 12, 8, 4, 2, and 4, likely representing millimeters. The drawing is a technical illustration of a shoe sole assembly, showing the internal structure and the placement of various layers and components. The labels are in French and describe the different parts of the sole, such as the insole, the sole board, and the sole stitching. The dimensions are given in millimeters.

Technical drawing of a garment pattern piece, likely a collar or neckband. The drawing shows a central rectangular area labeled "CENTER" and "FOLD". Dimensions are given in inches (IN) and centimeters (CM). The pattern is labeled "CUT 2 ON FOLD OF INTERFACING" and "CUT 2 ON FOLD OF TISSU". The drawing is oriented vertically on the page.


Labels and dimensions include:

- 9/8 IN. SEAM ALLOWANCE
- DEL FRONT DE ENCOLURE
- VOORKANT VAN HALS
- ALSAUSSCHNITTBLENDE
- CUT 2 ON FOLD OF TISSU
- CUT 2 ON FOLD OF INTERFACING
- COUPEZ 2 SUR LA PLIURE DANS DU L'ENTRETELA
- COUPEZ 2 EN DOBLEZ DE ENTRETELA
- KNIP 2 DE BINNEWERK VOERING
- 2 AUS EINLAGE FUTTER FAL TEN SZHEINDEN
- 9/8 IN. SEAM ALLOWANCE
- DEL FRONT DE ENCOLURE
- VOORKANT VAN HALS
- ALSAUSSCHNITTBLENDE
- CUT 2 ON FOLD OF TISSU
- CUT 2 ON FOLD OF INTERFACING
- COUPEZ 2 SUR LA PLIURE DANS DU L'ENTRETELA
- COUPEZ 2 EN DOBLEZ DE ENTRETELA
- KNIP 2 DE BINNEWERK VOERING
- 2 AUS EINLAGE FUTTER FAL TEN SZHEINDEN

[illegible]


Row E, Column 6

Simplicity 1430 Size:4-12 Part:1 www.printsew.com



Row A, Column 7

Simplicity 1430 Size:4-12 Part:1 www.printsew.com



Row B, Column 7


Simplicity 1430 Size:4-12 Part:1 www.printsew.com



Row C, Column 7

8 10 12

Simplicity 1430 Size:4-12 Part:1 www.printsew.com



Row D, Column 7

Simplicity 1430 Size:4-12 Part:1 www.printsew.com

2 K
3/8" SEAM ALLOWANCE
BAND VANDER
BIES VORDE
Simplicity
1430 - Misses
TALLS/TTALLS
4, 8, 12
CUT 2 ON FOLD OF FABRIC
COUPEZ 2 SUR LA PLIURE DANS LE TISSU
2 KNIP 2 EN DOBLEZ DE TELA
2 AUS DEM STOFFBRUCH ZUSCHNEIDEN

Row E, Column 7

Simplicity 1430 Size:4-12 Part:1 www.printsew.com