

McCalls 6659 Size:8-16 Part:1 Paper:a4

Generated by printsew.com Patent No: 7,716,143
Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

Make sure your printer is set to the same paper size that you
selected.

To save ink, set your printer to Draft or Fast Draft.



Suitable for maternity.
Adjustments may be
necessary.

Row A, Column 1

McCalls 6659 Size:8-16 Part:1 www.printsew.com

18


FRONT BAND F

BANDE DEVANT
BANDA DEL FRENTE
VORDERE BLENDE
BORDO DAVANTI

CUT 4

McCALL'S
M6659

Miss size B5 (8-10-12-14-16)



FOLD LINE

Row B, Column 1

McCall's 6659 Size: 8-16 Part:1 www.printsew.com

14

FRONT E F

DEVANT
FRENTE
VORDERTEIL
D'AVANTI

CUT 2

McCALL'S M6659

Miss size B5 (8-10-12-14-16)

LENGTHEN OR SHORTEN HERE



8 37 1/2" (95CM)
10 38 1/2" (98CM)
12 40" (101CM)
14 42" (106CM)
16 44" (112CM)

5/8" (1.5 CM)

FORE


GRAIN LINE

CUT HERE FOR E

HEM 5/8" (1.5 CM)

Row C, Column 1

McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row D, Column 1

McCalls 6659 Size:8-16 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE



Row E, Column 1



McCalls 6659 Size:8-16 Part:1 www.printsew.com

16	14	12	10	8
----	----	----	----	---

CUT HERE FOR F

Row A, Column 2


McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row B, Column 2


McCalls 6659 Size:8-16 Part:1 www.printsew.com

CENTER FRONT




Row C, Column 2

McCalls 6659 Size:8-16 Part:1 www.printsew.com




Row D, Column 2

McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row E, Column 2

McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row A, Column 3


McCalls 6659 Size:8-16 Part:1 www.printsew.com

Miss size B5 (8-10-12-14-16)
M6659
McCALL'S

CUT 4
BORDO DELLA MANICA
ARMELLEND
BANDA DE LA MANGA
BANDE DE MANCHE


SLEEVE BAND D

13





Row B, Column 3

McCalls 6659 Size:8-16 Part:1 www.printsew.com




Row C, Column 3

McCalls 6659 Size:8-16 Part:1 www.printsew.com



(1.5 CM)



Row D, Column 3

McCall's 6659 Size:8-16 Part:1 www.printsew.com

16
14
12
10
8

GRAIN LINE

FOR F

5/8" (1.5 CM)

LENGTHEN OR SHORTEN HERE


Miss size B5 (8-10-12-14-16)
McCALL'S
M6659
DOS
ESPALDA
RÜCKENTEIL
DIETRO
CUT 2
BACK E F

Row E, Column 3

McCalls 6659 Size:8-16 Part:1 www.printsew.com

15





12

POCKET BAND D
BANDE DE POCHE
BANDA DEL BOLSILLO
TASCHENBLLENDE
BORDO DELLA TASCA

CUT 1

FOLDLINE

McCALL'S
M6659

Miss size B5 (8-10-12-14-16)

GRAIN LINE



CUT HERE FOR F

LENGTH FOR ALL SIZES 42 (106CM)

16 21 1/2" (54CM)
14 21" (53CM)
12 20 1/2" (52CM)
10 20" (51CM)
8 19 1/2" (49CM)

WIDTH

Row B, Column 4

McCalls 6659 Size:8-16 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE

Row C, Column 4

McCalls 6659 Size:8-16 Part:1 www.printsew.com

14
12
10
8

CUT HERE FOR E

HEM 5/8"

1 25" (63CM)
14 25 1/2" (65CM)
16 26" (66CM)

1 25" (63CM)

Row D, Column 4


McCalls 6659 Size:8-16 Part:1 www.printsew.com

WIDTH (APPROX.)
9 24" (61 CM)
1 24 1/2" (62 CM)

LENGTH FOR ALL SIZES 10 1/2" (26 CM)

CROTCH LINE

CENTER BACK





Row E, Column 4

McCalls 6659 Size:8-16 Part:1 www.printsew.com

WALSTINE

Row A, Column 5

McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row B, Column 5

McCalls 6659 Size:8-16 Part:1 www.printsew.com

Miss size

LENGTHEN C




8	37 1/2"	(95CM)
10	38 1/2"	(98CM)
12	40"	(101CM)
14	42"	(106CM)
16	44"	(112CM)



Row C, Column 5

McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row D, Column 5

McCalls 6659 Size:8-16 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE



Row E, Column 5

McCalls 6659 Size:8-16 Part:1 www.printsew.com

16	14	12	10	8



Row A, Column 6

McCalls 6659 Size:8-16 Part:1 www.printsew.com

McCALL'S
M6659
as size B5 (8-10-12-14-16)

INTERFACING CUT 1

FABRIC CUT 2

COLLETTA

KRAGEN

CUELLO

COL

COLLAR C D

8

CENTER BACK

GRAIN LINE



FOLD LINE

WAISTLINE

B.H.

20

Row B, Column 6

McCall's 6659 Size:8-16 Part:1 www.printsew.com

DEVANT
FRENTE
VORDERTEIL
DAVANTI

CUT 2


McCALL'S
M6659

Size B5 (8-10-12-14-16)

CENTER FRONT

OR SHORTEN HERE

GRAIN LINE




Row C, Column 6

McCalls 6659 Size:8-16 Part:1 www.printsew.com

8
10
12
14
16


Row D, Column 6

McCalls 6659 Size:8-16 Part:1 www.printsew.com




Row E, Column 6

McCalls 6659 Size:8-16 Part:1 www.printsew.com




Row A, Column 7

McCalls 6659 Size:8-16 Part:1 www.printsew.com




Row B, Column 7

McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row C, Column 7

McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row D, Column 7

McCalls 6659 Size:8-16 Part:1 www.printsew.com

GRAIN LINE

LENGTHEN OR SHORTEN HERE

BS (8-10-12-14-16)

M6659

McCALL'S

CUT 2

DOS
ESPALDA
RÜCKENTL
DIETRO

BACK G

21

Row E, Column 7

McCalls 6659 Size:8-16 Part:1 www.printsew.com

FOLD LINE

Row A, Column 8

McCalls 6659 Size:8-16 Part:1 www.printsew.com

22

FRONT BAND G

BANDE DEVANT
BANDA DEL FRENTE
VORDERE BLENDE
BORDO DAVANTI

CUT 4

**McCALL'S
M6659**

Miss size B5 (8-10-12-14-16)


GRAIN LINE



Row B, Column 8


McCalls 6659 Size:8-16 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE



Row C, Column 8

McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row D, Column 8

McCalls 6659 Size:8-16 Part:1 www.printsew.com


16
12
10
8

GRITCH LINE

16

Miss size

CENTER BACK




Row E, Column 8

McCalls 6659 Size:8-16 Part:1 www.printsew.com

WISTLINE

Row A, Column 9

McCalls 6659 Size:8-16 Part:1 www.printsew.com



GUIDE FOR ELASTIC E F G

GUIDE POUR ELASTIQUE

GUIA PARA EL ELASTICO

MARKIERUNGSBAND (GUMMIBAND)

GUIDA PER L'ELASTICO

CUT 1

McCALL'S

M6659

Miss size B5 (8-10-12-14-16)

← CUT BACK ON FOLD →


17

LENGTHEN OR SHORTEN

WAISTLINE

Row C, Column 9

McCalls 6659 Size:8-16 Part:1 www.printsew.com



PATTERN GLOSSARY

GLOSSAIRE DU PATRON

GL DEL

ENGLISH	FRANCAIS	ESPA
APPLIQUE BLOUSING CASING CENTER	APPLIQUE PARTIE BLOUSANTE COULISSE MILIEU	APPLICA ABLUSAD JARETA CENTRO
CENTER BACK CENTER FRONT CONTRAST	MILIEU DOS MILIEU DEVANT CONTRASTE	CENTRO D CENTRO D CONTRAS
CROTCH LINE CUT ... CUT OFF FOR ...	LIGNE DE FOURCHE COUPER ... COUPER ICI POUR ...	LINEA DE CORTAR ... CORTAR A
CUT ... ON FOLD DRESS EASE	COUPER ... SUR LA PLIURE ROBE SOUTENIR	CORTAR ... VESTIDO ACCOMOD
FABRIC FACING FOLD, FOLDLINE	TISSU PAREMENTURE PLIURE, LIGNE DE PLIURE	TELA VISTA DOBLEZ, DOBLEZ
FOR ... FOR HALF SIZE FOR MISSES' PETITE	POUR ... POUR DEMI TAILLE POUR PETITE J. FEMME	PARA ... PARA TAL PARA SEM (ESTATUR
GATHER GRAINLINE, GRAIN GUIDE FOR BUTTONHOLES	FRONCER DROIT FIL PIÈCE GUIDE POUR BOUTONNIERES	FRUNCIR HILO DE L GUÍA PAR
HEM INTERFACE TO THIS LINE INTERFACING	OURLET COUPER ICI POUR ENTOILAGE ENTOILAGE	DOBLADI CORTAR A LA ENTRE ENTRETE
LEFT SIDE LENGTHEN OR SHORTEN HERE LINING	CÔTÉ GAUCHE RALLONGER OU RACCOURCIR ICI DOUBLURE	COSTADO ALARGAR AQUI FORRO
LOWER EDGE PLACEMENT LINE PLEAT	BORD INFÉRIEUR LIGNE D'EMPLACEMENT PLI	BORDER LINEA DE PUEQUE
RIGHT SIDE ROLL LINE SEAM	CÔTÉ DROIT LIGNE DE PLIURE NON REPASSEE COUTURE	COSTADO LINEA DE SIN PLAN COSTURA
SHOULDER SLASH STIFFENING	ÉPAULE FENDRE ENTOILAGE RAIDE	HOMBRO DAR UN C ATIESADO
STITCHING LINE STRETCH TUCK	LIGNE DE FIOURE ÉTIRER PLI	LINEA DE ESTIRAR ALFORZA
UNDERBODICE UNDERDRESS UNDERLINING	DESSOUS DE CORSAJE DESSOUS DE ROBE TRIPLURE	CORPINO VESTIDO REFUERZO
UNDERSKIRT UPPER EDGE WAISTLINE	DESSOUS DE JUPE BORD SUPÉRIEUR LIGNE DE TAILLE	ENAGUA BORDE LINEA DE

LENGTH

8	32 3/4" (82CM)
10	33" (84CM)
12	33 1/4" (84CM)
14	33 1/2" (85CM)
16	33 3/4" (85CM)

CUT HERE FOR

PP

⊕ In
B
ference
ment +
pattern

Length
or when
length i
addition

- To L
lines
edge
- To S
Make

Transfe
moving
of fabri

Seam
edge

Row E, Column 9

McCalls 6659 Size:8-16 Part:1 www.printsew.com

8 40 3/4" (103CM)
10 41" (104CM)
12 41 1/4" (104CM)
14 41 1/2" (105CM)
16 41 3/4" (105CM)

Butt
place

Butt
exac
butte

Sym
and

Cente
clearly


Row A, Column 10

McCalls 6659 Size:8-16 Part:1 www.printsew.com

WIDTH


8	12 1/2" (32CM)
10	13" (33CM)
12	13 1/2" (34CM)
14	14" (35CM)
16	14 1/2" (37CM)

LENGTH FOR ALL SIZES 41" (104CM)



Row B, Column 10

McCalls 6659 Size:8-16 Part:1 www.printsew.com



END HERE

Row C, Column 10

McCalls 6659 Size:8-16 Part:1 www.printsew.com

OSARIO SCHNITT- GLOSSARIO PATROON- PATRON ERKLARUNGEN PER MODELLI VERKLARINGEN

INOL	DEUTSCH	ITALIANO	NEDERLANDS
ACION O	APPLIKATION ÜBERFALL FÜR DURCHZUG MITTE	APPUCAZIONE BLUSANTE GUAINA CENTRO	APPLIQUÉ BLOESEND TUNNELGOOT JE MIDDEN
DE LA ESPALDA DEL FRENTE PTE	RÜCKW. MITTE VORDERE MITTE KONTRAST	CENTRO DIETRO CENTRO DAVANTI CONTRASTO	MIDDEN ACHTER MIDDEN DEL FRENTE KONTRAST
... TIRO ... AQUÍ PARA ...	SCHRITTLINIE ... X ZUSCHNEIDEN ABSCHNEIDEN FÜR ...	LINEA DEL CAVALLO TAGLIARE .. TAGLIARE QUI PER ...	KRUSLIJN ... X KNIPPEN AFKNIPPEN VOOR ..
... AL DOBLEZ ... AR	... X AM STOFFBRUCH ZUSCHNEIDEN KLEID EINHALTEN	TAGLIARE .. SULLA PIEGA ABITO ACCOMODARE	... AAN STOFVouw LEGGEN JURK INHOUDEN
LINEA DEL	STOFF BELAG STOFFBRUCH, UMBRUCHLINE	TESSUTO MOSTRA PIEGA, LINEA DI PIEGA	STOF BELEG STOFVouw, VOUWLIJN
LA MEDIA MORA JÓVEN LA BAJA]	FÜR.. FÜR ZWISCHENGROSSE FÜR KLEINE DAMEN	PER ... PER MEZZA TAGLIA PER SIGNORA DI STATURA BASSA	VOOR ... VOOR HALFMATEN VOOR KLEINERE DAMES
A TELA A LOS OJALES	EINKRÄUSELN FADENLAUF VORLAGE FÜR KNOPFLOCHER	ARRICCIARE DRITTO FILO GUIDA PER ASOLE	RIMPELEN DRAADRICHTING Sjabloon voor KNOOPSGAT
LO AQUÍ PARA TELA LA	SAUM EINLAGE HIER ABSCHNEIDEN EINLAGE	ORLO TAGLIARE L'INTERFODERA A QUESTA LINEA INTERFODERA	ZOOM TOT DEZE LIJN TUSSENVOERING TUSSENVOERING
IZQUIERDO O ACORTAR	LINKE SEITE HIER VERLÄNGERN ODER VERKÜRZEN FUTTER	LATO SINISTRO ALLUNGARE O ACCORCIARE QUI FODERA	LINKSE KANT HIER VERLENGEN OF VERKORTEN VOERING
INFERIOR COLOCACION	UNTERE KANTE HIER ANLEGEN FALTE	BORDO INFERIORE LINEA DI SISTEMAZIONE PIEGA	ONDERKANT HIER AANLEGGEN PLOOI
DERECHO DOBLAR CHAR	RECHTE SEITE UMBRUCHLINE NAHT	LATO DESTRO LINEA DE ARROTOLARE CUCITURA	RECHTSE KANT OMSLA LIJN NIET PERSEN NAAD
ORTE OR	SCHULTER EINSCHNITT VERSTEIFUNG	SPALLA APERTURA RINFORZO RIGIDO	SCHOUDER KNIPPEN VERSTEVIGENDE VOERING
PUNTADAS	STEPLINIE DEHNEN FALTE	LINEA DI CUCITURA TIRARE RIPRESA	NAALIJN REK PLOOI
INTERIOR INTERIOR O	INNERES OBERTEIL UNTERKLEID INNENFUTTER	SOTTOCORPINO SOTTO L'ABITO CONTROFODERA	ONDERLIJFJE ONDERJURK ONDERVOERING
ERIOR LA CINTURA	UNTERROCK OBERE KANTE TAILLENLINIE	SOTTOGONNA BORDO SUPERIORE LINEA DELLA VITA	ONDERROCK BOVENKANT TAILLELIJN

A

HEM 5/8" (1.5 CM)

PREPARING PATTERN

Indicates the Bustline, Waistline and/or Hips. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust if necessary.

Lengthen or Shorten at adjustment lines (—) as indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

Lengthen - Slash between adjustment lines. Spread amount as needed, keeping edges parallel.

Shorten - Crease along adjustment line. Press a fold half the amount needed.

Transfer all tissue markings to fabric before re-cutting pattern. Markings needed on right side of fabric should be thread traced.

Seam allowances - 5/8" (15mm) from cut edge unless otherwise indicated.

PREPARATION DU PATRON



Indique: pointe de poitrine, ligne de hanches et/ou avant-bras. Ces mesures sont basees sur la circonference du vestiment (Mesures du corps + Aisance confort + Mode). Ajuster le patron si necessaire.

Rallonger ou raccourcir aux lignes de rectification (—) ou a l'endroit indique sur le patron. Si le rallongement est important, un extenseur de tissu peut s'avérer necessaire.

- Rallonger - Couper entre les lignes de rectification. Espacer les bords (parallèles) pour obtenir la longueur desiree.
- Raccourcir - Former un pli a une des lignes de rectification. Exemple: pli de 1cm pour raccourcir de 2cm.

Reporter tous les repères sur l'envers du patron avant d'enlever le patron. Les repères sur l'endroit seront marques au fil.

Lignes de couture - a 15mm des bords coupes, sauf contre indique.

Repere-bouton - indique emplacement exact.

on Marking - Indicates button
Row E, Column 10 X
McCalls 6659 Size:8-16 Part:1 www.printsew.com
t length and placement of
onholes.
ols - For matching seams
construction details. o o Δ ◇ □
Foldlines, Placement lines, etc., are
marked; thread trace if desired.

ment exact.
Repere-boutonnere - indique
frandeur et emplacement.
Reperes - utilises pour faire
correspondre coutures et
details de construction. o o
Lignes des pliures, emplacements, et
sont imprimees clairement; si desire,
marquer au fil.



Row A, Column 11

McCalls 6659 Size:8-16 Part:1 www.printsew.com

23

BACK BAND G

BANDE DOS
BANDA DE LA ESPALDA
RÜCKW. BLENDE
BORDO SUL DIETRO

CUT 4

McCALL'S

M6659

Miss size B5 (8-10-12-14-16)



GRAIN LINE



11

POCKET D
FOND DE POCHE
BOLSILLO
TASCHE
TASCA
CUT 1

McCALL'S

M6659

GRAIN LINE



GRAIN LINE

Row B, Column 11

McCalls 6659 Size:8-16 Part:1 www.printsew.com

19

BACK BAND F

BANDE DOS
BANDA DE LA ESPALDA
RÜCKW. BLENDE
BORDO SUL DIETRO

CUT 4


McCALL'S

M6659

Miss size B5 (8-10-12-14-16)


Row C, Column 11

McCalls 6659 Size:8-16 Part:1 www.printsew.com



Row D, Column 11

McCalls 6659 Size:8-16 Part:1 www.printsew.com



PATRON

es de taille,
s mesures
tement fini
Aisance

rectifi-
le patron.
ces de

de rec-
lement)

s lignes
pour

du tissu
a reporter

— V —

X


Row E, Column 11

McCalls 6659 Size:8-16 Part:1 www.printsew.com



milieux,


86



Row A, Column 12

McCalls 6659 Size:8-16 Part:1 www.printsew.com

Miss size B5 (8-10-12-14-16)



Row B, Column 12

McCalls 6659 Size:8-16 Part:1 www.printsew.com

		16
-	-	14
-	-	12
-	-	10

1/2" (1.3 CM)

FOLDLINE



1/2" (1.3 CM)

LINE

TIE E F G
ATTACHE
LAZO
SCHLEIFE
FIOTTO

16

McCALL'S

M6659

Miss size B5 (8-10-12-14-16)

CUT 2

Row E, Column 12

McCalls 6659 Size:8-16 Part:1 www.printsew.com

		8
- - - - -	- - - - -	10
- - - - -	- - - - -	12
- - - - -	- - - - -	14
		16