

Butterick 5895 Size:4-12 Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select



Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



Row A, Column 1

Butterick 5895 Size:4-12 Part:1 www.printsew.com



Row B, Column 1

Butterick 5895 Size:4-12 Part:1 www.printsew.com



WIDTH

4	12 3/4"	(32CM)
6	13 1/4"	(34CM)
8	13 3/4"	(34CM)
10	14 1/4"	(36CM)
12	14 3/4"	(37CM)

LENGTH (ALL SIZES)

33" (84CM)

7 1/2 CM) HEM LENGTHEN OR SHORTEN HERE

Butterick 5895 Size:4-12 Part:1 www.printsew.com

CENTER FRONT




FRONT B

DEVANT
FRENTE
VORTEIL
DAVANT

CUT 2

Butterick
B5895
Sizes (AX5 (4-6-8-10-12))

LENGTHEN OR SHORTEN HERE



Row D, Column 1

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 2

Butterick 5895 Size:4-12 Part:1 www.printsew.com



PREPARATION DU PATRON

⊕ Indique: pointe de poitrine, lignes de taille, de hanches et/ou avant-bras. Ces mesures sont basees sur la circonference du vetement fini (Mesures du corps + Aisance confort + Aisance mode). Ajuster le patron si necessaire.

Rallonger ou raccourcir aux lignes de rectification (—) ou a l'endroit indique sur le patron. Si le rallongement est important, un exces de tissu peut s'avaver necessaire.

- Rallonger - Couper entre les lignes de rectification. Espacer les bords (parallelement) pour obtenir la longueur desiree.
- Raccourcir - Former un pli a une des lignes de rectification. Exemple: pli de 1cm pour raccourcir de 2cm.

Reporter tous les repères sur l'envers du tissu avant de lever le patron. Les repères a reporter sur l'envers seront marques au fil.

Ligne de couture - a 15mm des bords coupes, sauf contre indiquer.

Rep. bouton - indique emplacement tact.


Rep. boutonniere - indique emplacement.

Rep. - utilisees pour tailler les formes de construction.

Lignes plures, emplacements, et milieux, soient mes clairement; si desire, les mes au fil.

Row B, Column 2

Butterick 5895 Size: 4-12 Part: 1 www.printsew.com



Row C, Column 2

Butterick 5895 Size:4-12 Part:1 www.printsew.com



4	35"	(90CM)
6	36"	(92CM)
8	37"	(94CM)
10	38"	(97CM)
12	39 1/2"	(100CM)




Row D, Column 2

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 3

Butterick 5895 Size:4-12 Part:1 www.printsew.com



PREPARING PATTERN

⊕ Indicates the Bustline, Waistline and/or Biceps. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust pattern if necessary.

Lengthen or Shorten at adjustment lines (—) or where indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

- To Lengthen - Slash between adjustment lines. Spread amount as needed, keeping edges parallel.
- To Shorten - Crease along adjustment line. Make a fold half the amount needed.

Transfer all tissue markings to fabric before removing pattern. Markings needed on right side of fabric should be thread traced.

S milnes - 5/8" (15mm) from cut —  —
e : unless otherwise indicated. —  —

B on Marking - Indicates button placement. X

B onhole Marking - Indicates
e : length and placement of
b onholes. 

S bols - For matching seams
a construction details.    

Can 3, Foldlines, Placement lines, etc., are marked; thread trace if desired.

GRAINLINE

LENGTHEN OR SHORTEN HERE

Row B, Column 3

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row C, Column 3

Butterick 5895 Size:4-12 Part:1 www.printsew.com

12

LENGTHEN OR SHORTEN HERE

4

6

8


GRAINLINE

Row D, Column 3

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 4

Butterick 5895 Size:4-12 Part:1 www.printsew.com



Row B, Column 4

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Back

CUT 2

Butterick
B5895
Sizes (AX5 (4-6-8-10-12))

LENGTHEN OR SHORTEN HERE

CROTCH LINE

4

6

8

10

12

4 6 8 10

Row C, Column 4

Butterick 5895 Size:4-12 Part:1 www.printsew.com

12



10



12



Row D, Column 4

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 5

Butterick 5895 Size:4-12 Part:1 www.printsew.com



Row B, Column 5

Butterick 5895 Size:4-12 Part:1 www.printsew.com

CENTER

DOS
ESPALDA
RÜCKENTEIL
DIETRO

BACK B

8

4
6

Row C, Column 5

Butterick 5895 Size:4-12 Part:1 www.printsew.com

8

10

12

7/8" (2.2 CM) HEM LENGTHEN OR SHORTEN HERE




Row D, Column 5

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 6

Butterick 5895 Size:4-12 Part:1 www.printsew.com




Row B, Column 6

Butterick 5895 Size:4-12 Part:1 www.printsew.com

All Rights Reserved
Printed in U.S.A.
B5895 9 PIECES
SIZES
(AX5 (4-6-8-10-12))

HEM 5/8" (1.5")



Row C, Column 6

Butterick 5895 Size:4-12 Part:1 www.printsew.com

GRAINLINE

7

SIDE FRONT B
COTE DEVANT
COSTADO DEL FRENTE
SEITL VOR DER TEIL
D'AVANTI A LATO

CUT 2

Butterick
B5895

Sizes (AX5 (4-6-8-10-12))


POCKET
POCHE
BOLSILLO
TASCHE
TASCA

Row D, Column 6

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 7

Butterick 5895 Size:4-12 Part:1 www.printsew.com




pany

Row B, Column 7


Butterick 5895 Size:4-12 Part:1 www.printsew.com

GRAINLINE



4	36 1/2"	(92CM)
6	37 1/2"	(94CM)
8	38 1/2"	(97CM)
10	39 1/2"	(100CM)
2	41"	(104CM)

CENTER FRONT



Row C, Column 7

Butterick 5895 Size:4-12 Part:1 www.printsew.com

TIE END
ATTACHE
PUNTA DEL LAZO
SCHLEIFENTEIL
PUNTA DEL FIOCCO


4
6
8

Row D, Column 7

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 8

Butterick 5895 Size:4-12 Part:1 www.printsew.com



Row B, Column 8

Butterick 5895 Size:4-12 Part:1 www.printsew.com

GRAINLINE

HEM $5/8"$ (1.5 CM)

10
8
6
4

Row C, Column 8


Butterick 5895 Size:4-12 Part:1 www.printsew.com

Butterick
B5895
Sizes (AX5 (4-6-8-10-12))

POCKET B
POCHE
BOLSILLO
TASCHE
TASCA
CUT 2

5

GRAINLINE




Row D, Column 8

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 9

Butterick 5895 Size:4-12 Part:1 www.printsew.com



Row B, Column 9

Butterick 5895 Size:4-12 Part:1 www.printsew.com

CENTER BACK

Sizes (AX5 (4-6-8-10-12))

B5895


Butterick

CUT 2

DOS
ESPALDA
RÜCKENTL
PIETRO

BACK A

3



Row C, Column 9

Butterick 5895 Size:4-12 Part:1 www.printsew.com

FOLD

BACK NECK PACING A
PAREMENTURE D'ENCOLURE DOS
BANDA DEL CUELLO DE LA ESPALDA
RÜCKW. HALSAUSSCHNITTBELAG
MOSTRA PER COLLO DIETRO
Fabric: CUT 1 ON FOLD
INTERPACING: CUT 1 ON FOLD

4

Butterick
B5895
Sizes (AX5 (4-6-8-10-12))

THE END
FIN DE CHAUVITE
EXTREMO DE LA COMBATA
PUNTE CHAVATTA



Row D, Column 9

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 10

Butterick 5895 Size:4-12 Part:1 www.printsew.com

CORTADO CONTRASTE	INTED DEFRANT CONTRASTE	CORTADO DEFRANTE CONTRASTE	VORDERE MITTE KONTRAST
CROTCH LINE CUT ... CUT OFF FOR ...	LINE DE FOURLICHE COUPER ... COUPER ICI POUR ...	LINEA DEL TIRO CORTAR ... CORTAR AQUI PARA ...	SCHRITTLINE ... X ZUSCHNEIDEN ABSCHNEIDEN FÜR ...
CUT ... ON FOLD DRESS EASE	COUPER ... SUR LA PLIURE RODE SOIT ENIR	CORTAR ... AL DOBLEZ VESTIDO ACOMODAR	... X AMSTOFFRUCH ZUSCHNEIDEN KLEID BINHALTEN
FABRIC FACING FOLD, FOLD LINE	TISSU PAROINTURE PLIURE, LINE DE PLIURE	TELA VISTA DOBLEZ, LINEA DEL DOBLEZ	STOFF BELAG STOTBRUCH, UNBRUCH LINE
FOR ... FOR HALF SIZE FOR MISSES' PENTE	POUR ... POUR DMI TAILLE POUR PETITE J.F.BMME	PARA ... PARA TALLAMEDIA PARA SENORA JOVEN (ESTATURA BAJA)	FÜR ... FÜR ZWISCHENGROSSE FÜR KLEINE DAMEN
GATHER GRAIN LINE, GRAIN GUIDE FOR BUTTONHOLES	FRONCEER DROITIL RECE GUIDE POUR BOUTONNIERS	FRUNCIR HILO DE LA TELA, GUIA PARA LOS OVALES	BNKRÄUSELN FADENLAUF VORLAG FÜR KNOFFLOCHER
HBM INTERFAC TO THIS LINE INTERFACING	OURLET COUPER ICI POUR BOUTLAGE D'INTOLAGE	DO BLADILLO CORTAR AQUI PARA LA ENTRETELA D'INTRETELA	SAUM DNLAGE HIER ABSCHNEIDEN DNLAGE
LEFT SIDE LENGTHEN OR SHORTEN HERE LINING	COTE GAUCHE RALLONGER OU RACCOURCIR ICI DOUBLURE	COSTADO IZQUIERDO ALARGAR O ACORTAR AQUI FORRO	LINKE SEITE HIER VERLÄNGERN ODER VERKÜRZEN FUTTER
LOWER EDGE PLACEMENT LINE PLEAT	BORD INFÉRIEUR LINE D'EMPLACEMENT PU	BORDER INFERIOR LINEA DE COLOCACION PUEQUE	UNTERE KANTE HIER ANLEGEN FALTE
RIGHT SIDE ROLL LINE SEAM	COTE DROIT LINE DE PLIURE NON REPASSEE COUTURE	COSTADO DERECHO LINEA DE DOBLAR SIN PLANCHAR COSTURA	RECHTE SEITE UNBRUCH LINE NAHT
SHOULDER SLASH STIFFENING	ÉPAULE FENDRE BOUTLAGE RAIDE	HOMBRO DAR UN CORTE ATESADOR	SCHULTER BNSCHNITT VERSTEIFUNG
STITCHING LINE STRETCH TUCK	LINE DE RÔTURE ÉTRIER PU	LINEA DE PUNTADAS ESTRIBAR ALFORZA	STIEPNLINE DCHNIDN FALTE
UNDERBODICE UNDERDRESS UNDERLINING	DESSOUS DE CORSAGE DESSOUS DE ROBE TRIPLURE	CORRINO INTERIOR VESTIDO INTERIOR REFUE RZO	INNERES OBERTEIL UNTERKLEID INNENFUTTER
UNDERSKIRT UPPER EDGE WAISTUNE	DESSOUS DE JUPE BORD SUPÉRIEUR LINE DE TAILLE	DNAGUA BORDO SUPERIOR LINEA DE LA CINTURA	UNTER ROCK OBERE KANTE TALLBUNIE

COLLAR
COL
CUELLO
KRAGEN
COLLETO

Row B, Column 10

Butterick 5895 Size:4-12 Part:1 www.printsew.com

12
10
8
6
4



2

FRONT FACING A
PARÈMENTURE DEVANT
VISTA DEL FRENTE
VORDERER BELAG
MOSTRA DEL DAVANTI
Fabric: CUT 2
INTERFACING: CUT 2

Butterick
B5895

Sizes (AX5 (4-6-8-10-12))

GRAINLINE

PATTERN GLOSSARY

ENGLISH

APPLIQUE
BLOUSING
CASING
CENTER

CENTER BACK
CENTER FRONT
CONTRAST

CROTCH LINE
CUT ...
CUT OFF FOR ..

CUT ... ON FOLD

DRESS
EASE

FABRIC
FACING
FOLD, FOLDLINE

FOR ..
FOR HALF SIZE
FOR MISSES' PETITE

GATHER
GRAINLINE, GRAIN
GUIDE FOR
BUTTONHOLES

HEM
INTERFACE TO
THIS LINE
INTERFACING

LEFT SIDE

Row C, Column 10

Butterick 5895 Size:4-12 Part:1 www.printsew.com

LEFT SIDE
LENGTHEN OR
SHORTEN HERE
UNING

LOWER EDGE
PLACEMENT LINE
PLEAT

RIGHT SIDE
ROLL LINE

SEAM

SHOULDER
SLASH
STIFFENING

STITCHING LINE
STRETCH
TUCK


UN DERBODICE
UNDERDRESS
UNDERLINING

UNDERSKIRT
UPPER EDGE
WAISTUNE


4
6
8

Row D, Column 10

Butterick 5895 Size:4-12 Part:1 www.printsew.com



PATTERN GLOSSARY		GLOSSAIRE DU PATRON		GLOSARIO DEL PATRON		SCHNITT-ERKLÄRUNGEN	
ENGLISH	FRANCAIS	ESPAÑOL	DEUTSCH				
APPLIQUE BLOUSING CASING CENTER	APPLIQUE PARTE BLOUSANTE COULISSE MULEU	APLICACION ABLUSADO JARETA CENTRO	APPLIKATION ÜBERFALL FÜR DURCHZUG MITTE				
CENTER OF FRONT	MULEU DOS	CENTRO DE LA ESPALDA	RÜCKW. MITTE				



Row B, Column 11

Butterick 5895 Size:4-12 Part:1 www.printsew.com



GLOSSARIO PER MODELLI

PATROON- VERKLARINGEN

ITALIANO	NEDERLANDS
APPLICAZIONE BLUSANTE GUAINA CENTRO	APPLIQUÉ BLOESEND TUNNEL/GOOT JE MIDDEN
CENTRO DIETRO CENTRO DAVANTI CONTRASTO	MIDDEN ACHTER MIDDEN DEL FRENTE KONTRAST
LINEA DEL CAVALLO TAGLIARE .. TAGLIARE QUI PER ...	KRUISLIJN ... X KNIPPEN AFKNIPPEN VOOR ...
TAGLIARE .. SULLA PIEGA ABITO ACCOMODARE	... AAN STOFVOUT LEGGEN JURK INHOUDEN
TESSUTO MOSTRA PIEGA, LINEA DI PIEGA	STOF BELEG STOFVOUT, VOUTLUN
PER .. PER MEZZA TAGLIA PER SIGNORA DI STATURA BASSA	VOOR ... VOOR HALFMATEN VOOR KLEINERE DAMES
ARRICCIARE DRITTO FILO GUIDA PER ASOLE	RIMPELEN DRAADRICHTING SJAALBLOON VOOR KNOOPSGAT
ORLO TAGLIARE L'INTERFODERA A QUESTA LINEA INTERFODERA	ZOOM TOT DEZE LUN TUSSENVOERING TUSSENVOERING
LATO CINTURA	LINKSE KANT

4 24 1/2" (62CM)
6 25 1/2" (64CM)
8 26 1/2" (67CM)
10 27 1/2" (69CM)
12 29" (73CM)

CENTER FRONT

WAISTBAND B

CEINTURE
BANDA DE LA CINTURA
TAILLENBUND
CINTURA

**Fabric: CUT 1
INTERFACING: CUT 1**

**Butterick
B5895
(4-6-8-10-12))**



Row D, Column 11

Butterick 5895 Size:4-12 Part:1 www.printsew.com

Row A, Column 12

Butterick 5895 Size:4-12 Part:1 www.printsew.com



Row B, Column 12

Butterick 5895 Size:4-12 Part:1 www.printsew.com



Row C, Column 12

Butterick 5895 Size:4-12 Part:1 www.printsew.com

4
6
8
10
12

4
6
8
10
12

Row D, Column 12

Butterick 5895 Size:4-12 Part:1 www.printsew.com