

Simplicity 1363 Size:xxs-xxl Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.


select

Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.

1363

Simplicity™
easy-to-sew



C



D



D



A



A




B

Designed and printed in the USA
Diseñado e impreso en los Estados Unidos
Conçu et imprimé aux États Unis




Row A, Column 1

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com




CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVOUN KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN



Row B, Column 1

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

FRONT - A, B, C, D
DEVANT
FRENTE
VOORKANT
VORDERTEIL




Simplicity®
1363 - MISS
SIZES/TAILLES/TALLAS
XXS(4), XS(6-8), S(10-12),
M(14-16), L(18-20), XL(22-24), XXL(26)

WAISTLINE
TAILLE
CINTURA
RIEM LIJN
TAILLELINIE

CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH

Row C, Column 1

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



CM
CM
2CM

MENTS

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

COTE DU DOS
COSTADO DEL FRENTE
ZIJDE VOORKANT
SEITLICHES VORDERTEIL

SIDE FRONT - A

2

SIZES/TAILLES/TALLAS
XXS(4), XS(6-8), S(10-12)


Simplicity
1363 - MISS

HTSUGABE
TOESNEN
UR DE
COUTURE DE 1.0 CM.
SEAM ALLOWANCE
DE 1.0 CM.

XXS
XS
S


Row E, Column 1

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



Row A, Column 2

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



Row B, Column 2

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

**1363 - MISS**
ALL SIZES
TOUTES TAILLES
TODAS LAS TALLAS

LOOP - A, B, C, D
COULANT
GAZA
LUS
SCHLANGE

CUT 1
COUPEZ 1
CORTE 1
KNIPPEN 1
SCHNEIDEN

Row C, Column 2

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

XXS

XS

S

W

7

7X

7XX



ENTRE
ANNENWESEN
ALAGE

Row D, Column 2

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

89	XXS	35"
96	XS	37 1/2"
101	S	40"
BUST		
POITRINE		
BUSTO		
BUSTE		
BUSTE		

FINISHED GARMENTS MEASUREMENTS

3/8 IN. HEM ALLOWED
DURLET DE 1.0 CM.
DOBLADILLO DE 1.0 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

INTERFACING
DE L'ENTOURAGE
ZICHT
ANSICHT


9


Row E, Column 2

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

Row A, Column 3

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com





SIDE FRONT - A
COTE DU DOS
COSTADO DEL FRENTE
ZIJDE VOORKANT
SEITLICHES VORDERTEIL

2

M(14-16), L(18-20), XL(22-24), XXL(26)

SIZES/TALLAS

1363 - MISS

Simplicity®

FINISHED GARMENTS MEASUREMENTS

BUST	
POITRINE	
BUSTO	
BUSTE	
BUSTE	
BUSTE	
M	44" 112CM
L	48" 122CM
XL	52" 132CM
XXL	56" 143CM



ZOOM TOE
MIT SAUMZUGABE

Row C, Column 3

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

3/8 IN. HEM ALLOWED
DOBLADILLO DE 1.0 CM.
3/8 IN. HEM ALLOWED
DOBLADILLO DE 1.0 CM.

3/8 IN. SEAM ALLOWANCE
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

1363
A(XXS-XXL)
0 0 4 6

WE USE RECYCLED PAPER
FOR OUR PATTERN PRODUCTS
NOUS UTILISONS DU PAPIER
RECYCLE POUR NOS PATRONS

5/8 IN. HEM

CUT 4 OF FABRIC
COUPEZ 4 DANS DU TISSU
KNIP 4 DE STOF
SCHNEIDEN 4 AUS DEM STOFF

9

CUT 4
COUPEZ 4
KNIP 4
SCHNEIDEN 4

3/8 IN. SEAM ALLOWANCE
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

XXL
XL
L
M
OL
OM
OXL
OXX


Row D, Column 3
Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com
TALLAS/TALLAS
M(14-16), L(18-20), XL(22-24), XXL(26)

VIEW -
3/8 IN. SEAM ALLOWANCE

Simplicity
1363 - MISS

BACK NECK BAND - A, B, C, D
BANDE DU DOS DE ENCOLURE
BANDA DE ATRAS DEL ESCOTE
BIES VAN ACHTERKANT VAN HALS
RUCKWARTIGE HALSAUSSCHNITTLENDE

XXL	
XL	OXXL
L	OXL
M	O L O M
CENTER BACK MILIEU DU DOS CENTRO DE ATRAS	



CUT 4 OF FABRIC
COUPEZ 4 DANS DU TISSU
CORTE 4 DE TELA
KNIP 4 DE STOF
SCHNEIDEN 4 AUS DEM STOFF

6
CUT 4 OF INTERFACING
COUPEZ 4 DANS DE L'ENTOILAGE
CORTE 4 DE BINNENWERK
KNIP 4 AUS ENLAGE
3/8 IN. SEAM ALLOWANCE
SIZES/TALLAS/TALLAS
XXS(4), XS(6-8), S(10-12)
VIEW -
3/8 IN. SEAM ALLOWANCE

S	O S	OXS
XS	XXS	OXS
XS	OXS	OXXS
XS		
CENTER BACK MILIEU DU DOS CENTRO DE ATRAS		

Simplicity
1363 - MISS

Row E, Column 3


Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

1
SEAM ALLOWANCE

BACK NECK BAND - A, B, C, D
BANDE DU DOS DE ENCOLURE
BANDA DE ATRAS DE
BIES VAN ACHTERKANT VAN HALS
RUCKWARTIGE HALSAUSSCHNITTBLENDE


Row A, Column 4

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



Row B, Column 4

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



Row C, Column 4

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

MIT SAUMZ
ZUM
DURLET DE 1.5 CM.
5/8 IN. HEM ALLOWED
M

7

7X

7XX

XXL

ALLOWED

5/8 IN.

XL

5/8 IN. HEM

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED L

5/8 IN. HEM

M

5/8 IN. HEM ALLOWED M

5/8 IN. HEM AL

S

5/8 IN. HEM ALLOWED S

XS

5/8 IN. HEM ALLOWED XS

5/8 IN. HEM ALLO

ALLOWED XXS


5/8 IN. HEM ALLO

5/8 IN. HEM

Row D, Column 4

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

HEM ALLOW
DORLET DE 1.5 CM.
DOBLADILLO DE 1.5 C
ZOOMTOESLAG
MIT SAUMZUGABE



Simplicity®

1363 - MISS

SIZES/TAILLES/TALLAS

XXS(4), XS(6-8), S(10-12),
M(14-16), L(18-20), XL(22-24), XXL(26)

3

Row E, Column 4

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

XXL	XL	L	M	S	SX	SXX	5/8 IN. HEM ALLOWED	XXL	XL	L	M	S	
							CENTER BACK						
							MILIEU DU DOS						
							CENTRO DE ATRAS						
							MIDDEN ACHTER						
							RÜCKWÄRTIGE MITTE						

Row A, Column 5

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



Row B, Column 5

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

SXX

SX

S

N

L

LX

LXX

Row C, Column 5

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

CUT 2 ON FOLD OF INTERFACING
COUPEZ 2 SUR LA PLIURE DANS DU L'ENTOILAGE
KNIP 2 DE BINNEWERK VOERING
2 AUS EINLAGE FUTTER FAL TEN S

CENTER FOLD

3/8 IN. SEAM ALLOWANCE
VORDERE HALSAUSSCHNITTBLENDE
BAND VAN VOORKANT VAN HALS
BANDE DU DEVANT DE ESCOTE
FRONT NECK BAND - A, B, C, D
3/8 IN. SEAM ALLOWANCE

Simplicity
1363 - MISS
SIZE/TAILLE/TALLA
XXL(28)

HEM ALLOWED

EM ALLOWED

ALLOWED

LOWED


OWED

WED

XXL

XL

L



BACK - A

DOS
ATRAS
ACHTERKANT
RUKENTEIL

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

PRINTED IN USA
IMPRIME AUX ETATS-UNIS
ESTAMPADA EN LOS ESTADOS UNIDOS

SIMPLICITY IS A REGISTERED TRADEMARK OF SIMPLICITY PATTERN CO. INC.
SIMPLICITY EST LA MARQUE DEPOSEE DE SIMPLICITY PATTERN CO. INC.

Row E, Column 5

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

CENTER BACK SEAM
COUTURE DU MILIEU DU DOS
COSTURA DEL CENTRO DE ATRAS
MIDDENACHTERNAAD
RUCKWARTIGE MITTELNAHT

XS

XXX



Row A, Column 6

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com


CENTER BACK SEAM
COUTURE DU MILIEU DU DOS
COSTURA DEL CENTRO DE ATRAS
MIDDENACHTERNAAD
RÜCKWÄRTIGE MITTELNAHT

WAISTLINE
TAILLE
CINTURA
RIEM LIJN
TÄLLENLINIE

CORTE 2
KNIPPEN 2
SCHNEIDEN 2

Row B, Column 6

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



PLAZ DE ENTRETEL
BINNENWERK VOERING
EINLAGE FUTTER FAL TEN SZHEINDEN
ENCORE DANS DU L'ENTOILAGE

Row D, Column 6

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

NE

LINE



Row E, Column 6

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

5/8 IN. HEM ALLOWED

- XXL
- XL
- L
- M
- S
- XS
- XXS

CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS
MIDDEN ACHTER
RUCKWARTIGE MITTE

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 3/8"
MARGEN DE COSTURA DE 1.0
NAADTOESLAG
NAHTSUGABE

Simplicity®
1363 – MISS
SIZES/TAILLES/TALLAS
XXS(4), XS(6-8), S(10-12),
M(14-16), L(18-20), XL(22-24), XXL(26)



BACK – B, C
DOS
ATRAS
ACHTERKANT
RUKENTEIL

CUT 2

COUPESZ 2

SXX
Row B, Column 7

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

MIT SAUMZUGABE
ZOOM/UESLAG
DOBL. 1.5 CM.
DURLET DE 1.5 CM.
5/8 IN. HEM ALLOWED

XS

XS

S

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

XXL

5/8 IN. HEM ALLOWED

TER FAL TEN SZHEINDEN
BERING
TELA
L'ENTOILAGE

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

Simplicity®
1363 - MIS
SIZE/TAILLE/TALLA
1 (18-20)
VIEW - D
3/8 IN. SEAM ALLOWANCE
FRONT NECK BAND - A, B, C, D
BANDS VAN VOORANT VAN HALS
BANDA DEL FRENTE DEL ESCOTE
VORDERE HALSAUSSCHNITTBLEND
3/8 IN. SEAM ALLOWANCE
ON FOLD OF IN
OLD

CUT 2 ON FOLD OF INTERFACING
CUT 2 ON FOLD OF FABRIC
3/8" SEAM ALLOWANCE


CENTER FOLD

(94-1414)E/ZEIS
 3961
 SIMS
 Simplified
 ③

CENTER FOLD

Row D, Column 7

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



Row E, Column 7


Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



applied


Row A, Column 8

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



Row B, Column 8

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com



Row C, Column 8

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

COORDE
CORTE 2
KNIP 2
2 AUS DEM STOFF



CUT 2 ON FOLD OF INTERFACING
CUT 2 ON FOLD OF FABRIC

3/8 IN. SEAM ALLOWANCE
VORDERE HALSSCHNITTBLLENDE
BIES VAN VOORKANT VAN HALS
BANDA DEL FRENTE DEL ESCOTE
BANDU DU DEVANT DE ESCOLURE
FRONT NECK BAND - A, B, C
3/8 IN. SEAM ALLOWANCE

W - 0
ZICHT O
ANSICHT



Row D, Column 8

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

Simplicity®
1363 - MIS
SIZE/TAILLE/TALLA
S(10-12)

CUT 2 ON FOLD OF FABRIC
COUPEZ 2 SUR LA PLIURE D'UN
KNIP 2 EN DOBLES DE TELA
2 AUS DEM STOFFBRUCH ZUSCHNEIDEN

3/8 IN. SEAM ALLOWANCE
3/8 IN. SEAM ALLOWANCE

VIEW - D FRONT NECK BAND - A, B, C
VISTA - D FRENTE DEL ESCOLLO - A, B, C
ANGICHT - D VORDE RE HALS AUSSCHNITTBLAND

Simplicity®
1363 - MIS
SIZE/TAILLE/TALLA
Xs(6-8)

CUT 2 ON FOLD OF FABRIC
COUPEZ 2 SUR LA PLIURE D'UN
KNIP 2 EN DOBLES DE TELA
2 AUS DEM STOFFBRUCH ZUSCHNEIDEN

3/8 IN. SEAM ALLOWANCE
3/8 IN. SEAM ALLOWANCE

VIEW - D FRONT NECK BAND - A, B, C
VISTA - D FRENTE DEL ESCOLLO - A, B, C
ANGICHT - D VORDE RE HALS AUSSCHNITTBLAND

Row E, Column 8

Simplicity 1363 Size:xxs-xxl Part:1 www.printsew.com

