





1

10cm x 10cm test square



2



3

gather to fit sleeve cuff



USE 1CM SEAM ALLOWANCE ON ARMHOLE

1.5cm seam allowances included

PIECE 3


CUT 1 PAIR IN FABRIC


SLEEVE

BUTTON BACK DRESS


Straight grain

4





BUTTON BACK DRESS



ESS

7



20  
18




8

8 10 12 14 16 18 20

20

8

9



10

8 10 12 14 16 18 20



20

## BACK BODICE FACINGS



CUT 1 PAIR IN FABRIC

CUT 1 PAIR IN INTERFACING

PIECE 6

1.5cm seam allowances in


USE 1CM SEAM ALLOWANCE ON NECK



cluded

KLIN & ARMHOLE

Straight grain

13

16  
14  
12  
10  
8




# BUTTON BACK DRESS

FRONT BODICE  
CUT 1 IN FABRIC ON FOLD



PIECE 1


1.5cm seam allowances included

USE 1CM SEAM ALLOWANCE ON NECKLINE & ARMHOLE



14







BACK DRESS

BODICE  
 CUT ON FOLD  
 INTERFACING  
 SIZE 5

pieces included

ON NECKLINE & ARMHOLE






# BUTTON BACK DRESS

## BACK BODICE CUT 1 PAIR IN FABRIC

### PIECE 2

1.5cm seam allowances included

USE 1CM SEAM ALLOWANCE ON NECKLINE & ARMHOLE





INTERFACE

fold over line

fold over line

18





19

CUT ONE ON FOLD

Straight grain








OLD

1.5cm seam allowance



USE 1CM SEAM ALLOWANCE









24



THIS SECTION ONLY







BUTTON BACK DRESS

SLEEVE CUFF

CUT 1 PAIR IN FABRIC

PIECE 4




1.5cm seam allowances included



Straight grain




30





take 2 cm hem allowance





34

20

8





take 2 cm hem allowance

36

