

Butterick 6013 Size:2-5 Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select




Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



Row A, Column 1

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Gather

RUFFLE A B

VOLANT
VOLANTE
RÜSCHE
VOLANT

CUT 2 ON FOLD

Butterick

B6013

Sizes (CDD (2-3-4-5))

5

PREPARING PATTERN



Indicates the Bustline, Waistline and/or Biceps. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust pattern if necessary.

Lengthen or Shorten at adjustment lines () or where indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

- To Lengthen - Slash between adjustment lines. Spread amount as needed, keeping edges parallel.

To Shorten - Cross along adjustment line

Row C, Column 1

Butterick 6013 Size:2-5 Part:1 www.printsew.com

- To Shorten - Crease along adjustment line. Make a fold half the amount needed.

Press pattern markings to fabric before removing pattern. Markings needed on right side of fabric should be thread traced.

Seamlines - 5/8" (15mm) from cut edge unless otherwise indicated. 

Button Marking - Indicates button placement. 

Buttonhole Marking - Indicates exact length and placement of buttonholes. 

Symbols - For matching seams and construction details. 

Centers, Foldlines, Placement lines, etc., are clearly marked; thread trace if desired.

PREPARATION DU PATRON

 Indique: pointe de poitrine, lignes de taille, de hanches et/ou avant-bras. Ces mesures sont basees sur la circonference du vetement fini (Mesures du corps + Aisance confort + Aisance mode). Ajuster le patron si necessaire.

Rallonger ou raccourcir aux lignes de rectification () ou a l'endroit indique sur le patron. Si le rallongement est important, un excès de tissu peut s'avérer necessaire.

- Rallonger - Couper entre les lignes de rectification. Espacer les bords (parallement) pour obtenir la longueur desiree.
- Raccourcir - Former un pli a une des lignes de rectification. Exemple: pli de 1cm pour raccourcir de 2cm.

Reporter tous les reperes sur l'envers du tissu avant d'enlever le patron. Les reperes a reporter sur l'endroit seront marques au fil.

Lignes de couture - a 15mm des bords coupes, sauf contre indique. 

Repere-bouton - indique emplacement exact. 


Repere-boutonniere - indique largeur et emplacement. 

Reperes - utilises pour faire correspondre coutures et details de construction. 

Lignes des pliures, emplacements, et milieux, sont imprimees clairement; si desire, les marquer au fil.



Row D, Column 1

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row A, Column 2

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row B, Column 2

Butterick 6013 Size:2-5 Part:1 www.printsew.com

V V

SLEEVE C

8

MANCHE
MANGA
ÄRMEL
MANICA


CUT 2

2

3

4

5



Row C, Column 2

Butterick 6013 Size:2-5 Part:1 www.printsew.com

CENTER BACK

9

SKIRT BACK C D

JUPE DOS
ESPALDA DE LA FALDA
RÜCKW. ROCKBAHN
DIETRO DELLA GONNA

CUT 2

5



4



3



2



Butterick
B6013



Sizes (CDD (2-3-4-5))

Row D, Column 2

Butterick 6013 Size:2-5 Part:1 www.printsew.com





HEM 3/8" (1 CM)



Row A, Column 3

Butterick 6013 Size:2-5 Part:1 www.printsew.com




BODICE FRONT A B C D
CORSAGE DEVANT
FRENTE DEL CORPINO
VORDERES OBERTEIL
DAVANTI DEL CORPINO

FOR D
2
3
4
5

HEM 5/8" (1.5 CM)

Row B, Column 3

Butterick 6013 Size:2-5 Part:1 www.printsew.com



PATTERN GLOSSARY	GLOSSAIRE DU PATRON	GLOSARIO DEL PATRON	SCHNITT- ERKLÄRUNGEN	GLOSSARIO PER MODELLI	
Row C, Column 3 Butterick 6013 Size:2-5 Part:1 www.printsew.com			DEUTSCH	ITALIANO	
APPLIQUE BLOUSING CASING CENTER	APPUQUE PARTIE BLOUSANTE COUISSE MILIEU	APPLICACION ABLUSADO JARETA CENTRO	APPLIKATION ÜBERFALL FÜR DURCHZUG MITTE	APPLICAZIONE BLUSANTE GUAINA CENTRO	A B T M
CENTER BACK CENTER FRONT CONTRAST	MILIEU DOS MILIEU DEVANT CONTRASTE	CENTRO DE LA ESPALDA CENTRO DEL FRENTE CONTRASTE	RÜCKW. MITTE VORDERE MITTE KONTRAST	CENTRO DIETRO CENTRO DAVANTI CONTRASTO	M K
CROTCH LINE CUT ... CUT OFF FOR ...	LIGNE DE FOURCHE COUPER ... COUPER ICI POUR ...	LÍNEA DEL TIRO CORTAR ... CORTAR AQUÍ PARA ...	SCHRITTLINIE .. X ZUSCHNEIDEN ABSCHNEIDEN FÜR ...	LINEA DEL CAVALLO TAGUARE ... TAGUARE QUI PER ..	M A
CUT .. ON FOLD DRESS EASE	COUPER ... SUR LA PLIURE ROBE SOUTENIR	CORTAR ... AL DOBLEZ VESTIDO ACOMODAR	.. X AM STOFFBRUCH ZUSCHNEIDEN KLEID EINHALTEN	TAGUARE ... SULLA PIEGA ABITO ACCOMODARE	.. L J II
FABRIC FACING FOLD, FOLDUNE	TISSU PAREMENTURE PLIURE, LIGNE DE PLIURE	TELA VISTA DOBLEZ, LÍNEA DEL DOBLEZ	STOFF BELAG STOFFBRUCH, UMBRUCH UNIE	TESSUTO MOSTRA PIEGA, LINEA DI PIEGA	S E S
FOR ... FOR HALF SIZE FOR MISSES' PETITE	POUR ... POUR DEMI TAILLE POUR PETITE J FEMME	PARA ... PARA TALLA MEDIA PARA SEÑORA JÓVEN (ESTATURA BAJA)	FÜR... FÜR ZWISCHENGRÖSSE FÜR KLEINE DAMEN	PER ... PER MEZZA TAGUA PER SIGNORA DI STATURA BASSA	V V V
GATHER GRAINLINE, GRAIN GUIDE FOR BUTTONHOLES	FRONCER DROIT FIL PIÈCE GUIDE POUR BOUTONNIÈRES	FRUNCIR HILO DE LA TELA GUÍA PARA LOS OJALES	EINKRÄUSELN FADENLAUF VORLAGE FÜR KNOPFLOCHER	ARRICCIARE DRITTO FILO GUIDA PER ASOLE	F D S K
HEM INTERFACE TO THIS LINE INTERFACING	OURLET COUPER ICI POUR ENTOILAGE ENTOILAGE	DOBLADILLO CORTAR AQUÍ PARA LA ENTRETELA ENTRETELA	SAUM EINLAGE HIER ABSCHNEIDEN EINLAGE	ORLO TAGLIARE L'INTERFODERA A QUESTA LINEA INTERFODERA	Z T T T
LEFT SIDE LENGTHEN OR SHORTEN HERE LINING	CÔTÉ GAUCHE RALLONGER OU RACCOURCIR ICI DOUBLURE	COSTADO IZQUIERDO ALARGAR O ACORTAR AQUÍ FORRO	LINKE SEITE HIER VERLÄNGERN ODER VERKÜRZEN FUTTER	LATO SINISTRO ALLUNGARE O ACCORCIARE QUI FODERA	L H C V
LOWER EDGE PLACEMENT LINE PLEAT	BORD INFÉRIEUR LIGNE D'EMPLACEMENT PLI	BORDER INFERIOR LINEA DE COLOCACION PLIEGUE	UNTERE KANTE HIER ANLEGEN FALTE	BORDO INFERIORE LINEA DI SISTEMAZIONE PIEGA	C H P
RIGHT SIDE ROLL LINE SEAM	CÔTÉ DROIT LIGNE DE PLIURE NON REPASSÉE COUTURE	COSTADO DERECHO LINEA DE DOBLAR SIN PLANCHAR COSTURA	RECHTE SEITE UMBRUCHUNIE NAHT	LATO DESTRO LINEA DE ARROTOLARE CUCITURA	F C P N
SHOULDER SLASH STIFFENING	ÉPAULE FENDRE ENTOILAGE RAIDE	HOMBRO DAR UN CORTE ATIESADOR	SCHULTER EINSCHNITT VERSTEIFUNG	SPALLA APERTURA RINFORZO RIGIDO	S K V
STITCHING LINE STRETCH TUCK	LIGNE DE PIQUE ÉTIRER PLI	LÍNEA DE PUNTADAS ESTIRAR ALFORZA	STEPPLINIE DEHNEN FALTE	LINEA DI CUCITURA TIRARE RIPRESA	M P P
UNDERBODICE UNDERDRESS UNDERLINING	DESSOUS DE CORSAGE DESSOUS DE ROBE TRIPLURE	CORPINO INTERIOR VESTIDO INTERIOR REFUERZO	INNERES OBERTEIL UNTERKLEID INNENFUTTER	SOTTOCORPINO SOTTO L'ABITO CONTROFODERA	C C C
UNDERSKIRT UPPER EDGE WAISTLINE	DESSOUS DE JUPE BORD SUPÉRIEUR LIGNE DE TAILLE	ENAGUA BORDE SUPERIOR LINEA DE LA CINTURA	UNTERROCK OBERE KANTE TÄILLENLINIE	SOTTOGONNA BORDO SUPERIORE LINEA DELLA VITA	C E T

Row D, Column 3

Butterick 6013 Size:2-5 Part:1 www.printsew.com



LENGTHEN OR SHORTEN HERE

Row A, Column 4

Butterick 6013 Size:2-5 Part:1 www.printsew.com

FABRIC : CUT 1 ON FOLD

LINING : CUT 1 ON FOLD

BUTTERICK®

© 2014 The McCall Pattern Company



All Rights Reserved

Printed in U.S.A.

B6013 14 PIECES


SIZES

(CDD (2-3-4-5))




FOR A B C

FOR B C



Row B, Column 4

Butterick 6013 Size:2-5 Part:1 www.printsew.com



PATRON

APPLIQUE

LOESEND

TUNNEL/GOOTJE

VIDDEN

VIDDEN ACHTER

VIDDEN DEL FRENTE

CONTRAST

CRUISLJN

. X KNIPPEN

AFKNIPPEN VOOR ...

. AAN STOFVUW

EGGEN

URK

NHOUDEN

STOF

SELEG

STOFVUW, VOUWLIJN

VOOR ...

VOOR HALFMATEN

VOOR KLEINERE DAMES

EMPELEN

RAADRICHTING

ABLOON VOOR

ENOOPSGAT

OOM

TOT DEZE LIJN

TUSSENVOERING

TUSSENVOERING

INKSE KANT

IER VERLENGEN

OF VERKORTEN

VOERING

INDERKANT

IER AANLEGGEN

LOOI

RECHTSE KANT

MSLA LIJN NIET

ERSEN

GAAD

ACHOUER

KNIPPEN

VERSTEVIGENDE VOERING

MAALIJN

SEK

LOOI

INDERLIJFJE

INDERJURK

ANDERVOERING


INDERROK

OVENKANT

TAILLELIJN


Row D, Column 4

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row A, Column 5

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row B, Column 5

Butterick 6013 Size:2-5 Part:1 www.printsew.com

Butterick
B6013
Sizes (CDD (2-3-4-5))

CUT 1 ON FOLD

JUPE DEVANT
FRENTE DE LA FALDA
VORDERE ROCKBAHN
DAVANTI DELLA GONNA


SKIRT FRONT CD

↖
CENTER FRONT

Row C, Column 5


Butterick 6013 Size:2-5 Part:1 www.printsew.com

10




Row D, Column 5

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row A, Column 6


Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row B, Column 6

Butterick 6013 Size:2-5 Part:1 www.printsew.com

44




Row C, Column 6

Butterick 6013 Size:2-5 Part:1 www.printsew.com

Row D, Column 6

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row A, Column 7

Butterick 6013 Size:2-5 Part:1 www.printsew.com

SKIRT FRONT A B

JUPE DEVANT
FRENTE DE LA FALDA
FRONTE DE ROCKBANA
VORDERE DELLA GONNA
D'AVANTI DELLA GONNA

FABRIC : CUT 1 ON FOLD

LINING : CUT 1 ON FOLD

**Butterick
B6013**


Sizes (CDD (2-3-4-5))

CENTER FRONT ON FOLD

4

Row B, Column 7

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row C, Column 7

Butterick 6013 Size:2-5 Part:1 www.printsew.com


LENGTHEN OR SHORTEN HERE

↙ CENTER FRONT ON FOLD ↘

5


Row D, Column 7

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row A, Column 8


Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row B, Column 8

Butterick 6013 Size:2-5 Part:1 www.printsew.com

Cut here for LINING



Row C, Column 8

Butterick 6013 Size:2-5 Part:1 www.printsew.com

HEAD 3/8" (1 CM)

5

4

3

2


Sizes (CDD (2-3-4-5))

Butterick
B6013

CUT 1 ON FOLD


UPPER SKIRT C D (FRONT)

12



Row A, Column 9

Butterick 6013 Size:2-5 Part:1 www.printsew.com




Row B, Column 9

Butterick 6013 Size:2-5 Part:1 www.printsew.com

3

CENTER BACK






SEAM 1/2" (1.3 CM)

SEAM 1/2" (1.3 CM)

GRAINLINE



Size


Row D, Column 9

Butterick 6013 Size:2-5 Part:1 www.printsew.com

ENTER BACK



HEM 3/8" (1 CM)



6


TIE END A B C D
ATTACHE
PUNTA DEL LAZO
SCHLEIFENTEIL
PUNTA DEL FIOCCO
CUT 2

Butterick

B6013

Sizes (CDD (2-3-4-5))





Row B, Column 10

Butterick 6013 Size:2-5 Part:1 www.printsew.com

Butterick
6013
Sizes (CDD (2 4-5))

GRAINLINE



Row C, Column 10

Butterick 6013 Size:2-5 Part:1 www.printsew.com

11

UPPER SKIRT C D (BACK)

PARTIE SUPERIEURE DE LA JUPE C D (DOS)
FALDA SUPERIOR C D (ESPALDA)
OBERES ROCKTEIL C D (RÜCKENTEIL)
GONNA PARTE SUPERIORE C D (DIETRO)

CUT 2

Butterick

B6013

zes (CDD (2-3-4-5))

2

3

4

GRAINLINE

Row D, Column 10


Butterick 6013 Size:2-5 Part:1 www.printsew.com


LENGTHEN OR SHORTEN HERE



Row A, Column 11


Butterick 6013 Size:2-5 Part:1 www.printsew.com






Row C, Column 11

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row D, Column 11

Butterick 6013 Size:2-5 Part:1 www.printsew.com



SLEEVE D

MANCHE
MANGA
ÄRMEL
MANICA

CUT 2


13



Butterick

Row A, Column 12

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Row B, Column 12

Butterick 6013 Size:2-5 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE

LENGTHEN OR SHORTEN HERE

LENGTHEN OR SHORTEN HERE


LENGTHEN OR SHORTEN HERE

Cut here for LIVING

HEM 3/8" (1 CM)

Row C, Column 12

Butterick 6013 Size:2-5 Part:1 www.printsew.com



Butterick

B6013

Sizes (CDD (2-3-4-5))

Gather

SI 1/2" (1

2
3
4
5

