



Cosy up in our joyful DELIA PULLOVER



Stitching can be tricky at this time of year because we're so excited for the arrival of spring, but still need to be prepared for the typical British weather. Amanda Walker's lightweight jumper with a muff pocket is great for layering now, but will also see you through to sunnier days. The best thing about working with quilted jersey is that your garment looks like a lot more work went into it than it really did!

sew a CASUAL JUMPER

Get started

- Quilted jersey, 1.5m (1.5m wide)
- Small scrap of fusible interfacing

Sizes

8-20

Cutting guide

Front: cut one on the fold

Back: cut one on the fold

Pocket: cut one on the fold

Neckband: cut one 6cm x 62cm strip

Sleeve: cut one pair

Sleeve cuff: cut two 14cm x 25cm strips

Hem cuff: cut one 14cm x 1m strip

1.5cm seam allowance used unless otherwise stated.

1 Download and print the pattern at sewmag.co.uk/templates. Cut out all the pieces as indicated in the cutting guide, then iron interfacing strips to the angled sides of the pocket piece. Neaten all pocket edges, then fold the slanted sides by 1cm over to the wrong side and topstitch in place.

2 Position the pocket centrally on the front piece, matching the bottom edges, then fold the top over by 1cm and stitch.

Match the front and back shoulder seams, right sides together, then pin and stitch. Neaten the seam allowances together.

3 Fold the neckband in half, right sides together, stitch the short ends together with a 1cm seam allowance, then press the seams open. Fold the neckband in half lengthways, wrong sides together, then press.

4 Match the raw neckband edges to those of the neckline, then pin and sew in place on the right side, beginning at the centre-back and stretching the neckband to fit as you sew. Neaten all the seam allowances together, then press the seam downwards.

5 Lay a sleeve piece on top of the main body, right sides together, matching the centre of the sleeve head to the shoulder seam. Pin, then sew in place. Pin the underarm and side seams, right sides together, then stitch in one continuous line from the sleeve cuff to the base hem. Neaten all of the seam allowances.

6 Prepare the sleeve and hem cuffs as for the neckband. Pin a cuff to a sleeve, matching the join with the underarm sleeve, then stitch, stretching the cuff to fit. Repeat for the second sleeve, then the hem cuff, matching the join to a side seam and sandwiching the base of the pocket between the front and cuff. Neaten all seam allowances.



sew SHOPPER



SUPER SOFT

Pre-quilted floral stretch jersey, £8.99 per metre, minervacrafts.com

thank you for shopping!



Dream MACHINE

BERNINA 215SR

New year, new sewing machine? Working at up to 900 stitches per minute, featuring 11 stitch patterns and with a needle up/down function, you'll love this high-power model. £499, bernina.com



DELIA PULLOVER TEMPLATE

PRINT
OUT
& KEEP


Use these guides to get started today

IN YOUR PRINT MENU, UNDER SIZE OPTIONS, BE SURE TO
SELECT TO PRINT 'ACTUAL SIZE', INSTEAD OF 'FIT TO PAGE'

Title: Delia pullover
Designer: Amanda Walker
Magazine page: 22




DELIA PULLOVER PATTERN LAYOUT




1

Test square
10cm x 10cm


2




3



4




5



POCKET

Cut one on fold




7


SLEEVE

Cut two


For cuffs, cut two
14cm x 25cm rectangles




8



9




10




11

12



13




14

BACK

Cut one on the fold

15




16

FRONT

Cut one on the fold


Neckband: cut one 6cm x 62cm strip

Hem cuff: cut one 14cm x 1m strip



17

18



19



Pocket position

20

