

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.


select



Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.





3 18" (46CM)
4 19 1/2" (49CM)
5 21 1/2" (54CM)
6 23 1/2" (59CM)

3 38 1/2" (97CM)
4 39 1/2" (100CM)
5 40 1/2" (103CM)
6 41 1/2" (106CM)

LENGTH

WIDTH

Butterick
B5876
Sizes (CCE (3-4-5-6))

12

HEM BAND D
BANDA DE DOURLET
BANDA DEL DOBLADILLO
SAUM BLEN DE
BORDO DELL'ORLO
GUT 4 ON FOLD

CENTER FRONT/CENTER BACK
FOLD



LENGTHEN OR SHORTEN HERE

3 18" (46CM)
4 19 1/2" (49CM)
5 21 1/2" (54CM)
6 23 1/2" (59CM)

3 38 1/2" (97CM)
4 39 1/2" (100CM)
5 40 1/2" (103CM)
6 41 1/2" (106CM)

LENGTH

WIDTH


B5876
Sizes (CCE (3-4-5-6))

CONTRAST : CUT 4 ON FOLD

HEM BAND C
BANDA DE DOBLADO
SAUMBLEN DE
BORDO DEL OROLO

11

ENTER FRONT CENTER BACK
FOLD



7

BOW B

NOEUD
LAZO
SCHLEIFE
FIOTTO

CUT 1

Butterick

B5876

Sizes (CCE (3-4-5-6))

Row D, Column 1

Butterick 5876 Size:3-6 Part:1 www.printsew.com

GRAINLINE






FOLDLINE

Row E, Column 1

Butterick 5876 Size:3-6 Part:1 www.printsew.com

Row A, Column 2

Butterick 5876 Size:3-6 Part:1 www.printsew.com



6

FRONT FACING A B
PAREMENTURE DEVANT
VISTA DEL FRENTE
VORDERER BELAG
MOSTRA DEL DAVANTI

FABRIC : CUT 2
INTERFACING : CUT 2

Butterick
B5876
Size :

PREP


⊕ In
d
sont bas
(Mesure
mode)

Rallong
cation (
Si le rall
tissu pe

• Rallo
tifica
pour

Row B, Column 2

Butterick 5876 Size:3-6 Part:1 www.printsew.com



• Racc
de re
racc

Reporte
avant d'
sur l'en


Ligne
bo

Repe
ment

Repe
frand

Repe
corre
detai

Lignes
sont im
marque



Row C, Column 2

Butterick 5876 Size:3-6 Part:1 www.printsew.com

3


BACK A B C D

DOS
ESPALDA
RÜCKENTEIL
DIETRO

CUT 1 ON FOLD

Butterick
B5876

Sizes (CCE (3-4-5-6))



STITCHING LINE

CENTER BACK ON FOLD

Row D, Column 2

Butterick 5876 Size:3-6 Part:1 www.printsew.com

CUT HERE FOR C D

WIDTH

3 38 1/2" (97CM)
4 39 1/2" (100CM)
5 40 1/2" (103CM)
6 41 1/2" (106CM)

LENGTH

3 18" (45CM)
4 19 1/2" (49CM)
5 21 1/2" (54CM)
6 23 1/2" (59CM)

LENGTHEN OR SHORTEN HERE

HEM 5/8" (1.5 CM)

CUT HERE FOR

WIDTH

3 40 1/2" (102CM)
4 41 1/2" (105CM)
5 42 1/2" (108CM)
6 43 1/2" (111CM)

LENGTH

3 21" (54CM)
4 22 1/2" (57CM)
5 24 1/2" (62CM)
6 26 1/2" (67CM)

HEM 5/8" (1.5 CM)


1 ENLARGE OR SHORTEN HERE

2 Row E, Column 2

3 Butterick 5876 Size:3-6 Part:1 www.printsew.com

5

6



PARATION DU PATRON

Indique: pointe de poitrine, lignes de taille, hanches et/ou avant-bras. Ces mesures sont prises sur la circonférence du vêtement fini du corps + Aisance confort + Aisance ajuster le patron si nécessaire.

ou raccourcir aux lignes de rectification (—) ou à l'endroit indiqué sur le patron. L'ajustement est important, un excès de tissu s'avérerait nécessaire.

onger - Couper entre les lignes de rectification. Espacer les bords (parallèlement) pour obtenir la longueur désirée.

DEVANT
FRENTE
VORDERTEIL
DAVANTI

CUT 1 ON FOLD

Butterick

B5876

Sizes (CCE (3-4-5-6))

pourcir - Former un pli une des lignes
c" Row B, Column 3 cm pour

Butterick 5876 Size:3-6 Part:1 www.printsew.com

if tous les repères ont été enlevés du tissu
enlever le patron. Les repères à reporter
droit seront marqués au fil.


es de couture - à 15mm des
coupes, sauf contre indiquer

re-bouton - indique emplace-
exact.

re-boutonnière - indique
leur et emplacement.

res - utilisés pour faire
spondre coutures et
ls de construction.

des pliures, emplacements, et milieux,
primées clairement; si desiré, les
r au fil.



Row C, Column 3

CUT 2 ON FOLD
Butterick


Butterick 5876 Size:3-6 Part:1 www.printsew.com

558/6
Sizes (CCE (3-4-5-6))

○○○○
3 4 5 6

□□□
3 4 5 6

CENTER FRONT ON FOLD



Row D, Column 3

Butterick 5876 Size:3-6 Part:1 www.printsew.com

BUTTERICK
Call Pattern Company
Rights Reserved
Made in U.S.A.
12 PIECES
SIZES
(3-4-5-6)

ON FOLD

A B

CENTER FRONT ON FOLD

Row E, Column 3

Butterick 5876 Size:3-6 Part:1 www.printsew.com

v

s

8

PREPARING PATTERN



Indicates the Bustline, Waistline and/or Biceps. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust pattern if necessary.

Lengthen or Shorten at adjustment lines (—) or where indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

- To Lengthen - Slash between adjustment lines. Spread amount as needed, keeping edges parallel.
- To Shorten - Crease along adjustment line. Make a fold half the amount needed.

Transfer all tissue markings to fabric before removing pattern. Markings needed on right side of fabric should be thread traced.

Seamlines - 5/8" (15mm) from cut edge unless otherwise indicated.



Button Marking - Indicates button placement.




Buttonhole Marking - Indicates exact length and placement of buttonholes.



Symbols - For matching seams and construction details.



Centers, Foldlines, Placement lines, etc., are clearly marked; thread trace if desired.





Row B, Column 4

Butterick 5876 Size:3-6 Part:1 www.printsew.com

PRINT COPY

3

CENTER FRONT ON FOLD



GATHER

4

ARMHOLE RUFFLE A

VOLANT D'ENTOURNURE
VOLANTE DE LA SISA
ARMAUSSCHNITTTRÜSCHE
VOLANT GIROMANICA

CUT 2

Butterick
B5876

Sizes (CCE (3-4-5-6))



GATHER

Row C, Column 4

Butterick 5876 Size:3-6 Part:1 www.printsew.com

A HEM 6/8" (1.5 CM)

CUT HERE FOR

CUT HERE FOR B

6

5

4


CENTER FRONT
FOLD

GRAIN LINE

© 2013 The McGraw-Hill Companies, Inc.
All Rights Reserved
Printed in the USA
5876 (CCE)

BUTTERICK

FRONT
DEVANT
POURTEIN
DAVANT
CUT 1



9
Row E, Column 4

Butterick 5876 Size:3-6 Part:1 www.printsew.com

GRAINLINE

**PATTERN
GLOSSARY**

**GLOSSAIRE
DU PATRON**

**GLOSARIO
DEL PATRON**

**SCHNITT-
ERKLÄRUNGEN**


**GLOSSARIO
PER MODELLI**

ENGLISH	FRANCAIS	ESPAÑOL	DEUTSCH	ITALIANO
APPLIQUE BLOUSING CASING CENTER	APPLIQUE PARTIE BLOUSANTE COULISSE MILIEU	APLICACION ABLUSADO JARETA CENTRO	APPLIKATION ÜBERFALL FÜR DURCHZUG MITTE	APPLICAZIONE BLUSANTE GUAINA CENTRO
CENTER BACK CENTER FRONT CONTRAST	MILIEU DOS MILIEU DEVANT CONTRASTE	CENTRO DE LA ESPALDA CENTRO DEL FRENTE CONTRASTE	RÜCKW. MITTE VORDERE MITTE KONTRAST	CENTRO DIETRO CENTRO DAVANTI CONTRASTO
CROTCH LINE CUT ... CUT OFF FOR ...	LIGNE DE FOURCHE COUPER ... COUPER ICI POUR ..	LÍNEA DEL TIRO CORTAR ... CORTAR AQUÍ PARA ..	SCHRITTLINIE ... X ZUSCHNEIDEN ABSCHNEIDEN FÜR ..	LÍNEA DEL CAVALLO TAGLIARE ... TAGLIARE QUI PER ...
CUT ... ON FOLD DRESS EASE	COUPER ... SUR LA PLIURE ROBE SOUTÈNIR	CORTAR ... AL DOBLEZ VESTIDO ACOMODAR	... X AM STOFFBRUCH ZUSCHNEIDEN KLEID EINHALTEN	TAGLIARE ... SULLA PIEGA ABITO ACCOMODARE
FABRIC FACING FOLD, FOLDLINE	TISSU PARÈMENTURE PLIURE, LIGNE DE PLIURE	TELA VISTA DOBLEZ, LÍNEA DEL DOBLEZ	STOFF BELAG STOFFBRUCH, UMBRUCHLINIE	TESSUTO MOSTRA PIEGA, LINEA DI PIEGA
FOR ... FOR HALF SIZE FOR MISSES' PETITE	POUR ... POUR DEM TAILLE POUR PETITE J. FEMME	PARA ... PARA TALLA MEDIA PARA SEÑORA JÓVEN (ESTATURA BAJA)	FÜR ... FÜR ZWISCHENGROSSE FÜR KLEINE DAMEN	PER ... PER MEZZA TAGLIA PER SIGNORA DI STATURA BASSA
GATHER GRAINLINE, GRAIN GUIDE FOR BUTTONHOLES	FRONCER DROIT FIL PIÈCE GUIDE POUR BOUTONNIÈRES	FRUNCIR HILO DE LA TELA GUÍA PARA LOS OJALES	EINKRÄUSELN FADENLAUF VORLAGE FÜR KNOPFLOCHER	ARRICCIARE DRITTO FILO GUIDA PER ASOLE
HEM INTERFACE TO THIS LINE INTERFACING	OURLET COUPER ICI POUR ENTOILAGE ENTOILAGE	DOBLADILLO CORTAR AQUÍ PARA LA ENTRETELA ENTRETELA	SAUM EINLAGE HIER ABSCHNEIDEN EINLAGE	ORLO TAGLIARE L'INTERFODERA A QUESTA LINEA INTERFODERA

Row B, Column 5

Butterick 5876 Size:3-6 Part:1 www.printsew.com

LEFT SIDE PLACEMENT LINE PLEAT	CÔTÉ GAUCHE RALLONGER OU RACCOURCIR ICI	COSTADO IZQUIERDO ALARGAR O ACORTAR AQUI	LINKE SEITE HIER VERLÄNGERN ODER VERKÜRZEN FUTTER	LATO SINISTRO ALLUNGARE O ACCORCIARE QUI FODERA
RIGHT SIDE ROLL LINE SEAM	CÔTÉ DROIT LIGNE DE PLIURE NON REPASSEE COUTURE	COSTADO DERECHO LINEA DE DOBLAR SIN PLANCHAR COSTURA	RECHTE SEITE UMBRUCHLINIE NAHT	LATO DESTRO LINEA DE ARROTOLARE CUCITURA
SHOULDER SLASH STIFFENING	ÉPAULE FENDRE ENTOILAGE RAIDE	HOMBRO DAR UN CORTE ATIESADOR	SCHULTER EINSCHNITT VERSTEIFUNG	SPALLA APERTURA RINFORZO RIGIDO
STITCHING LINE STRETCH TUCK	LIGNE DE PÛTURE ÉTIRER PLI	LINEA DE PUNTADAS ESTIRAR ALFORZA	STEPPLINE DEHNEN FALTE	LINEA DI CUCITURA TIRARE RIPRESA
UNDERBODICE UNDERDRESS UNDERLINING	DESSOUS DE CORSAGE DESSOUS DE ROBE TRIPLURE	CORPINO INTERIOR VESTIDO INTERIOR REFUERZO	INNERES OBERTEIL UNTERKLEID INNENFUTTER	SOTTOCORPINO SOTTO L'ABITO CONTROFODERA
UNDERSKIRT UPPER EDGE WAISTLINE	DESSOUS DE JUPE BORD SUPÉRIEUR LIGNE DE TAILLE	ENAGUA BORDE SUPERIOR LINEA DE LA CINTURA	UNTERROCK OBERE KANTE TAILLENUNIE	SOTTOGONNA BORDO SUPERIORE LINEA DELLA VITA



Row C, Column 5

Butterick 5876 Size:3-6 Part:1 www.printsew.com

9

FRONT FACING C D
PAREMENTURE DEVANT
VISTA DEL FRENTE
VORDERER BELAG
MOSTRA DEL DAVANTI
FABRIC : CUT 1 ON FOLD
INTERFACING : CUT 1 ON FOLD

Butterick
B5876

Sizes (CCE (3-4-5-6))

FRONT FACING A B

PAREMENTURE DEVANT
VISTA DEL FRENTE
VORDERER BELAG
MOSTRA DEL DAVANTI

FABRIC : CUT 2

INTERFACING : CUT 2

Butterick

B5876

Size 3


6

1

SI

Row D, Column 5

Butterick 5876 Size:3-6 Part:1 www.printsew.com



BACK FACING A B C D

PARREMENTURE DOS

VISTA DE LA ESPALDA

RÜCKW.BELAG

MOSTRA DIETRO

FABRIC : CUT 1

INTERFACING : CUT 1

5

STITCHING LINE

STITCHING LINE

GRAIN LINE

Butterick
B5876
Size 6

FRONT FACING A B
PARREMENTURE DEVANT
VISTA DEL FRENTE
VORDERER BELAG
MOSTRA DEL DAVANTI
FABRIC : CUT 2
INTERFACING : CUT 2

Butterick
B5876
Size 4

FRONT FACING A B
PARREMENTURE DEVANT
VISTA DEL FRENTE
VORDERER BELAG
MOSTRA DEL DAVANTI
FABRIC : CUT 2
INTERFACING : CUT 2

6

Row E, Column 5

Butterick 5876 Size:3-6 Part:1 www.printsew.com



**PATROON-
VERKLARINGEN**

NEDERLANDS

APPLIQUE
BLOESEND
TUNNEL/GOOT JE
MIDDEN

MIDDEN ACHTER
MIDDEN DEL FRENTE
KONTRAST

KRUISLIJN
... X KNIPPEN
AFKNIPPEN VOOR ...

... AAN STOFVouw
LEGGEN
JURK
INHOUDEN

STOF
BELEG
STOFVouw, VouwLIJN

VOOR ..
VOOR HALFMATEN
VOOR KLEINERE DAMES

RIMPELEN
DRAADRICHTING
Sjabloon voor
KNOOPSGAT

ZOOM
TOT DEZE LIJN
TUSSENVOERING
TUSSENVOERING



LINKSE KANT
OF RECHTSE KANT

Row B, Column 6

Butterick 5876 Size:3-6 Part:1 www.printsew.com

ONDERKANT
HIER AANLEGGEN
PLOOI


RECHTSE KANT
OMSLA LUN NIET
ERSEN
NAAD

SCHOUDER
KNIPPEN
VERSTEVENDE VOERING

NAAILIJN
REK
PLOOI

ONDERLUIFJE
ONDERJURK
ONDERVOERING

ONDERROK
BOVENKANT
TAILLELUN



Row C, Column 6

Butterick 5876 Size:3-6 Part:1 www.printsew.com

0

POCKET C

POCHE
BOLSILLO
TASCHE
TASCA

CONTRAST : CUT2

Butterick

B5876

zes (CCE (3-4-5-6))

GRAINLINE



Butterick B5876

Sizes (CCE) 3-4-5-6

BACK
CENTER



3
4
5
6

Row E, Column 6-

Butterick 5876 Size:3-6 Part:1 www.printsew.com

