

Kwik Sew 133 Size:t1-t4 Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.


select



Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.






© 2012 The McCall Pattern Co.
All Rights Reserved. Printed in U.S.A.

K133
VIEW A
APPLIQUE

1



FAM T1			
		T4	T4
		T3	T3
		T2	T2

Row B, Column 1

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com

1" (2 CM) HEM ALLOWED



SHORTEN OR LENGTHEN LINE



SHORTEN OR LENGTHEN LINE


BOTTOM EDGE 3/4" (2 CM) HEM ALLOWED



T1	T1	E SEAM
T2	T2	
T3	T3	
T4	T4	

Row C, Column 1

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com





Row D, Column 1


Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com



Row A, Column 2

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com



2. K133
VIEW B
APPLIQUE





Row C, Column 2

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com

INSIDE LEG SEAM

t2

t1

GRAIN OF FABRIC

SHORTEN OR LENGTHEN LINE

BOTTOM EDGE VIEW C 3/4" (2 CM) HEM ALLOWED

t1

t2

t3


t4

STRETCH OF FABRIC

SHORTEN OR LENGTHEN LINE


Row D, Column 2

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com




Row A, Column 3

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com



CUFF SEAM



T4
T3
T2
T1
SHOULDER

KWIK

Row B, Column 3

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com

6.

K133
VIEW A AND
TOP
SLEEVE
CUT 2

1/4" (6 MM) SEAM
ALLOWANCE

STRETCH

SHORTEN OR LENGTHEN

BOTTOM EDGE VIEW A 3/4" (2 CM)

GRAIN OF FABRIC

SLEEVE SEAM

T4
T3
T2
T1

T4

T2


T3

T4

VIEW B CUFF SEAM

Row C, Column 3

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com



8

KWIK SEW®

K133
VIEW C AND D
PANTS
CUT 2
1/4" (6 MM) SEAM
ALLOWANCES INCLUDED

SHORTEN OR LENGTHEN LINE

Row D, Column 3

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com

CENTER FRONT SEAM

T1


T2

T3

T4

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com



Row B, Column 4

Kwik Sew 133 Size:t1-t4 Part:1 www.printsew.com

SEAM
ES INCLUDED

1 OF FABRIC

THEN LINE

HEM ALLOWED

T1

T2

T3

T4

T1
T2
T3
T4

SLEEVE SEAM

