

Simplicity 1425 Size:4-12 Part:1 Paper:a4

@ Hoimayva

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select

Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



1425

Simplicity™



Designed and printed in the USA
Diseñado e impreso en los Estados Unidos
Conçu et imprimé aux États-Unis





Row B, Column 1

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

REGISTERED TRADEMARK OF SIMPLICITY PATTERN CO. INC.
MARQUE DÉPOSÉE DE SIMPLICITY PATTERN CO.

PRINTED IN USA
IMPRIMÉ AUX ÉTATS-UNIS
ESTAMPADA EN LOS ESTADOS UNIDOS


CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

BACK - A, B
DOS
ATRAS
ACHTERKANT
RÜCKENTEIL



1425 - MISS
S/TAILLES/TALLAS
4, 6, 8, 10, 12

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE



12	4	26 1/2"	67.5CM
8	8	28 1/2"	72.5CM
4	12	31"	78.5CM
4 7/2" 1.5CM			

WAIST
TAILLE
CINTURA
TALLEN
BODY MEASURE
APPROXIMATELY:

*EASE IS THE DIFFERENCE BETWEEN THE
STANDARD BODY MEASUREMENTS FOR A
SIZE AS GIVEN ON THE ENVELOPE BACK
AND THE FINISHED GARMENT MEASUREMENTS
AS PRINTED ON THE PATTERN TISSUE.

*TOTAL EASE ABOVE
BODY MEASUREMENT IS
APPROXIMATELY: 3 1/2" 9CM

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

BUST	POITRINE
BUSTO	4 33"
BUSTE	8 35"
BUSTE	12 37 1/2"
	84CM 89CM 95CM

FINISHED GARMENTS MEASUREMENTS
SIZES/TALLS/TALLAS
4, 8, 12

1425 - MISS
Simplicity

3/8 IN. SEAM
ALLOWANCE
VIEW - D
VUE
VISTA
ZICHT
ANSICHT

3

MISS

LES

TALLAS

5

LOOP - A, B, C, D, E

CUT 1

COUPÉZ 1

CORTE 1

KNIPPEN 1


SCHNEIDEN 1

COULANT

GAZA

LUS


SCHLANGE




Row E, Column 1

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com





Row B, Column 2

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

@ Hoimayva

SIMPLICITY IS A REGISTERED

CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS
MIDDEN ACHTER
RUCKWARTIGE MITTE


SIZE
14
ST

3/8 IN. SEAM ALLOWANCE

4 6 8 10 12
4 6 8 10 12

CINTURA *TOTAL EASE ABOVE
TAILLE BODY MEASUREMENT IS
TAILLEN APPROXIMATELY:
6 27 1/2" 70CM
10 29 1/2" 75CM
4 1/2" 11.5CM

10
6



Row C, Column 2

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

@ Hoimayva

WAIST
TAILLE

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1,0 CM.
MARGEN DE COSTURA DE 1,0 CM.
NAADTOESLAG
NAHTSUGABE

*EASE IS THE DIFFERENCE BETWEEN THE
STANDARD BODY MEASUREMENTS FOR A
SIZE AS GIVEN ON THE ENVELOPE BACK
AND THE FINISHED GARMENT MEASUREMENTS
AS PRINTED ON THE PATTERN TISSUE.

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

*TOTAL EASE ABOVE
BODY MEASUREMENT IS
APPROXIMATELY: 3 1/2" 9CM

SIDE FRONT - A, B, C, D, E
COTE DU DOS
COSTADO DEL FRENTE
ZIJDE VORKANT
SEITLICHES VORDERTEIL

BUST
POITRINE
BUSTO
BUSTE 6 34" 86.5CM
BUSTE 10 36" 91.5CM

FINISHED GARMENTS MEASUREMENTS

SIZES/TAILLES/TALLAS
6, 10

1425 - MISS
Simplicity®

VIEW - D
VUE
VISTA
ZICHT
ANSICHT

3/8 IN. SEAM
ALLOWANCE

6 10

6 10

4 8 12

4 8 12

4 8 12

4 8 12

Row D, Column 2

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

@ Hoimayva

1425 - M
ALL SIZES
TOUTES
TODAS LAS

CUT 1 ON FOLD
COUPEZ 1 SUR LA PLOURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVUUM KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN

PEPLUM FRONT - A, B, C, D, E
DEVANT DE LA BASQUE
FRENTE DEL PEPLU
VOOR PEPLUM
VORDERES SCHOSSCHENTEL



1425 - MISS
SIZES/TALLAS/TALLAS
4, 6, 8, 10, 12

PLI
PLEUQ
PLOOI
FALTE

PLEAT

Row E, Column 2

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

Simplicity®

@ Hoimayva

12
10
8
6
4

12
10
8
6
4

5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOSLAG
MIT SAUMZUGABE

**CENTER FOLD
PLIEUE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH**

DART
 PINCE
 PINZA
 FIGUR NAAD
 ABNAHER

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2
DOS
ATRAS
ACHTERKANT
RUKENTEIL
BACK - C, D, E




Simplicity®
1425 - MISS
SIZES/TAILLES/TALLAS
4, 6, 8, 10, 12

CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS
MIDDEN ACHTER
RUCKWARTIGE MITTE

- 4
- 6
- 8
- 10
- 12

3/8 IN. SEAM ALLOWANCE

VIEW - C
VUE
VISTA
ZICHT
ANSICHT



3/8 IN. SEAM ALLOWANCE

FOLD
LIGNE
LINEA
VOUW
FALD

SEAM
ANCE

@ Hoimayva




1425

D5(4-12)

004

EASE
SOUTENIR
EMBEBA
TOEGEVEN
DIE WEITE EINHALTEN

IN. SEAM ALLOWANCE



Row E, Column 3

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com


5/8 IN

5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

4-6

8-10

12



Row B, Column 4

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

1425 - MISS
Simplicity

VIEW - C
VUE
VISTA
ZICHT
ANSICHT

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

VIEW - C
VUE
VISTA
ZICHT
ANSICHT

4
8
12




3/8 IN. SEAM ALLOWANCE
4
8
12

9
01

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2
VORDE RE PASS
CANEU DEL FRENTE
VOORKANT VAN PAS
ELEMEMENT DU DEVANT

A, B
3/8 IN. SEAM ALLOWANCE
CENTER FRONT
MILIEU DU DEVANT
CENTRO DEL FRENTE
MIDEN VOOR
VORDE MITTE
3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.






Row D, Column 4

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

@ Hoimayva



SLEEVE - D

MANCHE
MANGA
MUVW
ARMEL

MISS
S/TALLAS

Simplicity®
1425 - MISS
SIZES/TAILLES/TALLAS
4, 6, 8, 10, 12

9

PEPLUM BACK - A, B, C, D, E
DOS DE LA BASQUE
ATRAS DEL PEPL
RUG PEPLUM
RUCKWARTIGES SCHOSSCHENTEIL

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

PLEAT
PLI
PLIEQUE
PLOOI
FALTE

Row E, Column 4


@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

4-6

8-10


12




Row A, Column 5

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com



WAISTLINE
TAILLE
CINTURA
RIEM LIJN
TAILLENLINIE




3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

Simplicity
1425 - MISS
SIZES/TAILLES/TALLAS



COLLAR -
COL
CUELLO
KRAAG
KRAAGEN
CUT 4
COUPEZ 4
CORTE 4
KNIPPEN 4
SCHNEIDEN 4

Simplicity 1425 Size:4-12 Part:1 www.printsew.com



@ Hoimayva

SIZES/TAILLE: 6, 10

1425 - N

3543

040
08

Part:1 www.printsew.com

**CENTER FOLD
PLIURE DU MILIEU
PLIEQUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOEFERBUCH**

LOWANCE
DE 1.0 CM.

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVUM KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN

YOKE FRONT - A, B
EMPECHMENT DU DEVA
CANEBU DEL FRENTE
VOORKANT VAN PAS
VORDERE PASSE

2

4, 8, 12

SIZES/TAILLES/TALLAS

1425 - MISS

A, B

3/8 IN. SEAM ALLOWANCE
MAOTDESLAG
VALEUR DE COUTURE DE 10 CM.
NAHTSUGABE

**CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVUW
MITTEL STOEßBRUCH**


4
8
12

12

Row E, Column 5

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com







U.S. & Canada Toll-Free
1-888-588-2700



Web Site
<http://www.simplicity.com>



E-mail
info@simplicity.com



Row B, Column 6

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

CUT 1 ON FOLD
COPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ

FRONT - D, E
DEVANT
FRENTE
VOORKANT
VORDERTEL



12

Simplicity®
1425 - MISS
SIZES/TALLS/TALLAS
4, 6, 8, 10, 12

VIEW - D
VUE
VISTA
ZICHT
ANSICHT

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE


3/8 IN. SEAM ALLOWANCE



Row C, Column 6

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com



Row D, Column 6

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com

CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVOUN KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN

YOKE FRONT - A, B
EMPECEMENT DU DEVANT
CANESU DEL FRENTE
VOORKANT VAN PAS
VORDERE PASSE

2

6, 10

SIZES/TALLAS/TALLAS

1425 - MISS
Simplicity®

3/8 IN. SEAM ALLOWANCE

6 10

6 10

6 10

4 8 12

3/8 IN. SEAM ALLOWANCE

Row E, Column 6

@ Hoimayva

Simplicity 1425 Size:4-12 Part:1 www.printsew.com