

New Look 6143 Size:10-22 Part:2 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select




Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



Row A, Column 1

New Look 6143 Size:10-22 Part:2 www.printsew.com



Row B, Column 1

New Look 6143 Size:10-22 Part:2 www.printsew.com

6143

TIE END - C

PAN A NOUER

TIRA PARA ANUDAR

CEINTURBAND

BAND ZUM BINDEN

CUT 2

COUPEZ 2

CORTE 2

KNIPPEN 2

SCHNEIDEN 2



Row C, Column 1

New Look 6143 Size:10-22 Part:2 www.printsew.com

3/4" N. HEM ALLOWED
D. ET DE 1.0 CM.
D. ADILLO DE 1.0 CM.
C. ATOESLAG
II SAUMZUGABE

3/8 IN. HEM ALLOWED

Row D, Column 1

New Look 6143 Size:10-22 Part:2 www.printsew.com



GATHER
FROUNCE
FRUNCE
RIMPELEN
ZWISCHEN






Row E, Column 1

New Look 6143 Size:10-22 Part:2 www.printsew.com

Row A, Column 2

New Look 6143 Size:10-22 Part:2 www.printsew.com






6143

WALK BINDING - A, B, C, D, E

REDURE ENCOLURE
COTE DEL ESCOTE
KBOORTEL
LSAUS HMITTBSATZ

CENTER FRONT
MILIEU DU DEVANT
CENTRO DEL FRENT
MIDDEN VOOR
VORDERE MITTE



6143

TIE BELT - E

CEINTUREA HOUE
CINTURON PARA ANUDAR
RIEMSTRIK
BINDEGURTEL

CUT 2

COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEDEN 2




3/8 IN. S

Row B, Column 2

New Look 6143 Size:10-22 Part:2 www.printsew.com

3/8 IN.
VALEUR
MARGEN
NAADTO
NAHTS



Row C, Column 2

New Look 6143 Size:10-22 Part:2 www.printsew.com

TEAM A
OWANCE


LOWANCE

TURE DE 1.0 CM.
TURA DE 1.0 CM.

Row D, Column 2

New Look 6143 Size:10-22 Part:2 www.printsew.com

3/8 IN. SEAM ALLOWANCE	22
3/8 IN. SEAM ALLOWANCE	20
3/8 IN. SEAM ALLOWANCE	18
3/8 IN. SEAM ALLOWANCE	16
3/8 IN. SEAM ALLOWANCE	14
3/8 IN. SEAM ALLOWANCE	12
3/8 IN. SEAM ALLOWANCE	10




Row E, Column 2

New Look 6143 Size:10-22 Part:2 www.printsew.com




Row A, Column 3

New Look 6143 Size:10-22 Part:2 www.printsew.com




Row B, Column 3

New Look 6143 Size:10-22 Part:2 www.printsew.com




6143
SIZES/TALLAS/TALLAS
12, 16, 20
YOKE FRONT - D, E
EMPIECMENT DU DEVANT
CANESU DEL FRENTE
VOORKANT VAN PAS
VORDERE PASSE
CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVOUN KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN




Row C, Column 3

New Look 6143 Size:10-22 Part:2 www.printsew.com



A(10-22)
0 0 3 6



Row D, Column 3

6143

New Look 6143 Size:10-22 Part:2 www.printsew.com

SLEEVE – B

MANCHE
MANGA
MOUW
ARMEL


CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2


7



Row E, Column 3

New Look 6143 Size:10-22 Part:2 www.printsew.com





Row B, Column 4

New Look 6143 Size:10-22 Part:2 www.printsew.com



CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2



3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

BACK
DORS
ATRÁS
ACHTERKANT
RÜCKENTEIL

10

12

14



CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

10

12

14

16

18

20


22

Row C, Column 4

New Look 6143 Size:10-22 Part:2 www.printsew.com


16	
18	
20	
22	

6143



Row D, Column 4

New Look 6143 Size:10-22 Part:2 www.printsew.com



Row E, Column 4

New Look 6143 Size:10-22 Part:2 www.printsew.com

22
20
18
16
14
12
10