


6244

Doll One Size

Simplicity Printed Pattern 50c
IN CANADA 60c





NOTE: To make darts, on **INSIDE**, fold along solid line. Stitch along broken line. Press underarm darts down; press waistline darts toward center.


NOTE: Press seams open unless otherwise instructed.

NOTE: For **DRESS AND COAT VIEW 2** and **PANTS** and **BLOUSE VIEW 4**, top-stitch or machine embroider with contrasting thread.

EVENING DRESS VIEW 1


BODICE

35" 36" 44"
45" Fabric With
or Without Nap




BODICE LINING

35" 36" 39"
44" 45" Fabric
Without Nap




SKIRT

35" 36" 44" 45"
Fabric With or Without Nap



BODICE

1. a- With **RIGHT** sides together, stitch lining to upper edge of bodice, matching centers and small dots @.




b- Turn **RIGHT** side out; baste raw edges.



Make darts.

SKIRT



2. Stitch under 1/4" on lower edge of skirt.

With **RIGHT** sides together, pin skirt to bodice, matching centers. Stitch seam; press up.



3. On **OUTSIDE**, pin ribbon along bodice seam; sew both edges to bodice.

Stitch **RIGHT** back edge to **INSIDE** along center.

FINISHING

4. Lap **RIGHT** back over **LEFT**, matching centers. Fasten with snaps.


Fold remaining ribbon in half, and tack to dress front with a flower as shown on front of envelope.

VIEW 2

DRESS AND COAT


35" 36" 44" 45" 54"

Fabric With or Without Nap



BODICE

a.



1. a-Make darts.

Join shoulder seams.


Stitch under 1/4" on neck and sleeve edges, clipping curves.

b.



b-Join underarm seams; clip curves.

SKIRT




2. Stitch under 1/4" on lower edge.

To make pleats, on OUTSIDE, fold along solid lines. Bring folds to broken lines; press. Baste across upper edge.

JOINING SKIRT TO BODICE

3. With RIGHT sides together, pin skirt to bodice, matching centers and small dots @.

Stitch; press seam up. Stitch RIGHT back edge to INSIDE along center.




FINISHING

4. On OUTSIDE, top-stitch along waistline seam. Lap RIGHT back over LEFT, matching centers. Fasten with snaps.

COAT

FRONT AND BACK

a.



1. a-Make darts.


Join center back seam.

Join shoulder seams.

Press under 1/4" on neck and sleeve edges, clipping curves.

Stitch sleeve edges.

b.




b-Join underarm seams; clip curves.

Stitch under 1/4" on lower edge.

FINISHING

2. Press front opening edges to INSIDE along fold lines. Top-stitch close to front and neck edge, as shown.

Sew buttons to RIGHT front at small dots @. Lap RIGHT front over LEFT, matching centers. Fasten with snaps under buttons.



VIEW 3


BLOUSE

35" 36" 44"

45" Fabric

With Or With-


out Nap



SKIRT AND JACKET

35" 36" 44" 45" 54"


Fabric With or Without Nap



BLOUSE

FRONT AND BACK

a.




1. a-Make darts in front.

Join shoulder seams.

Stitch under 1/4" on neck and armhole edges, clipping curves.

b.



b-Join side seams.

Stitch under 1/4" on lower edge.

Stitch RIGHT back edge to INSIDE along center.

FINISHING

2. Lap RIGHT back over LEFT, matching centers. Fasten with snaps.


SKIRT

a.



1. a-Stitch under 1/4" on waistline and lower edge, clipping curves.

b.



b-On OUTSIDE, stitch center of rick-rack along lower edge.


Stitch RIGHT back edge to INSIDE along center.

Lap RIGHT back over LEFT, matching centers. Fasten with snaps.

JACKET

FRONT AND BACK

a.



1. a-Make darts in front.

Join shoulder seams.

Stitch under 1/4" on neck and sleeve edges, clipping curves.

b.



b-On OUTSIDE, stitch center of rick-rack along sleeve edges.


INSTRUCTIONS CONTINUED ON OTHER SIDE

Printed in U.S.A.
© Copyright 1965 by Simplicity Pattern Co., Inc.

6244

INSTRUCTIONS CONTINUED
FROM OTHER SIDE

UNDERARM SEAMS




2. Join underarm seams, matching small dots $\odot$; clip curves.
Stitch under 1/4" on front and lower edges, clipping curves.

FINISHING

3. On OUTSIDE, stitch center of rick-rack along front, neck and lower edges, turning under and lapping one end.


On OUTSIDE, sew a button to RIGHT front at small dot $\odot$. Fasten with snap under button.



VIEW 4

PANTS


35" 36" 44" 45"
54" Fabric With
Or Without Nap



BLOUSE

35" 36" 44" 45"
Fabric With Or
Without Nap


NOTE: Cut
one T.




PANTS

TOP-STITCHING

1. Top-stitch along solid line, and close to first row.



CENTER FRONT SEAM AND CASING



2. Join center front seam; clip curves.
Stitch under 1/4" on leg edges.


To form casing, press upper edge to INSIDE along fold line. Stitch 1/4" from fold.

ELASTIC AND SEAMS

3. Cut a piece of elastic 3-3/4" long; insert into casing; sew ends.


Join center back seam; clip curves.

Join inner leg seam; clip curves.



BLOUSE

FRONT AND BACK




1. Join shoulder seams.

Press under 1/4" on neck and sleeve edges, clipping curves.

POCKET

2. a-Press under all edges along seam line. Top-stitch close to upper edge and close to first row.



b-On OUTSIDE, pin pocket to LEFT front, placing upper corners at medium dots $\odot$.

Top-stitch side and lower edges.

Stitch RIGHT back edge to INSIDE along center.


Top-stitch close to neck and sleeve edges and close to first row.

UNDERARM SEAMS

3. Join underarm seams; clip curves.

Press under 1/4" on lower edge.

Top-stitch close to lower edge and close to first row.




FINISHING

4. Lap RIGHT back over LEFT, matching centers. Fasten with snaps.

VIEW 5


BLOUSE

35" 36" 44" 45"
Fabric With Or Without Nap




JUMPER

35" 36" 44" 45"
54" Fabric With Or Without Nap



BLOUSE


FRONT AND BACK



1. a-Join shoulder seams.

Stitch under 1/4" on neck and sleeve edges, clipping curves.

Stitch RIGHT back edge to INSIDE along center.



b-Join underarm seams; clip curves.


Stitch under 1/4" on lower edge.

FINISHING

2. Lap RIGHT back over LEFT, matching centers. Fasten with snaps.

JUMPER

FRONT AND BACK



1. Join side seams.

Stitch under 1/4" on neck edges, armhole edges and back shoulder edges, clipping curves.

Stitch under 1/4" on lower edge; clipping curves.

Stitch RIGHT back edge to INSIDE along center.

FINISHING

2. Lap back shoulder extensions over front, matching small dots @.

Sew button at small dot @ thru all thicknesses.


Lap RIGHT back over LEFT, matching centers. Fasten with snaps.



DRESS VIEW 6


BODICE

35" 36" 44" 45" Fabric With Or Without Nap




SKIRT

35" 36" 44" 45"
Fabric With Or Without Nap



BODICE FRONT AND BACK




1. Make dart in bodice front.

Join shoulder seams.


Press under 1/4" on neck and sleeve edges, clipping curves.

LACE EDGING

2. Stitch neck and sleeve edges over bound edge of lace edging.




UNDERARM SEAMS



3. Join underarm seams; clip curves.


SKIRT



4. Stitch under 1/4" on lower edge.

Using a long machine-stitch, gather upper edge along seam line between medium dots @ at centers back, as shown.


JOINING SKIRT TO BODICE



5. With RIGHT sides together, pin skirt to bodice, matching centers and small dots @.

Adjust gathers to fit; baste. Stitch. Press seam up. Top-stitch.

FINISHING



6. Stitch RIGHT back edge to INSIDE along center.

Lap RIGHT back over LEFT, matching centers. Fasten with snaps.

