




Not Returnable
RIO YARDAGE SHOP





b-To make pleat, on OUTSIDE, fold along solid lines. Bring folds to broken line; press. Baste across upper edge.




WAISTBAND

2. Cut a piece of 1/4" wide braid, 4-3/4" long.

On OUTSIDE, stitch one edge of braid along seam line at waistline.

Trim raw edge of skirt (under waistband) close to stitching.



Press RIGHT back edge to INSIDE along solid line; stitch.



FINISHING

3. Press skirt.

Lap RIGHT back over LEFT, matching centers. Fasten with 4 snaps.




NOTE: To gather, make a row of machine-stitching along seam line, using a long machine-stitch.

NOTE: To make darts, on INSIDE, fold along solid line. Stitch along broken line.


NOTE: Press seams open unless otherwise instructed.

SUIT VIEW 1

Fabric With or Without Nap
35" 36" 41" 42" 44" 45" 54" 60"



SKIRT




1. a-Stitch under 1/4" on lower edge.

JACKET

FRONT



4. Make dart; press down.



BACK AND SEAMS

5. a-Join the shoulder seams.


Stitch under 1/4" on sleeve edges.



c-Join underarm seams. Clip curves.


Stitch under 1/4" on neck and lower edges, clipping curves.

Press front edges to INSIDE along fold lines; stitch.



FINISHING


6. a—On **OUTSIDE**, pin braid to **RIGHT** front and neck edges, folding out fullness at corner and turning under ends, as shown. Stitch braid along center.



7. b—Press jacket.


On **OUTSIDE**, sew buttons to **RIGHT** front at small dots ●.

Lap **RIGHT** front over **LEFT**, matching centers; fasten with two snaps under the upper and lower button.




DRESS VIEW 2

Fabric With or Without Nap
35" 36" 41" 42" 44" 45" 54" 60"




FRONT

1. a—Make dart; press down.




b—With **RIGHT** sides together, pin front sections together, matching small and medium dots ●.



Baste along pleat line; stitch along seam line above medium dot ●. Stitch double notched edges.

c—Bring seams of extension to pleat line; press.




Hand-sew across upper edge of extension. (Do not sew to **OUTSIDE** of dress.)

BACK AND SEAMS

2. a—Join the shoulder seams.

Stitch under 1/4" on neck and armhole edges, clipping curves.


Join side seams.



b—Join center back seam in 3/8" seam as far as small dot ●, as shown.


Press seam toward **RIGHT** back, pressing under **RIGHT** back opening edge along solid line. Stitch **RIGHT** back edge.

Stitch under 1/4" on lower edge.



FINISHING

3. Press dress. Lap **RIGHT** back over **LEFT**, matching centers. Fasten with two snaps.




BELT

4. Cut a piece of 1/4" wide ribbon 5-1/8" long.


Turn under 1/4" on ends.

Hold belt to dress with a button or bead at small dots ● in front, having ends extend 1/4" over small dots ●, as shown.



EVENING DRESS VIEW 3

Fabric With or Without Nap
35" 36" 41" 42" 44" 45" 50"



BODICE FRONT

1. Make darts; press toward center front.


Stitch under 1/4" on upper edge.




SKIRT

2. a—Stitch under 1/4" on lower edge.


Starting at lower edge, on **OUTSIDE**, stitch bound edge of lace edging along the 5 stitching lines, as shown.



b—With **RIGHT** sides together, pin bound edge of lace edging along solid line, as shown. Stitch in place along stitching on bound edge; press lace down. Baste lace along center back edges.




c—Gather upper edge of skirt between small and medium dots ●.



JOINING SKIRT TO BODICE


3. With **RIGHT** sides together, pin skirt to bodice, matching centers and small dots ●. Adjust gathers to fit; baste. Stitch seam and press up.



CENTER BACK SEAM

4. Join center back seam in 3/8" seam as far as small dot ●.


Press seam toward **RIGHT** skirt back, pressing under **RIGHT** back opening edge along solid line. Stitch **RIGHT** back edge.



SHOULDER STRAPS

5. Cut 2 pieces of ribbon, each 2-3/8" long.

On **INSIDE**, sew the straps to bodice front and back at small dots ●, adjusting them to fit.



FOR REMAINING INSTRUCTIONS SEE OTHER SIDE
Printed in U.S.A.

FINISHING

6. Press dress.

Lap RIGHT back over LEFT, matching centers. Fasten with two snaps.

Cut a piece of ribbon 18" long. Tie knots at ends. Wear sash at the waistline as illustrated on front of envelope. A flower may be worn with sash, as illustrated on front of envelope.




SKATING OUTFIT VIEW 4

SKATING OUTFIT

Fabric With or Without Nap


35" 36" 41" 42" 44" 45" 54" 60"



SKIRT FACING AND PANTIES

Lightweight Fabric Without Nap


35" 36" 41" 42" 44" 45"




SKIRT

1. a-Join side seams of skirt.


Join side seams of skirt facing.



b-With RIGHT sides together, stitch facing to skirt, matching centers and seams, leaving the LEFT back edge open, as shown. Clip curves.



c-Turn RIGHT side out; press. Stitch close to LEFT back, as shown.



FINISHING

2. Press skirt.

Lap RIGHT back over LEFT, matching centers. Fasten with three snaps, as shown.




Printed in U.S.A.

JACKET


FRONT

1. Make the dart; press toward center.



BACK AND SEAMS


2. a-Make darts; press toward center. Join the shoulder seams.



b-Stitch along seam line at neck edge.


Press under neck edge along the machine stitching, clipping curve.

Stitch under 1/4" on sleeve edges.



c-Join underarm seams. Clip curves.


Stitch under 1/4" on lower edge.



HOOD


3. To form dart seam, on INSIDE, bring stitching lines together, matching small dots ●. Stitch along stitching line. Slash dart and press open.

Join center back seam of hood sections. Clip curves. Press front edge to INSIDE along fold line.




FRINGE TRIM

4. Stitch front edge of hood over straight edge of fringe between small dots ●, as shown.




JOINING HOOD TO JACKET

5. a-On the OUTSIDE, stitch neck edge of jacket along seam line at neck edge of hood, matching centers back and small dots ●, placing shoulder seams at dart seams in hood, as shown.




b-Press jacket front edges to **INSIDE** along fold lines; stitch.



FINISHING


6. Press jacket. On the **OUTSIDE**, sew buttons to **RIGHT** front at small dots ●, as shown. Lap **RIGHT** front over **LEFT**, matching centers. Fasten with snaps under buttons.




PANTIES

7. a-Join center front seam; clip curves. Stitch under 1/4" on leg edges, clipping curves.

To form casing, press upper edge to **INSIDE** along fold line, as shown. Stitch 1/4" from fold edge.



b-Cut a piece of 1/8" wide elastic, 5" long. Slip elastic thru casing; adjust to fit and sew ends in place securely.




c-Join center back seam; clip curves. Join inner leg seam. Press panties.



BLOUSE AND SKIRT VIEW 5


BLOUSE

Fabric With or Without Nap
35" 36" 41" 42" 44" 45" 52" 54" 60"



SKIRT


Fabric With or Without Nap
35" 36" 41" 42" 44" 45" 54" 60"



BLOUSE


FRONT

1. Make the darts; press toward center.




BLOUSE BACK AND SEAMS

2. a-Make dart; clip at waistline and press toward center.




Join shoulder seams. Stitch under 1/4" on sleeve edges.

b-Join underarm seams. Clip curves. Stitch under 1/4" on neck and lower edges, clipping curves.




c-Press **RIGHT** back edge to **INSIDE** along solid line; stitch.



FINISHING



3. Press blouse. Lap **RIGHT** back over **LEFT**, matching centers. Fasten with two snaps.




SKIRT

PREPARING SKIRT

4. a-Stitch under 1/4" on **RIGHT** front and lower edges of skirt, as shown.





b-To make pleats, on **OUTSIDE**, fold along solid lines. Bring folds to broken lines; press. Baste across upper edge.




c-Gather upper edge of skirt between small dots ●, as shown.

WAISTBAND

5. a-Press under 1/4" on end of waistband with small dot ● and long edge, as shown.



b-Pin **RIGHT** side of band to **WRONG** side of skirt, matching centers and small dots ●, as shown. Adjust gathers to fit; baste. Stitch.




c-Turn band to **OUTSIDE**; press. Top-stitch turned edge and ends.

FINISHING

6. Press skirt. Lap **RIGHT** front over **LEFT**, matching centers. Fasten the waistband with snaps. Wear small safety pin on **RIGHT** front, as illustrated on front of envelope.

SHIFT DRESS VIEW 6

Fabric With or Without Nap
35" 36" 41" 42" 44" 45" 60"




FRONT AND BACK

1. a-Make darts in front; press down.

Join shoulder seams.


Stitch under 1/4" on neck and armhole edges, clipping curves.



b-Join entire side seams above small dots ●.

Stitch under 1/4" on lower and side edges.


Press **RIGHT** back opening edge to **INSIDE** along solid line; stitch.



BRAID TRIM AND BOWS

2. On **OUTSIDE**, pin the braid to side opening edges of dress, forming a point at upper end of opening and turning under raw ends, as shown. Stitch along center of braid.

For bows, cut two pieces of braid, each 4-1/4" long. Tie into bows and tack at upper end of side openings, as shown.







FINISHING


3. Press dress.

Lap **RIGHT** back over **LEFT** and fasten with the 3 snaps.

10







7

