

Simplicity 1914 Size:10-18 Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select

Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.

1914

Simplicity

AmazingFit
COLLECTION

**BANDED
NECKLINE**


ADDS DETAIL
WITH RAGLAN
ARMHOLE SEAMS

**PRINCESS
SEAMED
BODICE**

FOLLOW
CONTOURS
OF THE BUST
SMOOTHLY AND
ALLOWS FOR
ADJUSTING FIT

**A-LINE
PLEATED
SKIRT**

ATTACHED AT
SHAPED WAISTLINE
SEAM IS
FLATTERING AND
EASY TO WEAR



Separate Patterns
Included for B,C,D
Cup Sizes for Misses
and C,D,D0 Cup
Sizes for Women


Free e-news at
simplicity.com



Row A, Column 1

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.
ZOOMTOESLAG
MIT SAUMZUGABE




Row B, Column 1

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

RIGHT FRONT - A, B, C
FRONT ET DOS DE LA JUPE
FRONT Y ATRAS DE LA FALDA
SPAND ROK
SPAND ROCKBAHN
T 1 ON FOLD
EZ 1 SUR LA PLIURE
E 1 EN EL DOBLEZ
DE STOVOUN KNIPPEN
STOFFBRUCH ZUSCHNEIDEN


CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFVOUNW
MITTEL STOFFBRUCH



Row C, Column 1

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

Simplicity
1914 - MISS
ES/TALLS/TALLAS
10, 14, 18



Row D, Column 1

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

10

12


Row E, Column 1

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

81

Row A, Column 2

Simplicity 1914 Size:10-18 Part:1 www.printsew.com



Row B, Column 2

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

1 IN. SEAM ALLOWANCE


1 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 2.5 CM.
MARGEN DE COSTURA DE 2.5 CM.
NAADTOESLAG
NAHTSUGABE

FOR SLIM FIT	10	43"	110CM
	14	46 1/2"	118CM
	18	50 1/2"	128CM
HIP			
HANCHE			
CADERA			
HEUP			
HUTE			
FOR AVERAGE FIT	10	43 1/2"	111CM
	14	47"	120CM
	18	51"	130CM
FOR CURVY FIT	10	44 1/2"	113CM
	14	48"	122CM
	18	52"	132CM

Row C, Column 2

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

ZIS



CENTER BACK SEAM
COUTURE DU MILIEU DU DOS
COSTURA DEL CENTRO DE ATRAS
MIDDENACHTERNAAD
RUCKWARTIGE MITTELNAHT

SKIRT BACK FOR AVERAGE FIT - A, B, C
DOS DE LA JUPE MOYENNE
PARTE TRASERA DE LA FALDA MEDIANA

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

1 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 2.5 CM.
MARGEN DE COSTURA DE 2.5 CM.
NAADTOESLAG
NAHTSUGABE

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE


1 IN. SEAM ALLOWANCE

Row E, Column 2

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

Row A, Column 3

Simplicity 1914 Size:10-18 Part:1 www.printsew.com



Row B, Column 3

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

HIP
HANCHE
CADERA
HEUP
HUTE

FOR SLIM FIT 12 44 1/2" 113CM
16 48 1/2" 123CM

FOR AVERAGE FIT 12 45" 115CM
16 49" 125CM

FOR CURVY FIT 12 46" 117CM
16 50" 127CM

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE


1 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 2.5 CM.
MARGEN DE COSTURA DE 2.5 CM.
NAADTOESLAG
NAHTSUGABE

Row C, Column 3

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

1914
AA(10-18)
0 0 4 6

WE USE RECYCLED PAPER
FOR OUR PATTERN PRODUCTS
NOUS UTILISON DU PAPIER
RECYCLE POUR NOS PATRONS



CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS
MIDDEN ACHTER
RUCKWARTIGE MITTE



Row D, Column 3

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

10

12-14

16-18

Simplicity®
1914 - MISS
SIZES/TAILLES/TALLAS
10, 12, 14, 16, 18


11-A

Row E, Column 3

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

Row A, Column 4

Simplicity 1914 Size:10-18 Part:1 www.printsew.com



Simplicity®
1914 - MISS
SIZES/TAILLES/TALLAS
12, 16



SKIRT FRONT - A, B, C
DEVANT ET DOS DE LA JUPE
FRENTE Y ATRAS DE LA FALDA
VOORPAND ROK
VORDERE ROCKBAHN

CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVUUM KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN


Row B, Column 4

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

Row C, Column 4

Simplicity 1914 Size:10-18 Part:1 www.printsew.com


1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.
ZOOMTOESLAG
MIT SAUMZUGABE



Row D, Column 4

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

DART
PINCE
PINZA
FIGUUR NAAD
ABNAHER




Row E, Column 4

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

Row A, Column 5

Simplicity 1914 Size:10-18 Part:1 www.printsew.com



Row B, Column 5

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

CENTER FOLD
PLIURE DU MILIEU
PLIEQUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE




1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 2.5 CM.
MARGEN DE COSTURA DE 2.5 CM.
NAADTOESLAG
NAHTSUGABE

B, C

Row C, Column 5

Simplicity 1914 Size:10-18 Part:1 www.printsew.com




U.S. & Canada Toll-Free 1-888-588-2700
Web Site <http://www.simp>

Row D, Column 5

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

DART
PINCE
PINZA
FIGURA NAAD
ABNAHER



Simplicity®

1914 - MISS

SIZES/TAILLES/TALLAS

10, 12, 14, 16, 18

11-B

SKIRT BACK FOR SLIM FIT - A, B, C

DOS DE LA JUPE DROITE

PARTE TRASERA DE LA FALDA MEDIANA



Row A, Column 6

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.
ZOOMTOESLAG
MIT SAUMZUGABE



Row B, Column 6


Simplicity 1914 Size:10-18 Part:1 www.printsew.com

SIMPLICITY IS A REGISTERED TRADEMARK
OF SIMPLICITY PATTERN CO. INC.
SIMPLICITY EST LA MARQUE DÉPOSÉE
DE SIMPLICITY PATTERN CO. INC.



PRINTED IN USA
IMPRIME AUX ÉTATS-UNIS
ESTAMPADA EN LOS ESTADOS UNIDOS

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

SKIRT BACK FOR CURVY FIT - A,
DOS DE LA JUPE TAILLO DÉVELOPÉE
PARTE TRASERA DE LA FALDA TALLA DESARROLLADA




Simplicity®
1914 - MISS
SIZES/TAILLES/TALLAS
10, 12, 14, 16, 18



Row C, Column 6

Simplicity 1914 Size:10-18 Part:1 www.printsew.com



10
12
14
16
18

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE

Row D, Column 6

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

4 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 2.5 CM.
MARGEN DE COSTURA DE 2.5 CM.
NAADTOESLAG
NAHTSUGABE

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

Row E, Column 6

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

CENTER BACK SEAM
COUTURE DU MILIEU DU DOS
COSTURA DEL CENTRO DE ATRAS
MIDDENACHTERNAAD
RUCKWARTIGE MITTELNAHT

CENTER BACK :
COUTURE DU M
COSTURA DEL
MIDDENACHTER
RUCKWARTIGE

size. If you made a change on the front, you will need
the adjustment to the back. (A) (B¹) (B²)
your size at bust, waist and hip and MARK with a
colored felt tip pen. Blend the newly marked lines
from one size to the other creating your own
CUSTOMIZED PATTERN.
Cut along marked line. (B¹) (B²)

MULTI - TAILLE de Simplicity
facile d'ajuster votre patron
de choisir votre taille séparément
TRINE(1) TAILLE(2) HANCHES(3)

Si votre silhouette est une COMBINAISON DE DEUX
TAILLES OU PLUS, CHOISISSEZ les lignes de coupe qui
correspondent à votre taille pour poitrine, taille et hanches
et MARQUEZ-LES avec un stylo pointe feutre en couleur
Raccordez les lignes nouvellement marquées d'une taille à
l'autre, créant ainsi votre PROPRE PATRON SUR
MESURES. COUPEZ le long de la ligne tracée. (B¹) (B²)

pieces de patron qui seront piquées aux pièces que vous
exemple, si vous avez fait un changement sur le devant,
faire les même ajustements sur le dos. (A) (B¹) (B²)

plicity en TALLAS - MULTIPLES
nera facile de ajustar su patron



er separadamente su talla de BUSTO(1) CINTURA(2) CADERA(3)
Si su figura es una COMBINACION de DOS O MAS
TALLAS, SELECCIONE las líneas de corte que
corresponden a su talla de busto, cintura y cadera y
MARQUE con una estilográfica de color y de punta suave,
las nuevas líneas marcadas, de una talla a la otra, creando
así un PATRON A SU MEDIDA. Corte por la nueva línea
marcada. (B¹) (B²)

piezas del patron que serán cosidas a las piezas que ha
si usted hace un cambio en el frente, será necesario
hacer los mismos ajustes en la espalda. (A) (B¹) (B²)

MULTI-SIZE Patterns

easy way to fit your pattern
to the flexibility to choose your size separately for

T(1) WAIST(2) HIP(3)



If your figure is a combination of two or more

figure.



CE MILL
CE IN
RU

SEAM
LIFELINE
CELINE
DE ATRAS
MIDLINE
LAHT

Row B, Column 7

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

Simplicity® or NEW LOOK®

Now you can subscribe to SIMPLICITY or NEW LOOK catalogs.

Maintenant vous pouvez vous abonner aux catalogues de SIMPLICITY ou de NEW LOOK.

Ahora Ud. puede abonarse a los catálogos de SIMPLICITY o de NEW LOOK.

go to www.simplicity.com

18

16

14


12

10

Row D, Column 7

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

1 1/4 IN. HEM ALLOWED
DURLET DE 3.2 CM.
DOBLADILLO DE 3.2 CM.



Row E, Column 7

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

Row A, Column 8

Simplicity 1914 Size:10-18 Part:1 www.printsew.com



Just SELECT the cutting line
that corresponds to your
MARK with a colored felt
pen and CUT along marked
line. (A)

Be sure to adjust
adjusted. For e
to make the sar

Les Patrons
La méthode
vous offre la fi
pour PO

Si vous avez une silhouette UNE
TAILLE, il vous suffira de
CHOISIR la ligne de coupe qui
correspond à votre TAILLE.
MARQUEZ-LA avec un stylo
pointe feutre en couleur et
COUPEZ le long la ligne
tracée. (A)

Veillez à ajuster les pièces
venez de rectifier. Par
il sera nécessaire de ta

Patrons Sim
Une mai

Si usted tiene un figura que
corresponde solamente a UNA
TAILLA, simplemente seleccione
la línea de corte para su talla.
Marque con una esférica de
color y punta suave. Corte por
la línea marcada. (A)


No olvide corregir las p
corregido. Por ejemplo
hacer los mismos camb



If you have a ONE SIZE fit

Row B, Column 8

Simplicity 1914 Size:10-18 Part:1 www.printsew.com



Row C, Column 8

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

Row D, Column 8

Simplicity 1914 Size:10-18 Part:1 www.printsew.com

ZOOMTUESDAY
MIT SAUMZUGABE

Row E, Column 8

Simplicity 1914 Size:10-18 Part:1 www.printsew.com