

McCALL'S CRAFTS

9283

\$4.25

U.K. B
AUST. \$5.50

9283

DOLL CLOTHES—

FOR YOUR BROOKE DOLL OR
OTHER 11-1/2" (29cm) FASHION DOLL



Brooke



23795 00425

750/9283

Center
Back

10

PEPLUM

BASQUE
BALDON
FOFO

Cut 1

Coupez 1
Cortense 1
Corte 1

Center
Front

Milieu du devant
Centro del frente

Gather this edge

Froncez ce bord
Fruncese este borde
Preguele esta borda

Lengthwise
of fabric

1/4" (6mm.) Seam allowance

Center
Back

Cut 4

Coupez 4
Cortense 4
Corte 4

750/9283

MCCALL'S

Cut 4 of contrast

Coupez 4 de contraste
Cortense 4 de contrastar
Corte 4 de contrasta

9



SCARF



ECHARPE
BUFANDA
ENCHARPE

Cut 4 of contrast

Coupez 4 de contraste
Cortense 4 de contrastar
Corte 4 de contrasta



Lengthwise
of fabric











LL 30 1/4	750/9283
pieces 1	

PRINTED IN U.S.A.





Center
Front
1/4" Seam




JACKET
CHAQUETTE



MANGA

JACKET
JAQUETTE
CHAQUETA

Center Back. Place on fold
Milieu du dos - Placez sur le pli
Centro de atrás - Colóquese sobre el doblar
Centro das costas. Coloque sobre a prega



McCALL'S
750/9283



$\frac{3}{8}$ " Seam

Casing line

McCALL'S
750/9283

6

BACK
DOS
ATRAS
COSTAS

For Nightgown

Pour la chemise de nuit
Para la camisa de dormir
Para a canisola

Center Back. Place on fold

Milieu du dos—Placez sur le pli
Centro de atrás—Colóquese sobre el doblaz
Centro das costas. Coloque sobre a prega

$\frac{1}{4}$ " (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura permitida

$\frac{1}{4}$ " (6mm.) Seam allowance

6mm. couture
6mm. costura
6mm. de costura permitida

For Nightgown
Pour la chemise de nuit
Para la camisa de dormir
Para a canisola

FRONT
DEVANT
DELANTERA
FRENTE

5

Center Front. Place on fold
Milieu du devant—Placez sur le pli
Centro del frente—Colóquese sobre el doblaz

750/9283

McCALL'S

Casing line
Ligne la coulisse
Línea la faretta
Linha da bainha

$\frac{3}{8}$ " Seam

1-1

E826/056

$\frac{1}{4}$ " (6mm.) Seam allowance

6mm. couture
6mm. costura
6mm. de costura permitida

Gather this edge

Froncez ce bord
Fruncese este borde
Pregueie esta borda

MCCALL'S
750/9283

DRESS
ROBE
VESTIDO
VESTIDO

2

Center Front. Place on fold

Milieu du devant—Placez sur le pli
Centro del frente—Colóquese sobre el dobléz
Centro da frente. Coloque sobre a prega

750/9283

For Gown
For cover-up
For T-Shirt

8

750/9283

MCCALL'S

Center Back. Place on fold
Milieu du dos—Placez sur le pli
Centro de atrás—Colóquese sobre el doblad
Centro das costas. Coloque sobre a prega

For T-Shirt
Pour T-Shirt
Para polera
Cut away here
Coupez ici
Cortese aqui
Corte aqui

For cover-up
Pour Cache-Epaules
Para Cubierta
Para Capa
Cut away here
Coupez ici
Cortese aqui

1/4" (6mm.) Seam allowance
6mm. couture
6mm. costura
6mm. de costura, permitida

For Gown
For cover-up
For T-Shirt

8

FRONT AND BACK

DEVANT ET DOS
FRENTE Y REVÉS
FRENTE E COSTAS

Center Front.
Place on fold

2
Circle For cover-up

For T-Shirt
Pour T-Shirt
Para polera

Cut away here

Coupez ici
Córtese aquí
Corte aquí

Circle For Gown

For cover-up
Pour Cache-Epaules
Para Cubierta

Cut away here

Coupez ici
Córtese aquí
Corte aquí

9283 BROOKE SHIELDS DOLL CLOTHES

DOLL CLOTHES (Remnants) - For 11 1/2" Doll

Dress - 7" x 18 1/2"; Contrast Bodice - 4" x 7"
2 Snaps; Pre-gathered Lace - 1/2 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Pre-gathered Lace - 1/2 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

Sequin Trim - 3/4 yd. (opt.)

DOLL CLOTHES (Remnants) - For 29cm Doll

Dress - 18 x 48cm; Contrast Bodice - 10.5 x 18cm
2 Snaps; Pre-gathered Lace - 0.50m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

Sequin Trim - 0.35m (opt.)

26
PATTERN
PIECES




The McCall Pattern Company, 230 Park Avenue, New York 10169, Copyright 1984, Printed in U.S.A. Trademark Reg. U.S. Pat. Off. - Marce Registra

*With Nap	**Without Nap	**With or Without Nap
SUGGESTED FABRICS: Cotton • Cotton Blends • Dress, Jacket, Gown, Strapless Top, Skirt - also Satin • Taffeta • Moire • Velveteen • Weaves, easily frayed fabrics only such as Metallics • Lace; T-Shirt - Cotton Knits • Jersey; Gloves - Lace • Jersey; Scarf - Loosely Woven, easily frayed fabrics only such as Metallics • Brocade; Jogging Suit, Headband - Knitted Terry • Knitted Velour • Sweatshirt Fleece; NOTIONS: Thread.		
Dress - 7" x 18 1/2"; Contrast Bodice - 4" x 7"	Dress - 18 x 48cm; Contrast Bodice - 10.5 x 18cm	Additional fabric may be needed to match stripes or plaids.
2 Snaps; Pre-gathered Lace - 1/2 yd. (opt.)	2 Snaps; Pre-gathered Lace - 0.50m (opt.)	
Sequin Trim - 3/4 yd. (opt.)	Sequin Trim - 0.35m (opt.)	
Jacket - 7 1/2" x 10 1/2"	Jacket - 20 x 26.5cm	
Pre-gathered Lace - 1/2 yd. (opt.)	Pre-gathered Lace - 0.50m (opt.)	
Nightgown - 9 1/2" x 12 1/2"; Bodice - Lace, 3" x 6 1/2"	Nightgown - 24 x 32cm; Bodice - Lace, 8 x 17cm	
Ribbon: 1/4" Wide - 1 1/2 yd.; 1/8" Wide - 6"	Ribbon: 6mm Wide - 0.50m; 3mm Wide - 15cm	
Pre-gathered Lace - 1/2 yd.; 1/8" Wide Elastic - 5"	Pre-gathered Lace - 0.35m; 3mm Wide Elastic - 12.5cm	
Gown - 20" x 10 1/2"	Gown - 51 x 27cm	
Sequin Trim - 6"	Sequin Trim - 15cm	
Scarf (3 Colors): 10 1/2" x 18 1/2" Each Color	Scarf (3 Colors): 27 x 47cm Each Color	
Strapless Top - 6 1/2" x 9 1/2"; 2 Snaps	Strapless Top - 16.5 x 25cm; 2 Snaps	
Skirt - 6" x 10 1/2"; 1 Snap	Skirt - 15.5 x 27.5cm; 1 Snap	
Gloves - 4 1/2" x 8 3/4"	Gloves - 11.5 x 21.5cm	
Bikini and Bra - 5" x 12 1/2"	Bikini and Bra - 13 x 31.5cm	
Elastic: 1/4" Wide - 11"; 1/8" Wide - 2"	Elastic: 3mm Wide - 28cm; 6mm Wide - 5cm	
Visor - 5 1/2" x 7"	Visor - 15 x 18cm	
1/4" Wide Elastic - 1"	6mm Wide Elastic - 2.5cm	
Bag - 4" x 8"	Bag - 10.5 x 20.5cm	
1/2" Wide Ribbon - 3/4 yd.	3mm Wide Ribbon - 0.60m	
Cover-up - 9 1/2" x 10 1/2"	Cover-up - 25 x 26.5cm	
Belt - 5" x 2 1/2"; 1 Snap	Belt - 13 x 5.5cm; 1 Snap	
Jogging Suit and Headband - 14 1/2" x 18 1/2"	Jogging Suit and Headband - 36.5 x 46.5cm	
1/2" Wide Elastic - 1/2 yd.; 1/8" Wide Ribbon - 3/4 yd.	3mm Wide Elastic - 0.50m; 3mm Wide Ribbon - 0.70m	
1/2" Wide VELCRO® Fastener - 3" Long	1.3cm Wide VELCRO® Fastener - 7.5cm Long	
T-Shirt - 8 1/2" x 10 1/2"	T-Shirt - 22 x 27cm	

**750
9283**

McCALL'S

CRAFTS



CUTTING LA

PAT

DRESS

1. BODICE

2. DRESS

JACKET

3. JACKET

NIGHTGOWN

4. BODICE

5. FRONT

6. BACK

GOWN

7. NECK FACING

8. FRONT AND BAC

SCARF

9. SCARF

TOP

1. BODICE

10. PEPLUM

SKIRT

11. SKIRT FRONT

12. SKIRT BACK

13. SKIRT WAISTBAN

BIKINI AND B

14. BRA

15. BIKINI

DRESS

use piece 2

remnant
7" x 18 3/4"
(18cm x 48cm)


Contrast (BODICE)
use piece 1

remnant
4" x 7"
(10.5cm x 18cm)

JACKET
use piece 3
remnant
7 3/4" x 10 1/4"
(20cm x 26.5cm)

NIGHTGOWN
use pieces 5, 6
remnant
9 3/4" x 12 1/2"
(24cm x 32cm)

Lace (BODICE)
use piece 4
remnant
3" x 6 5/8"
(8cm x 17cm)



Black area denotes fabric

Pattern pieces to be placed with printed side up.

Pattern pieces to be placed with printed side down.

N PIECES

GLOVES

16. GLOVE

VISOR

17. VISOR
18. BAND

BAG

19. BAG

COVER-UP

7. NECK FACING
8. FRONT AND BACK

BELT

20. BELT

JOGGING SUIT AND HEADBAND

21. SLEEVE
22. JACKET FRONT
23. JACKET BACK
24. COLLAR
25. PANTS
26. HEADBAND

T-SHIRT

7. NECK FACING
8. FRONT AND BACK

GOWN

use pieces 7, 8


remnant
20" x 10 1/2"
(51cm x 27cm)



SCARF

use piece 9


remnant
10 1/2" x 18 1/2"
(27cm x 47cm)



Contrast 1

use piece 9

remnant
10 1/2" x 18 1/2"
(27cm x 47cm)



BIKINI AND BRA

use pieces 14, 15

remnant
5" x 12 1/2"
(13cm x 31.5cm)



VISOR

use pieces 17, 18

remnant
5 3/4" x 7"
(15cm x 18cm)



BAG

use piece 19

remnant
4" x 8"
(10.5cm x 20.5cm)




COVER-UP

use pieces 7, 8

remnant

EDGES

Contrast 2



**EDGES
FOLD**

use piece 9
remnant
10 1/2" x 18 1/2"
(27cm x 47cm)

EDGE



EDGE

STRAPLESS TOP

use pieces 1, 10

remnant
6 3/4" x 9 3/4"
(16.5cm x 25cm)



**EDGES
FOLD**



EDGE



EDGE

BELT

use piece 20

remnant
5" x 2"
(13cm x 5.5cm)



EDGE



EDGE

9 3/4" x 10 1/4"
(25cm x 26.5cm)


JOGGING SUIT AND HEADBAND

use pieces 21 thru 26

remnant
14 1/4" x 18 1/4"
(36.5cm x 46.5cm)



**EDGES
FOLD**



**EDGES
FOLD**

SKIRT

use pieces 11, 12, 13

remnant
6" x 10 3/4"
(15.5cm x 27.5cm)



**EDGE -
FOLD**

GLOVES

use piece 16

remnant
4 1/2" x 8 3/8"
(11.5cm x 21.5cm)



**EDGES
FOLD**

T-SHIRT

use pieces 7, 8

remnant
8 1/2" x 10 3/8"
(22cm x 27cm)



**EDGES
FOLD**

SEWING DIRECTIONS

☐ RIGHT SIDE

☐ WRONG SIDE

DOLL CLOTHES

NOTE: All seam allowances are $1/4"$ (6mm).

Press seam allowances open unless otherwise indicated.


DRESS

Machine-stitch $3/8"$ (1cm) from upper edge of BODICE (1).

Clip center front to stitching.

Press upper edge to **INSIDE** on line of stitching. Stitch in place $1/8"$ (3mm) from pressed under edge.


Stitch dart-seams. Press seam open and points toward center front.




To reinforce inward corner of DRESS (2), machine-stitch $1/4"$ (6mm) from raw edge each side of corner. Clip to corner.

To gather dress, machine-baste $1/4"$ (6mm) from upper edge, ending basting $1/4"$ from back edges.

Press under $1/4"$ (6mm) on lower edge of dress.




Stitch in place $1/8"$ (3mm) from pressed under edge.




OR

Lap pressed under edge over bound edge of pre-gathered lace. Stitch in place $1/8"$ (3mm) from pressed under edge.





Machine-stitch $1/4"$ (6mm) from between circles on back, between circles of sleeves.

Press lower edge of sleeves to 11 ping as necessary.




Stitch in place $1/8"$ (3mm) pressed under edge.


JACK




Pin dress to bodice, **RIGHT SIDES TOGETHER**, matching center fronts, circles to dart seams and having back edges even. Pull up bobbin thread and adjust gathers to fit. Stitch. Press seam allowances toward bodice.




On **OUTSIDE**, stitch bodice close to seam thru all thicknesses.



Stitch center back seam from lower edge to circle. Press seam allowances open pressing under 1/4" (6mm) above circle. Stitch close to pressed under opening edges.





Fasten back edge of bodice with two snaps.




SEQUIN TRIM - OPTIONAL


Hand-sew sequins along upper edge of bodice and along waistline seam, ending sequins at **RIGHT** center backs.



Fold sleeves in half length-wise matching circles. Stitch from Clip to circles.





Press lower, front and neck edging, clipping as necessary.




KET

raw edge of JACKET (3) be-
circles on front and on lower edge

INSIDE on line of stitching, clip-




Stitch in place 1/8" (3mm) from pressed under edge.



OR

Lap pressed under edge over bound edge of pre-gathered lace, turning under and lapping ends. Stitch in place close to pressed under edge.




NIGHTGOWN

Press under 1/4" (6mm) on straight edges of BODICE (4) stitch close to pressed under edge.

Trim raw edge close to stitching.




Insert a 5" (12.5cm) length of 1/8" (3mm) wide elastic thru casing. Stitch across ends of elastic.




Press under 1/4" (6mm) on lower edge.

Lap pre-gathered lace over lower edge. Stitch in place catching in hem.



Stitch remaining side seam.




OR

pressed under edge over bound
edge of pre-gathered lace and stitch
lace close to pressed under edge.

Lap RIGHT bodice over LEFT matching
center fronts. Tack together at upper edge.
Baste along lower edge.




Pin bodice to FRONT (5)
RIGHT SIDES TOGETHER,
between circles, matching cen-
ter. Stitch, taking up a 3/8"
(1cm) seam allowance (casing
line on nightgown). Baste raw
edges together.




RIGHT SIDES TOGETHER,
lower edge of sleeves to circles.

Stitch BACK (6) to front at one side.

Turn upper edge to INSIDE on casing line. Stitch in place 1/4"
(6mm) from fold.




esses to INSIDE on line of stitch-




For straps cut 2 lengths of 1/8" (3mm)
wide ribbon each 3" (7.5cm) long.

With RIGHT SIDES UP lap upper
edges of bodice 1/8" (3mm) over each
ribbon. Sew in place by hand.


Cross straps in back and lap nightgown
back 1/4" (6mm) over other ends of rib-
bons at squares. Sew in place by hand.



RIBBON



Dress doll in nightgown.
Wrap 16" (40.5cm) length of
ribbon around doll over cas-
ing. Tie in a bow and tack to
center front.




CONTINUED ON PAGE THREE

T-SHIRT, COVER-UP OR GOWN

750/9283 - PAGE 3

Pin FACING (7) to neck edge of FRONT AND BACK (8), RIGHT SIDES TOGETHER. Stitch.

Clip curve and to corners.




Turn facing to INSIDE. Press.


Press under 1/4" (6mm) on lower edge of sleeves. Stitch in place 1/8" (3mm) from pressed under edge.

FOR COVER-UP

Stitch underarm seams of cover-up and sleeves, matching notches and ending stitching at circles. Clip underarm curves.



Press under 1/4" (6mm) on opening edges below circle and along lower edges. Stitch in place 1/8" (3mm) from pressed under edges.



When dressing your doll have V in back.

FOR GOWN

Sew sequins to neck edge of gown having sequins meet at center back.


Press under 1/4" (6mm) on edges below circle and along lower edges. Stitch in place 1/8" (3mm) from pressed under edge.

SCARF

Stack the SCARF (9) sections in lines, alternating contrasting lines, alternating contrasting. Stitch together along stitching lines. Fray raw edges.





STRAP




FOR T-SHIRT

Stitch underarm seams of T-shirt and sleeves, matching notches. Clip underarm curves.




Press under 1/4" (6mm) on lower edge of T-shirt. Stitch in place 1/8" (3mm) from pressed under edge.



SEQUINS

Stitch underarm seams of gown and sleeves, matching notches and ending stitching at circles. Clip underarm curves.



Machine-stitch 3/8" (1cm) from upper edge

Clip center front to stitching.

Press upper edge to **INSIDE** on line of stitching. Stitch in place 1/8" (3mm) from pressed under edge.

Stitch dart-seams. Press seam open and points toward center front.

Fold **PEPLUM** (10) in half lengthwise. Stitch diagonally.




Turn **RIGHT SIDE OUT**. Baste raw edge

To gather upper edge of peplum, machine-stitch raw edge.



Pin peplum to bodice, **RIGHT SIDES TOGETHER**, matching center fronts, circles to dart seams and having finished ends of peplum at center back. Pull up bobbins thread and adjust gathers to fit. Stitch.


opening
ing lower
mm) from



SKIRT

edges, matching raw edges and stitch-
ing line.

edges.





LESS TOP

Press seam allowances toward
bodice continuing to press un-
der 1/4" (6mm) on lower edge of
bodice.

On OUTSIDE stitch bodice close
to seam thru all thicknesses.


Press 1/4" (6mm) to INSIDE on
back opening edges. Stitch
close to pressed under edges.




Fasten back edges with two snaps.

SKIRT

To make darts in SKIRT FRONT (11) and SKIRT BACK (12)
sections bring dotted lines together and stitch. Press darts
toward centers.




Pin waistband to skirt matching center
fronts and having opening edges of skirt at
circles on waistband. Stitch.




Fold waistband in half lengthwise,
RIGHT SIDES TOGETHER. Stitch
ends.

Cut corners diagonally.

Turn RIGHT SIDE OUT. Hem edge
over seam. Press.



Fasten back waistband edges with a snap.



BIKINI

BRA


Pin BRA FACING (14) sections to BRA
(14) sections, RIGHT SIDES TOGETHER.
Stitch along straight edges.

Cut corners diagonally.

Turn RIGHT SIDES OUT. Press. Baste
raw edges together.



(mm) from upper edge of BODICE (1).
 stitching.




Press seam allowances and opening edges to L.E.T. side, pressing left extension to INSIDE on center back. Cut away LEFT back extension on facing line.



Press seam allowances and opening edges to L.E.T. side, pressing left extension to INSIDE on center back. Cut away LEFT back extension on facing line.



Press seam allowances and opening edges to L.E.T. side, pressing left extension to INSIDE on center back. Cut away LEFT back extension on facing line.






Press RIGHT back facing extension to INSIDE on facing line. Stitch in place 1/8" (3mm) from pressed under edge.

Stitch center back seam from lower edge to circle.

Press seam allowances and opening edges to L.E.T. side, pressing left extension to INSIDE on center back. Cut away LEFT back extension on facing line.

Stitch front to back at sides ending stitching at circle on LEFT side.



Press seams open, continuing to press under 1/4" (6mm) on opening edges below circle on L.E.T. side. Stitch close to pressed under edges.

Press under 1/4" (6mm) on lower edge. Stitch in place 1/8" (3mm) from pressed under edge.

Press under 1/4" (6mm) on long edge of WAISTBAND (13) opposite circles.



Lap RIGHT bra over LEFT, matching center fronts.

Tack together at upper edge. Baste along lower edges.

Pin a 1-3/4" (4.5cm) length of 1/4" (6mm) wide elastic to INSIDE of bra having one long edge of elastic even with raw edge of bra.

Stitch elastic in place along long edge, stretching as you stitch.



Cut a 2-7/8" (7.3cm) length of 1/8" (3mm) wide ribbon.

Pin ends of ribbon 1/8" (3mm) over ends of elastic being careful not to twist ribbon. Sew in place by hand.

Turn elastic and lower edge of bra to INSIDE. Tack in place at sides and center.

For neck straps, cut 2 lengths of 1/8" (3mm) wide ribbon each 7" (17.8cm) long.

Lap upper edge of each side of bra 1/8" (3mm) over one end of each ribbon. Sew in place by hand.




CONTINUED ON OTHER SIDE


BIKINI

Pin BIKINI FACING (15) to bikini (15) RIGHT SIDES TOGETHER. Stitch leg edges.

Clip curves.




Turn RIGHT SIDE OUT. Press. Baste raw edges together.




ELASTIC

Pin a 3" (7.5cm) length of 1/8" (3mm) elastic to INSIDE of each leg edge.

Stitch thru center of elastic, stretching elastic as you stitch.




Press under 1/4" (6mm) on front and back edges of bikini.



ELASTIC

Pin a 2-1/4" (5.7cm) length of 1/8" (3mm) wide elastic over each turned under edge of front and back. Stitch thru center of elastic, stretching as you stitch.



Stitch side edges together.



Turn RIGHT SIDE OUT.

Tack points at lower edge together as illustrated.



VISOR

Pin VISOR FACING (17) to VISOR (17), RIGHT SIDES TOGETHER.

Stitch together along outer edges.

Clip curves.



Turn RIGHT SIDE OUT. Press. Pin raw edges together.

To stay-stitch visor, machine-stitch a scant 1/4" (6mm) from raw edge. Clip to stitching.



Pin visor to BAND (18), RIGHT SIDES TOGETHER, between circles. Stitch.

Press under 1/4" (6mm) on ends of band.



Fold band in half lengthwise, RIGHT SIDES TOGETHER. Stitch between pressed under ends and visor stitching.



Turn ends of band RIGHT SIDE

BE

Fold BELT (20) in half length RIGHT SIDES TOGETHER. Sew leaving an opening for turning. Cut corners diagonally.

Turn RIGHT SIDES OUT.

Slip-stitch opening edges together. Fasten with snap as illustrated.

JOGGING HEAT

JACKET

Stitch darts in SLEEVE (2




OUT. Press.

Turn under $1\frac{1}{4}$ " (6mm) on remaining raw edge and hem over seam.



Cut a 1" (2.5cm) length of $1\frac{1}{4}$ " (6mm) wide elastic.

Slip a cut end of elastic $1\frac{1}{4}$ " (6mm) into each end of band. Stitch in place by hand or machine.




Center $1\frac{1}{8}$ " (3mm) wide rib over armhole seam. Pin. Sew place by hand.



RIB


BAG

Fold BAG (19) in half crosswise, RIGHT SIDES TOGETHER, matching circles and casing lines. Stitch, leaving free between circles.




Insert 2" (5cm) length of elastic across ends.

Press upper edge to INSIDE on hemline. Stitch hem in place along casing lines.




Turn RIGHT SIDE OUT.

Insert a 20" (50.8cm) length of $1\frac{1}{8}$ " (3mm) wide ribbon thru casing. Knot ends. Have ribbon extend on equal amount on each side of bag.




RIBBON

Stitch underarm seams of ja



GLOVES

Machine-stitch $1\frac{1}{4}$ " (6mm) from upper and lower edges of GLOVE (16).



Press under on lines of stitching.

Stitch close to pressed under edges.


Cut raw edges close to stitching.



Stitch seam in glove.




hwise,
stitch,
ng.



Press.
ether.
ed.


SUIT AND BAND




Pin sleeve to JACKET FRONT
(22) and JACKET BACK (23).

Turn lower edge of jacket to IN-
SIDE on casing line.

Stitch in place 1/4" (6mm) from fold.



Insert a 5-1/2" (14cm) length of elas-
tic thru casing. Stitch across ends.




Fold COLLAR (24) in half length-
wise, RIGHT SIDES TOGETHER.
Stitch across ends.

Cut corners diagonally.




Turn RIGHT SIDE OUT.

Pin collar to neck edge of jacket,
RIGHT SIDES TOGETHER, match-
ing center backs and having finished
edges of collar at facing line. Baste.




Turn facing extension to OUTSIDE on fac-
ing line, RIGHT SIDES TOGETHER, over
collar. Stitch entire neck edge.




PANTS

Center 1/8" (3mm) wide ribbon over
line indicated on PANTS (25). Pin.
Sew in place by hand.




Stitch center front seam of pants.

Turn upper edge to INSIDE on casing line. Stitch in place 1/4"
(6mm) from fold.




Insert a 4" (10cm) length of
elastic thru casing. Stitch
across ends.




Turn lower edges to INSIDE on casing
lines. Stitch in place 1/4" (6mm) from

RIGHT SIDES TOGETHER,
matching notches. Stitch.

Clip curves.




INSIDE on
" (6mm) from




ic thru each


ELASTIC



cket and sleeves.




Turn facing to **INSIDE** and slip-stitch in place.
Turn collar seam allowances downward and stitch in place close to seam.




Cut a piece of Velcro® fastener 3" x 1/4" (7.5cm x 3mm).

Pin the hook half (firm side) to **INSIDE** of **RIGHT** front having one end at circle and one long edge along opening edge. Sew in place along all edges.

Pin the loop half (soft side) to **OUTSIDE** of **LEFT** front and sew in place in same manner.




fold.



Insert a 2-1/4" (5.7cm) length of elastic thru each lining. Stitch across ends.

Stitch center back seam.

Stitch inside leg seam.



HEADBAND

Fold **HEADBAND** (26) in half lengthwise, **RIGHT SIDES TOGETHER**. Stitch along long edges to about 1" (2.5cm) from ends.



Turn **RIGHT SIDE OUT**.

Open out ends and stitch, **RIGHT SIDE TOGETHER**.

Slip-stitch opening in headband.

