

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select



Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



GATHER

WAISTLINE



12

SKIRT BACK

JUPE DOS
ESPALDA DE LA FALDA
RÜCKW. ROCKBAHN
DIETRO DELLA GONNA

Fabric: CUT 2
LINING: CUT 2

CENTER BACK

McCALL'S
M6893

Miss size B5 (8-10-12-14-16)

LENGTHEN OR SHORTEN HERE



GRAINLINE

PLACEMENT

CUT HERE FOR SHORT GA

**PATTERN
GLOSSARY**

**GLOSSAIRE
DU PATRON**

ENGLISH	FRANCAIS
APPLIQUE BLOUSING CASING CENTER	APPLIQUE PARTIE BLOUSANTE COULISSE MILIEU
CENTER BACK CENTER FRONT CONTRAST	MILIEU DOS MILIEU DEVANT CONTRASTE
CROTCH LINE CUT ... CUT OFF FOR ...	LIGNE DE FOURCHE COUPER ... COUPER ICI POUR ...
CUT ... ON FOLD DRESS EASE	COUPER ... SUR LA PLIURE ROBE SOUTENIR
FABRIC FACING FOLD, FOLDLINE	TISSU PAREMENTURE PLIURE, LIGNE DE PLIURE
FOR ... FOR HALF SIZE FOR MISSES' PETITE	POUR ... POUR DEMI TAILLE POUR PETITE J. FEMME
GATHER GRAINLINE, GRAIN GUIDE FOR BUTTONHOLES	FRONCER DROIT FIL PIÈCE GUIDE POUR BOUTONNIÈRES
HEM INTERFACE TO THIS LINE INTERFACING	OURLET COUPER ICI POUR ENTOILAGE ENTOILAGE
LEFT SIDE LENGTHEN OR SHORTEN HERE LINING	CÔTÉ GAUCHE RALLONGER OU RACCOURCIR ICI DOUBLURE
LOWER EDGE PLACEMENT LINE PLEAT	BORD INFÉRIEUR LIGNE D'EMPLACEMENT PLI
RIGHT SIDE ROLL LINE SEAM	CÔTÉ DROIT LIGNE DE PLIURE NON REPASSEE COUTURE

SHOULDER SLASH STIFFENING	ÉPAULE FENDRE ENTOILAGE RAIDE
STITCHING LINE STRETCH TUCK	LIGNE DE PIQURE ÉTIRER PLI
UNDERBODICE UNDERDRESS UNDERLINING	DESSOUS DE CORSA DESSOUS DE ROBE TRIPLURE
UNDERSKIRT UPPER EDGE WAISTLINE	DESSOUS DE JUPE BORD SUPÉRIEUR LIGNE DE TAILLE

PREPARING P



Indicates the Bustline, Biceps. Measurement of Finished Garment + Wearing Ease + Design pattern if necessary.

Lengthen or Shorten at adjust or where indicated on pattern length is added, you may need additional fabric.

- To Lengthen - Slash between lines. Spread amount as indicated. Edges parallel.
- To Shorten - Crease along line. Make a fold half the amount indicated.

Transfer all tissue markings to fabric when moving pattern. Markings near edge of fabric should be thread traced.

Seamlines - 5/8" (15mm) from edge unless otherwise indicated.

Button Marking - Indicate button placement.

Buttonhole Marking - Indicate exact length and placement of buttonholes.

Symbols - For matching pieces and construction details.

Centers, Foldlines, Placement of pleats, pockets, thread lines,


Row E, Column 1

McCalls 6893 Size:8-16 Part:1 www.printsew.com

LINING BM 1 1/4" (3.2 CM)

Row A, Column 2

McCalls 6893 Size:8-16 Part:1 www.printsew.com



ENT LINE FOR SHORT GATHERED SKIRT RUFFLE

TH ERD SK) RT HEM 5/8" (1.5 CM)

IRE ON	GLOSARIO DEL PATRON	SCHNITT- ERKLARUNGEN	GLOSSARIO PER MODELLI	PATROON- VERKLARINGEN
	ESPAÑOL	DEUTSCH	ITALIANO	NEDERLANDS
	APLICACION ABLUSADO JARETA CENTRO	APPLIKATION ÜBERFALL FÜR DURCHZUG MITTE	APPLICAZIONE BLUSANTE GUAINA CENTRO	APPLIQUÉ BLOESEND TUNNEL/GOOT JE MIDDEN
	CENTRO DE LA ESPALDA CENTRO DEL FRENTE CONTRASTE	RÜCKW. MITTE VORDERE MITTE KONTRAST	CENTRO DIETRO CENTRO DAVANTI CONTRASTO	MIDDEN ACHTER MIDDEN DEL FRENTE KONTRAST
	LÍNEA DEL TIRO CORTAR ... CORTAR AQUÍ PARA ...	SCHRITTLINIE ... X ZUSCHNEIDEN ABSCHNEIDEN FÜR ..	LÍNEA DEL CAVALLO TAGLIARE ... TAGLIARE QUI PER ...	KRUISLIJN ... X KNIPPEN AFKNIPPEN VOOR ...
	CORTAR ... AL DOBLEZ VESTIDO ACOMODAR	... X AM STOFFBRUCH ZUSCHNEIDEN KLEID EINHALTEN	TAGLIARE ... SULLA PIEGA ABITO ACCOMODARE	... AAN STOFVouw LEGGEN JURK INHOUDEN
	TELA VISTA DOBLEZ, LÍNEA DEL DOBLEZ	STOFF BELEG STOFFBRUCH, UMBRUCHLINIE	TESSUTO MOSTRA PIEGA, LÍNEA DI PIEGA	STOF BELEG STOFVouw, VouwLIJN
	PARA ... PARA TALLA MEDIA PARA SEÑORA JÓVEN (ESTATURA BAJA)	FÜR... FÜR ZWISCHENGROSSE FÜR KLEINE DAMEN	PER ... PER MEZZA TAGLIA PER SIGNORA DI STATURA BASSA	VOOR .. VOOR HALFMATEN VOOR KLEINERE DAMES
	FRUNCIR HILO DE LA TELA GUÍA PARA LOS OJALES	EINKRÄUSELN FADENLAUF VORLAGE FÜR KNOPFLOCHER	ARRICCIARE DRITTO FILO GUIDA PER ASOLE	RIMPELEN DRAADRICHTING Sjabloon voor KNOOPSGAT
	DOBLADILLO CORTAR AQUÍ PARA LA ENTRETELA ENTRETELA	SAUM EINLAGE HIER ABSCHNEIDEN EINLAGE	ORLO TAGLIARE L'INTERFODERA A QUESTA LINEA INTERFODERA	ZOOM TOT DEZE LIJN TUSSENVOERING TUSSENVOERING
	COSTADO IZQUIERDO ALARGAR O ACORTAR AQUÍ FORRO	UNKE SEITE HIER VERLÄNGERN ODER VERKÜRZEN FUTTER	LATO SINISTRO ALLUNGARE O ACCORCIARE QUI FODERA	UNKSE KANT HIER VERLENGEN OF VERKORTEN VOERING
ENT	BORDER INFERIOR LÍNEA DE COLOCACION PLIEGUE	UNTERE KANTE HIER ANLEGEN FALTE	BORDO INFERIORE LÍNEA DI SISTEMAZIONE PIEGA	ONDERKANT HIER AANLEGGEN PLOOI
	COSTADO DERECHO LÍNEA DE DOBLAR SIN PLANCHAR COSTURA	RECHTE SEITE UMBRUCHLINIE NAHT	LATO DESTRO LÍNEA DE ARROTOLARE CUCITURA	RECHTSE KANT OMSLA LIJN NIET PERSEN NAAD

	HOMBRO	SCHULTER	SPALLA	SCHOUDER
Row D, Column 2	EINSCHNITT	EINSCHNITT	APERTURA	KNIPPEN
	VERSTEIFUNG	VERSTEIFUNG	RINFORZO RIGIDO	VERSTEVIGENDE VOERING
McCalls 6893 Size:8-16 Part:1 www.printsew.com ITURA				NAAILIN
	ESIRAH	DEHNEN	TIHARE	REK
	ALFORZA	FALTE	RIPRESA	PLOCI
AGE	CORPINO INTERIOR	INNERES OBERTEIL	SOTTOCORPINO	ONDERLUFJE
	VESTIDO INTERIOR	UNTERKLEID	SOTTO L'ABITO	ONDERJURK
	REFUERZO	INNENFUTTER	CONTROFODERA	ONDERVOERING
	ENAGUA	UNTERROCK	SOTTOGONNA	ONDERROK
	BORDE SUPERIOR	OBERE KANTE	BORDO SUPERIORE	BOVENKANT
	LINEA DE LA CINTURA	TAILLEN UNIE	LINEA DELLA VITA	TAILLELUN

PATTERN

Waistline and/or
s refer to circum-
(Body Measure-
gn Ease). Adjust

stment lines (==)
n. If substantial
ed to purchase

een adjustment
needed, keeping

y adjustment line.
nt needed.

to fabric before re-
eded on right side
aced.

rom cut ————
licated. ————

utton X

cates
nt of ————

eams ○●△◇□

nt lines, etc., are

PREPARATION DU PATRON

⊕ Indique: pointe de poitrine, lignes de taille,
de hanches et/ou avant-bras. Ces mesures
sont basees sur la circonference du vetement fini
(Mesures du corps + Aisance confort + Aisance
mode). Ajuster le patron si necessaire.

Rallonger ou raccourcir aux lignes de rectifi-
cation (==) ou a l'endroit indique sur le patron.
Si le rallongement est important, un excès de
tissu peut s'avérer necessaire.

- Rallonger - Couper entre les lignes de rec-
tification. Espacer les bords (parallement)
pour obtenir la longueur desirée.
- Raccourcir - Former un pli a une des lignes
de rectification. Exemple: pli de 1cm pour
raccourdir de 2cm.

Reporter tous les repères sur l'envers du tissu
avant d'enlever le patron. Les repères a reporter
sur l'endroit seront marques au fil.

Lignes de couture - a 15mm des ————
bords coupes, sauf contre indique: ————

Repere-bouton - indique emplace- X
ment exact.

Repere-boutonniere - indique ————
randeur et emplacement.

Reperes - utilises pour faire
correspondre coutures et
details de construction. ○●△◇□

in desired.

Row E, Column 2

McCalls 6893 Size:8-16 Part:1 www.printsew.com

Lignes des pliures, emplacements, et milieux,
sont imprimees clairement; si desire, les
marquer au fil.

LENGTHEN OR SHORTEN

17

FRONT AND BACK FLOUNCE

VOLANT DEVANT ET DOS

VOLANTE DEL FRENTE Y LA ESP

VORD. UND RÜCKW. VOLANT


BALZA DAVANTI E DIETRO

CUT 2

McCALL'S

M6893

Miss size B5 (8-10-12-14-16)




Row B, Column 3

McCalls 6893 Size:8-16 Part:1 www.printsew.com

ALDA

CENTER FRONT/CENTER BACK


GRAINLINE



8 10 12 14 16

Row C, Column 3

McCalls 6893 Size: 8-16 Part:1 www.printsew.com



Row D, Column 3

McCalls 6893 Size:8-16 Part:1 www.printsew.com

8


10



Row E, Column 3

McCalls 6893 Size:8-16 Part:1 www.printsew.com


HERE



The diagram shows a sewing pattern piece. The main part is a rectangle with a curved bottom edge. A rectangular extension is attached to the right side. The extension contains a small circle. The word 'HERE' is written on the left side of the main piece. The pattern includes solid lines for the outer edges and dashed lines for internal folds or seam lines. There are small black squares at the corners of the pattern pieces, likely for alignment or marking.


Row A, Column 4

McCalls 6893 Size:8-16 Part:1 www.printsew.com



Row B, Column 4

McCall's 6893 Size:8-16 Part:1 www.printsew.com



CORSAGE COTE DEVANT
COSTADO DEL FRENTE DEL CORPINO
VORDERES SEITL. OBERTEIL
LATO DEL DAVANTI DEL CORPINO

Fabric: CUT 2
LINING: CUT 2
INTERFACING CUT 2

McCALL'S

M6893

Miss size B5 (8-10-12-14-16)

GRAINLINE


LENGTHEN OR SHORTEN HERE


10

12

14

16





BODICE BACK

CORSAGE DOS
ESPALDA DEL CORPINO
RÜCKW. OBERTEIL
DIETRO DEL CORPINO

Fabric: CUT 2
LINING: CUT 2
INTERFACING CUT 2

McCALL'S


M6893

Size B5 (8-10-12-14-16)

CENTER BACK

Row A, Column 5

McCalls 6893 Size:8-16 Part:1 www.printsew.com



16

16

Row C, Column 5

McCalls 6893 Size:8-16 Part:1 www.printsew.com

RED SKIRT RUFFLE

CENTER FRONT ON FOLD

RTEN HERE

8-10-12-14-16)

6893

CALL'S

CUT 1 ON FOLD
: CUT 1 ON FOLD

A FALDA
OCKBAHN
LA GONNA

GATHER

LINING HEM 1 1/2" (3.2 CM)

Row B, Column 6

McCalls 6893 Size:8-16 Part:1 www.printsew.com

CUT HERE FOR SHORT GATHERED SKIRT HEM 5/8" (1.5 CM)

PLACEMENT LINE FOR SHORT GATHERED

8 54 1/2" (138CM)
10 55 1/2" (141CM)
12 57" (145CM)
14 59" (150CM)
16 61" (155CM)



LENGTHEN OR SHORTEN

Miss size B5 (

N

Mc


LINING


Fabric

JUPE DEVANT
FRONT DE L
VORDERE RO
DAVANTI DEL

13







Row C, Column 7

McCalls 6893 Size:8-16 Part:1 www.printsew.com

COLLARS
COL
CUELLO
KRAGEN
COLLETO
CONTRAST COLLAR
INTERFACING

7

8
10
12
14
16

8

4

8
10
12
14
16

8
10
12
14
16

CENTER BACK 8
CENTER BACK 10
CENTER BACK 12
CENTER BACK 14
CENTER BACK 16

8

10

12

14

16

16


14

12

10

Row D, Column 7


McCalls 6893 Size:8-16 Part:1 www.printsew.com



Row E, Column 7




McCall's 6893 Size:8-16 Part:1 www.printsew.com






LENGTHEN OR SHORTEN



Row A, Column 8

McCalls 6893 Size:8-16 Part:1 www.printsew.com





McCALL'S




M6893

Miss size B5 (8-10-12-14-16)

FRONT

CENTER

D'ENCOLURE
OTE
TTBELAG
COLLO



BODICE FRONT

CORSAGE DEVANT
FRENTE DEL CORPINO
VORDERES OBERTEIL
DAVANTI DEL CORPINO

CUT 1 ON FOLD

McCALL'S

© 2013 The McCall Pattern Company
All Rights Reserved
Printed in U.S.A.

M6893

Miss size B5 (8-10-12-14-16)



14 16

8 10 12



8 34" (86CM)
10 35" (89CM)
12 36 1/2" (92CM)
14 38 1/2" (98CM)
16 40 1/2" (103CM)

CENTER FRONT ON FOLD

Row E, Column 8

McCalls 6893 Size:8-16 Part:1 www.printsew.com

HERE



GRAINLINE

BODICE FRONT
 CORSAGE DEVANT
 FRENTE DEL CORPINO
 VORDERES OBERTEIL
 DAVANTI DEL CORPINO
 Fabric: CUT 2
 LINING: CUT 2
 INTERFACING CUT 2

8


McCALL'S M6893


Miss size B5 (8-10-12-14-16)



8 33 1/2" (85CM)
 10 34 1/2" (87CM)
 12 35" (91CM)
 14 35" (96CM)
 16 40" (101CM)

LENGTHEN OR SHORTEN HERE





14
12
10
8
EASE



4

SLEEVE



16

SKIRT BACK


JUPE DOS
ESPALDA DE LA FALDA
RÜCKW. ROCKBAHN
DIETRO DELLA GONNA

Fabric: CUT 2
LINING: CUT 2

McCALL'S

M6893

Miss size B5 (8-10-12-14-16)



CENTER BACK

WRAISTLINE

CENTER FRONT ON FOLD

SKIRT FRONT

LUPE DEVANT
FRONTE DE LA FALDA
VORDERE ROCKBAHN
AVANTI DELLA GONNA

Fabric: CUT 1 ON FOLD
LINING: CUT 1 ON FOLD


McCALL'S

M6893

Miss size B5 (8-10-12-14-16)


Row E, Column 9

McCalls 6893 Size:8-16 Part:1 www.printsew.com



Row A, Column 10

McCalls 6893 Size:8-16 Part:1 www.printsew.com



8 12 1/8" (30CM)
10 12 1/2" (32CM)
12 13" (33CM)
14 13 1/2" (34CM)
16 14" (35CM)


MANCHE
MANGA
ARMEL
MANICA

CUT 2

McCALL'S M6893


Miss size B5 (8-10-12-14-16)

LENGTHEN OR SHORTEN HERE



Row C, Column 10

McCalls 6893 Size:8-16 Part:1 www.printsew.com



Row D, Column 10

McCalls 6893 Size:8-16 Part:1 www.printsew.com





LENGTHEN OR SHORTEN HERE

8 37" (94CM)
10 38" (97CM)
12 39 1/2" (100CM)
14 41 1/2" (105CM)
16 43 1/2" (110CM)



Row E, Column 10

McCalls 6893 Size:8-16 Part:1 www.printsew.com





HEM 1 1/4" (3.2 CM)



Row C, Column 11

McCalls 6893 Size:8-16 Part:1 www.printsew.com

12	☐
10	☐
8	☐

18

☐
☐
☐

12
10
8

WAISTBAND

CEINTURE
BANDA DE LA CINTURA
TAILLEBUND
CINTURA

FABRIC: CUT 2
INTERFACING: CUT 1

8	26 1/2"	(67CM)
10	27 1/2"	(70CM)
12	29"	(74CM)
14	31"	(78CM)
16	33"	(84CM)



WAISTLINE

CENTER FRONT

McCALL'S

M6893

Miss size B5 (8-10-12-14-16)



Row D, Column 11

McCalls 6893 Size:8-16 Part:1 www.printsew.com

GRAINLINE

8	☐
10	☐
12	☐
14	☐
16	☐

☐	8
☐	10
☐	12
☐	14
☐	16

8 ☐


10 ☐ CENTER BACK 8

10 ☐

10

Row E, Column 11

McCalls 6893 Size:8-16 Part:1 www.printsew.com





Row B, Column 12

McCalls 6893 Size:8-16 Part:1 www.printsew.com

GATHER

RUFFLE

VOLANT

VOLANTE

RÜSCHE

VOLANT

CONTRAST: CUT 4 ON FOLD

14

McCALL'S

M6893

Miss size B5 (8-10-12-14-16)

Row D, Column 12

McCalls 6893 Size:8-16 Part:1 www.printsew.com

Row E, Column 12

McCalls 6893 Size:8-16 Part:1 www.printsew.com

