

Butterick 5432 Size:xs-m Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select




Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



Row A, Column 1

Butterick 5432 Size:xs-m Part:1 www.printsew.com



6

FRONT E F G

DEVANT
FRENTE
VORDERTEIL
D'AVANTI

CUT 2


Butterick

B5432

Sizes (Y (XS-S-M))

Row B, Column 1

Butterick 5432 Size:xs-m Part:1 www.printsew.com




Row C, Column 1

Butterick 5432 Size:xs-m Part:1 www.printsew.com

HEM 1 1/4" (3.2 CM)

LENGTHEN OR SHORTEN HERE



Row E, Column 1

Butterick 5432 Size:xs-m Part:1 www.printsew.com

M

S


Xs

Cell
Est
Die
Qu

CENTER BACK ON FO


Row A, Column 2

Butterick 5432 Size:xs-m Part:1 www.printsew.com





XS 36 1/2" (95CM)
S 40 1/2" (103CM)
M 44" (112CM)



ACING	
FOLD, FOLDLINE	
FOR ..	
FOR HALF SIZE	
FOR MISSES' PETITE	
GATHER	
GRAIN, GRAIN	
GUIDE FOR	
BUTTONHOLES	
HEM	
INTERFACED TO	
THIS LINE	
INTERFACING	
LEFT SIDE	
LENGTHEN OR	
SHORTEN HERE	
LINING	
LOWER EDGE	
PLACEMENT LINE	
PLEAT	
RIGHT SIDE	
ROLL LINE	
SEAM	
SHOULDER	
SLASH	
STIFFENING	
STITCHING LINE	
STRETCH	
TUCK	
UNDERBODICE	
UNDERDRESS	
UNDERLINING	
UNDERSKIRT	
UPPER EDGE	
WASTELINE	


PARDONTURE POURE, LIGNE DE PLURE	STA DOBLEZ, LINEA DEL DOBLEZ	BELAG STOFFBRUCH, UMBRUCH LINE	MOSTRA MEGA, LINEA DI MEGA	BELEG STOFFOUW, VOUW LUN
POUR ... POUR DEM TAILLE POUR PETITE J. FEMME	PARA ... PARA TALLA MEDIA PARA SEÑORA JOVEN (CSTATURA BAJO)	FÜR ... FÜR ZWISCHENGROSSE FÜR KLEINE DAMEN	PER ... PER MEZZA TAGLIA PER SIGNORA, DI STATURA BASSA	VOOR ... VOOR HALFMATIG VOOR KLEINERE DAMES
FRONCER DROIT PL CE GUI DE POUR AUTONNIERES	FRUNCER HILO DE LA TELA GUA PARA LOS OJALTS	ENIKRÄUSELN FADENLAUF VORLAG FÜR KNOPFLOCHER	ARRICCIARE DRITTO FILO GUIDA PER ASOLE	RIMP ELEN DRAADRICHTING SJAALDOP VOOR KNOOPGAT
OURLET COUPER LO POUR BUTOILAGE BUTOILAGE	DOBLADILLO CORTAR AQUÍ PARA LA BTRRETELA ENTRETELA	SAUM ENLAGE, HIER ABSCHEIDEN ENLAGE	ORLO TAGUARE L'INTERODERA AQUESTA LINEA INTERODERA	ZOOM TOT DEZE LUN TUSSENWOERING TUSSENWOERING
CÔTE GAUCHE BALLONGEROU RACOD UNCHIC DOUBLURE	COSTADO IZQUIERDO ALARGAR O ACORTAR AQUÍ FORRO	UNKESEITE HIER VERLANGERN ODER VERKÜRZEN FUTTER	LATO SINISTRO ALLUNGARE O ACCORTCIARE QUI FODERA	UNKESE KANT HIER VERLÄNGERN OF VERKORTEN WOERING
BORD INFÉRIEUR LIGNE D'EMPLACEMENT PLU	BORDER INFERIOR LINEA DE COLOCACION PLIEGUE	UNTERE KANTE HIER ANLEGEN FALTE	BORDO INFERIORE LINEA DI SISTEMAZIONE PIEGA	ONDERBANT HIER AANLEGGEN PLOOI
CÔTÉ DROIT LIGNE DE NON REPU COUTURE	COSTADO DERECHO LINEA DE DOBLAR SIN PLANCHAR COSTURA	RECHTE SEITE UMBRUCH LINE NAHT	LATO DESTRO LINEA DE ARROTOLARE CUCITURA	RECHTSE KANT OMSLA LUN NIET PERSEN NAAD
ÉPAULE FBNORE BUTOILAGE NUDE	HOMBRO DAR UN CORTE ATISADOR	SCHULTER EINSCHNITT VERSTEIFUNG	SPALLA APERTURA RINFODZO RIGIDO	SCHOUDE KNIPPEN VERSTEWIGENDE VOERING
LIGNE DE ETIRER PIU	LINEA DE PUNTADAS ESTIRAR ALFORZA	STEP LINE DEHNEN FALTE	LINEA DI CUCITURA TIRARE RIPRESA	MAALLIJN REK PLOOI
DESSOUS DESSOUS ROBE TRIPLURE	CORPINO INTERIOR VESTIDO INTERIOR RDUERZO	INNERES OBERTEIL UNTERKLEID INNENPUTTER	SOTTOODRINO SOTTO L'ABITO CONTRIFODERA	ONDERLUIFTE ONDERLUIK ONDERVOER RING
DESSOUS BORDSUI LIGNE LE	ENAGUA BORD SUPERIOR LINEA DE LA CINTURA	UNTERROCK OBERE KANTE TALLENLINE	SOTTOGONNA BORDO SUPERIORE LINEA DELLA VITA	ONDERROCK BOVENKANT TALLELIJN

Row C, Column 2

Butterick 5432 Size:xs-m Part:1 www.printsew.com

Row D, Column 2

Butterick 5432 Size:xs-m Part:1 www.printsew.com



ESPALDA
RÜCKENTEIL
DIETRO

CUT 1 ON FOLD

Butterick

B5432

Sizes (Y (XS-S-M))




Row E, Column 2

Butterick 5432 Size:xs-m Part:1 www.printsew.com


Row A, Column 3

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row B, Column 3

Butterick 5432 Size:xs-m Part:1 www.printsew.com



**PATTERN
GLOSSARY**

ENGLISH	
APPLIQUE	
BLOUSING	
CASING	
CENTER	
CENTER BACK	
CENTER FRONT	
CONTRAST	
CROTCH LINE	
CUT ..	
CUT OFF FOR ..	
CUT ... ON FOLD	
DRESS	
EASE	
FABRIC	

GLOSSARIO SCHNITT- PATROON-
 GLOSSARIO ERKLARUNGEN PER MODELLI VERKLARINGEN
 GLOSSARIO DEL PATRON

FRANCAIS	ESPAÑOL	DEUTSCH	ITALIANO	NEDERLANDS
APPLIQUE PARTIE B COUSSIN	APLICACION ABUSADO JARETA CENTRO	APPLIKATION ÜBERFALL FÜR DURCHZUG MITTE	APPLICAZIONE BLUSANTE GUAINA CENTRO	APPLIQUE BLOESBID TUNNELGROOTJE MIDDEN
MUSETTE CENTRO	CENTRO DE LA ESPALDA CENTRO DEL FRONTE CONTRASTE	RÜCKW. MITTE VORDERE MITTE KONTRAST	CENTRO DI ETRO CENTRO DAVANTI CONTRASTO	MIDDEEN ACHTER MIDDEEN DEL FRONTE KONTRAST
UGHE CENTRO	LINEA DEL TIRO CORTAR ... CORTAR AQUÍ PARA ...	SCHNITTLINE ... X ZUSCHNEIDEN ABSCHNEIDEN FÜR ...	LINEA DEL CAVALLO TAGLIARE .. TAGLIARE QUI PER ...	KRUIS LIJN ... X KNIPPEN AFKNIIPEN VOOR ...
COLLA LA I ROE SOL	CORTAR ... AL DOBLEZ VESTIDO ACCOMODAR	... X AM STOFFBRUCH ZUSCHNEIDEN KLEID EINHALTEN	TAGLIARE .. SULLA REGA ABITO ACCOMODARE	... AAN STOFVOUTW LEEGEN JUK INHOU DEN
TISSU	TELA	STOFF	TESSUTO	STOF

Row C, Column 3
 Butterick 5432 Size:xs-m Part:1 www.printsew.com

Row D, Column 3

Butterick 5432 Size:xs-m Part:1 www.printsew.com

FOR PETITE

FOLDLINE

LENGTHEN OR SHORTEN HERE

WAISTLINE




Row E, Column 3

Butterick 5432 Size:xs-m Part:1 www.printsew.com


Row A, Column 4

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row B, Column 4

Butterick 5432 Size:xs-m Part:1 www.printsew.com



XS 41 1/2" (105CM)
S 43 1/2" (110CM)
M 47" (119CM)



Row C, Column 4

Butterick 5432 Size:xs-m Part:1 www.printsew.com

FOLD LINE
FOR PETITE

M

Row D, Column 4

Butterick 5432 Size:xs-m Part:1 www.printsew.com

S
XS

HEM 1 1/4" (3.2 CM)

CUT HERE FOR C

FOR PETITE


FOLDLINE

Row E, Column 4

Butterick 5432 Size:xs-m Part:1 www.printsew.com


Row A, Column 5

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row B, Column 5

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row C, Column 5

Butterick 5432 Size:xs-m Part:1 www.printsew.com

NEWLINES.COM

FOLD LINE

LENGTHEN OR SHORTEN HERE

XS 37" (94CM)
S 38" (98CM)
M 42 1/2" (108CM)



WAIST LINE

CUT HERE FOR C

PREPARING PATTERN



Indicates the Bustline, Waistline and/or Biceps. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust pattern if necessary.

Lengthen or Shorten at adjustment lines () or where indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

- To Lengthen - Slash between adjustment lines. Spread amount as needed, keeping edges parallel.
- To Shorten - Crease along adjustment line. Make a fold half the amount needed.

Transfer all tissue markings to fabric before removing pattern. Markings needed on right side of fabric should be thread traced.

Seamlines - 5/8" (15mm) from cut  edge unless otherwise indicated. -  -

Button Marking - Indicates button placement. X


Buttonhole Marking - Indicates exact length and placement of buttonholes. 

Row E, Column 5

Butterick 5432 Size:xs-m Part:1 www.printsew.com


Row A, Column 6

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row B, Column 6

Butterick 5432 Size:xs-m Part:1 www.printsew.com



CUT 1 ON FOLD

Butterick

B5432

Sizes (Y (XS-S-M))

XS 36 1/2" (92CM)
 S 38 1/2" (98CM)
 M 42" (106CM)



Row C, Column 6

Butterick 5432 Size:xs-m Part:1 www.printsew.com

PETITE

CEN

XS

S

M

Symbols - For matching seams and construction details.



Centers, Foldlines, Placement lines, etc., are clearly marked; thread trace if desired.

PREPARATION DU PATRON

⊕ Indique: pointe de poitrine, lignes de taille, de hanches et/ou avant-bras. Ces mesures sont basées sur la circonférence du vêtement fini (Mesures du corps + Aisance confort + Aisance mode). Ajuster le patron si nécessaire.

Rallonger ou raccourcir aux lignes de rectification (—) ou à l'endroit indiqué sur le patron. Si le rallongement est important, un excès de tissu peut s'avérer nécessaire.

- Rallonger - Couper entre les lignes de rectification. Espacer les bords (parallèlement) pour obtenir la longueur désirée.
- Raccourcir - Former un pli à une des lignes de rectification. Exemple: pli de 1cm pour raccourcir de 2cm.

Reporter tous les repères sur l'envers du tissu avant d'enlever le patron. Les repères à reporter sur l'endroit seront marqués au fil.

Lignes de couture - à 15mm des bords coupés, sauf contre-indique: — V —

Repère-bouton - indique emplacement exact. X

Repère-boutonnière - indique trandeur et emplacement. — I —

Repères - utilisés pour faire correspondre coutures et détails de construction. o ○ △ ◇ □


Lignes des plures, emplacements, et milieux, sont imprimées clairement; si desiré, les marquer au fil.

Row E, Column 6

Butterick 5432 Size:xs-m Part:1 www.printsew.com


Row A, Column 7

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row B, Column 7

Butterick 5432 Size:xs-m Part:1 www.printsew.com




DE
FRI
WOLVES

FF) T CD



Row C, Column 7

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row D, Column 7

Butterick 5432 Size:xs-m Part:1 www.printsew.com

Row E, Column 7

Butterick 5432 Size:xs-m Part:1 www.printsew.com

Row A, Column 8

Butterick 5432 Size:xs-m Part:1 www.printsew.com

M

Row B, Column 8

Butterick 5432 Size:xs-m Part:1 www.printsew.com

HEM 5/8" (1.5 CM)

XS

This neckline is 4" (10CM) below base of neck

Cette ligne d'encolure est à 10CM au-dessous de la base du cou

Este escote queda 10CM por debajo de la base del cuello

Diese Linie ist 10CM unterhalb des normalen Halsausschnittes

Questa scollatura è a 10CM di distanza dalla base del collo

CENTER BACK ON FOLD

2

BACK A B

DOS

ESPALDA

RÜCKENTEIL

DIETRO

CUT 1 ON FOLD

Butterick

B5432

Sizes (Y (XS-S-M))

FOR MODERATE STRETCH FABRICS ONLY
UNIQUEMENT POUR TISSU A ELASTICITE MODEREE
SOLAMENTE PARA TELLAS CON ELASTICIDAD MODERADA
NUR FÜR STRICKSTOFFE MIT MITTELMÄSSIGER DEHNUNG
SOLO PER TISSUTO MODERATAMENTE ELASTICO

Row C, Column 8

Butterick 5432 Size:xs-m Part:1 www.printsew.com

FOR PETITE

FOLDLINE

LENGTHEN OR SHORTEN HERE

WAISTLINE

HEM 1 1/4" (3.2 CM)

Row D, Column 8

Butterick 5432 Size:xs-m Part:1 www.printsew.com

FOR PETITE

FOLDLINE

HEM 1 1/4" (3.2 CM)



LENGTHEN OR SHORTEN HERE

Row E, Column 8

Butterick 5432 Size:xs-m Part:1 www.printsew.com

Row A, Column 9

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row B, Column 9

Butterick 5432 Size:xs-m Part:1 www.printsew.com

XS

S

M

WEN 51.8" (131.5 CM)

XS

S

M

MOYENNE
IDAD MODERADA
SIEGER DEHNBARKEIT
LASTICITA



Row C, Column 9

Butterick 5432 Size:xs-m Part:1 www.printsew.com

RE

CUT HERE FOR A

XS

S

M

Row D, Column 9

Butterick 5432 Size:xs-m Part:1 www.printsew.com

SX

S

W


LENGTHEN OR SHORTEN HERE

Row E, Column 9

Butterick 5432 Size:xs-m Part:1 www.printsew.com

Row A, Column 10

Butterick 5432 Size:xs-m Part:1 www.printsew.com




HEM 1 1/4" (3.2 CM)

LENGTHEN OR SHORTEN HERE

Row B, Column 10

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row C, Column 10

Butterick 5432 Size:xs-m Part:1 www.printsew.com

XS 29" (73CM)
S 31" (78CM)
M 34 1/2" (87CM)

WAISTLINE



LENGTHEN OR SHORTEN HERE

FOLDLINE

FOR PETITE

Row D, Column 10

Butterick 5432 Size:xs-m Part:1 www.printsew.com

XS 31" (78CM)
S 33" (84CM)
M 35 1/2" (92CM)



FOR MODERATE STRETCH FABRICS ONLY
UNIQUEMENT POUR TISSU A ELASTICITE MOYENNE
SOLAMENTE PARA TELAS CON ELASTICIDAD MODERADA
NUR FÜR STRECKSTOFFE MIT MITTLÄSSIGER DEHNBARKEIT
SOLO PER TESSUTO MODERATAMENTE ELASTICITA

© 2009 The McCall Pattern Company
All Rights Reserved
Printed in U.S.A.
B5432 7 PIECES
SIZES
(Y (XS-S-M))

BUTTERICK

CUT 1 ON FOLD


FRONT A B

DEVANT
FRONT
VORDERTEIL
DAYANTI

CENTER FRONT ON FOLD

HEM 5/8" (1.5 CM)

XS




Row E, Column 10

Butterick 5432 Size:xs-m Part:1 www.printsew.com


Row A, Column 11

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row B, Column 11

Butterick 5432 Size:xs-m Part:1 www.printsew.com




Row C, Column 11

Butterick 5432 Size:xs-m Part:1 www.printsew.com

Row D, Column 11

Butterick 5432 Size:xs-m Part:1 www.printsew.com



Row E, Column 11

Butterick 5432 Size:xs-m Part:1 www.printsew.com