

Butterick 5998 Size:8-16 Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select




Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



Row A, Column 1

Butterick 5998 Size:8-16 Part:1 www.printsew.com



Row B, Column 1

Butterick 5998 Size:8-16 Part:1 www.printsew.com

8

10

12

14

16

16
14
12
10
8

4

BACK A B C
D O S
E S P A L D A
R Ü C K E N T E I L
D I E T R O

Fabric: CUT 2

Lining: CUT 2

UNDERLINING: CUT 2

CENTER BACK

Butterick

B5998

Sizes (B5 (8-10-12-14-16))

2

MIDDLE FRONT A B C
P A R T I E M I L I E U D E V A N T
F R E N T E M E D I O
M I T T L. V O R D E R T E I L
C E N T R O D A V A N T I

Fabric: CUT 2

Lining: CUT 2

UNDERLINING: CUT 2

Butterick

Row C, Column 1

Butterick 5998 Size:8-16 Part:1 www.printsew.com

1

FRONT A B C

DEVANT
FRENTE
VORDERTEIL
DAVANTI

A Contrast CUT 1 ON FOLD

B G Fabric CUT 1 ON FOLD

A B C Lining: CUT 1 ON FOLD

UNDERLING: CUT 1 ON FOLD

8 34 1/2" (87CM)
10 35 1/2" (90CM)
12 37" (94CM)
14 39" (99CM)
16 41" (104CM)



BUTTERICK®

© 2013 The McCall Pattern Company

All Rights Reserved

Printed in U.S.A.

B5998 6 PIECES

SIZES

CENTER FRONT ON FOLD

8
10
12
14
16


8
10
12
14
16

Row D, Column 1

Butterick 5998 Size:8-16 Part:1 www.printsew.com

Row A, Column 2

Butterick 5998 Size:8-16 Part:1 www.printsew.com



5

SIDE BACK A B C
COTE DOS
COSTADO DE LA ESPALDA
SEITL. RÜCKENTEIL
LATO DEL DIETRO

Fabric: CUT 2

Lining: CUT 2


UNDERLINING: CUT 2

Butterick
B5998

Sizes (B5 (8-10-12-14-16))


Row B, Column 2

Butterick 5998 Size:8-16 Part:1 www.printsew.com



Row C, Column 2

Butterick 5998 Size:8-16 Part:1 www.printsew.com




Row D, Column 2

Butterick 5998 Size:8-16 Part:1 www.printsew.com

Row A, Column 3

Butterick 5998 Size:8-16 Part:1 www.printsew.com



Row B, Column 3

Butterick 5998 Size:8-16 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE



GRAINLINE

SHORTEN HERE

Row C, Column 3

Butterick 5998 Size:8-16 Part:1 www.printsew.com

8 10 12 14 16

LENGTH OF



LENGTH OR SHORTEN HERE


Row D, Column 3

Butterick 5998 Size:8-16 Part:1 www.printsew.com

Row A, Column 4

Butterick 5998 Size:8-16 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE



Row B, Column 4



Butterick 5998 Size:8-16 Part:1 www.printsew.com



Row C, Column 4

Butterick 5998 Size:8-16 Part:1 www.printsew.com

8 37 1/2"
10 38 1/2"
12 40"
14 42"
16 44"




Row D, Column 4

Butterick 5998 Size:8-16 Part:1 www.printsew.com

Row A, Column 5

Butterick 5998 Size:8-16 Part:1 www.printsew.com



Row B, Column 5

Butterick 5998 Size:8-16 Part:1 www.printsew.com

16

HEM 5/8" (1.5 CM)

CUT HERE FOR LINING

14

12

10

8

HEM 1 1/2" (3.8 CM)


HEM 5/8" (1.5 CM)

HEM 1 1/2" (3.8 CM)

Row C, Column 5

Butterick 5998 Size:8-16 Part:1 www.printsew.com


CUT HERE FOR Lining



HEM 5/8" (1.5 CM)

CUT HERE FOR LINING

HEM 1 1/2" (3.8 CM)





Row D, Column 5

Butterick 5998 Size:8-16 Part:1 www.printsew.com


Row A, Column 6

Butterick 5998 Size:8-16 Part:1 www.printsew.com



Row B, Column 6

Butterick 5998 Size:8-16 Part:1 www.printsew.com



Butterick
B5998
Sizes (8-10-12-14-16)

Row C, Column 6

Butterick 5998 Size:8-16 Part:1 www.printsew.com

UNDERLINGS: CUT 2

A B C Lining: CUT 2

B C Fab

A Contrast CUT 2

DAVANT A LATO


SEITL VORDERTEIL

COSTADO DEL FRENTE

COTE DEVANT

SIDE FRONT A B C

3




Row D, Column 6

Butterick 5998 Size:8-16 Part:1 www.printsew.com


Row A, Column 7

Butterick 5998 Size:8-16 Part:1 www.printsew.com






Row B, Column 7

Butterick 5998 Size:8-16 Part:1 www.printsew.com



Row C, Column 7

Butterick 5998 Size:8-16 Part:1 www.printsew.com




Row D, Column 7

Butterick 5998 Size:8-16 Part:1 www.printsew.com

Row A, Column 8

Butterick 5998 Size:8-16 Part:1 www.printsew.com



Row B, Column 8 **Butterick**

Butterick 5998 Size:8-16 Part:1 www.printsew.com

B5998

Sizes (B5 (8-10-12-14-16))



8 12 1/8" (30 CM)
10 12 1/2" (32 CM)
12 13" (33 CM)
14 13 1/2" (34 CM)
16 14" (35 CM)

GRAINLINE

HERE FOR LINING B

HEM 1 1/2" (3.8 CM)

LENGTHEN OR SHORTEN HERE

Row C, Column 8

Butterick 5998 Size:8-16 Part:1 www.printsew.com



14

12

10

8

CUT HERE FOR LINING

C HEM 1 1/2" (3.8 CM)

Row D, Column 8

Butterick 5998 Size:8-16 Part:1 www.printsew.com

Row A, Column 9

Butterick 5998 Size:8-16 Part:1 www.printsew.com


PREPARING PATTERN

 Indicates the Bustline, Waistline and/or Biceps. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust pattern if necessary.

Lengthen or Shorten at adjustment lines () or where indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

Row B, Column 9

Butterick 5998 Size:8-16 Part:1 www.printsew.com



- To Lengthen - Slash between adjustment lines. Spread amount as needed, keeping edges parallel.
- To Shorten - Crease along adjustment line. Make a fold half the amount needed.

Transfer all tissue markings to fabric before moving pattern. Markings needed on right side of fabric should be thread traced.

Seamlines - 5/8" (15mm) from cut edge unless otherwise indicated.

Button Marking - Indicates button placement.

Buttonhole Marking - Indicates exact length and placement of buttonholes.

Symbols - For matching seams and construction details.

Centers, Foldlines, Placement lines, etc., are clearly marked; thread trace if desired.

PREPARATION DU PATRON

Indique: pointe de poitrine, lignes de hanches et/ou avant-bras. Ces mesures sont basées sur la circonférence du vêtement (Mesures du corps + Aisance confort + Aisance mode). Ajuster le patron si nécessaire.

Rallonger ou raccourcir aux lignes de rectification (—) ou à l'endroit indiqué sur le patron. Si le rallongement est important, un excès de tissu peut s'avérer nécessaire.

- Rallonger - Couper entre les lignes de rectification. Espacer les bords (parallèlement) pour obtenir la longueur désirée.
- Raccourcir - Former un pli à une des lignes de rectification. Exemple: pli de 1cm pour raccourcir de 2cm.

Reporter tous les repères sur l'envers du tissu avant d'enlever le patron. Les repères à reporter sur l'endroit seront marqués au fil.

Lignes de couture - à 15mm des bords coupés, sauf contre-indiqué.

Repère-bouton - indique emplacement exact.

Repère-boutonnière - indique largeur et emplacement.

Repères - utilisés pour faire correspondre coutures et détails de construction.

Lignes des pliures, emplacements, et milieux sont imprimées clairement; si désiré, les marquer au fil.

16

PATTERN GLOSSARY

GLOSSAIRE DU PATRON

GLOSARIO DEL PATRON

ENGLISH	FRANCAIS	ESPAÑOL
APPLIQUE BLOUSING CASING CENTER	APPLIQUE PARTIE BLOUSANTE COULISSE MILIEU	APLICACION ABLUSADO JARETA CENTRO
CENTER BACK CENTER FRONT CONTRAST	MILIEU DOS MILIEU DEVANT CONTRASTE	CENTRO DE LA ESPALDA CENTRO DEL FRENTE CONTRASTE
CROTCH LINE CUT ... CUT OFF FOR ...	LIGNE DE FOURCHE COUPER ... COUPER ICI POUR ...	LÍNEA DEL TIRO CORTAR ... CORTAR AQUI PARA ...
CUT ... ON FOLD DRESS EASE	COUPER ... SUR LA PUIRE ROBE SOUTENIR	CORTAR ... AL DOBLEZ VESTIDO ACOMODAR
FABRIC FACING FOLD, FOLDLINE	TISSU PAREMENTURE PLIURE, LIGNE DE PLIURE	TELA VISTA DOBLEZ, LÍNEA DEL DOBLEZ
FOR ... FOR HALF SIZE FOR MISSES' PETITE	POUR ... POUR DEMI TAILLE POUR PETITE J. FEMME	PARA ... PARA TALLA MEDIA PARA SEÑORA JÓVEN (ESTATURA BAJA)
GATHER GRAIN LINE, GRAIN GUIDE FOR BUTTONHOLES	FRONCER DROIT FIL PIÈCE GUIDE POUR BOUTONNIÈRES	FRUNCIR HILO DE LA TELA GUÍA PARA LOS OJALES
HEM INTERFACE TO THIS LINE INTERFACING	OURLET COUPER ICI POUR ENTOILAGE ENTOILAGE	DOBLADILLO CORTAR AQUI PARA LA ENTRETELA ENTRETELA
LEFT SIDE LENGTHEN OR SHORTEN HERE LINING	CÔTÉ GAUCHE RALLONGER OU RACCOURCIR ICI DOUBLURE	COSTADO IZQUIERDO ALARGAR O ACORTAR AQUI FORRO
LOWER EDGE PLACEMENT LINE PLEAT	BORD INFÉRIEUR LIGNE D'EMPLACEMENT PLI	BORDER INFERIOR LÍNEA DE COLOCACION PLIEGUE
RIGHT SIDE ROLL LINE SEAM	CÔTÉ DROIT LIGNE DE PUIRE NON REPASSEE COUTURE	COSTADO DERECHO LÍNEA DE DOBLAR SIN PLANCHAR COSTURA
SHOULDER SLASH STIFFENING	ÉPAULE FENDRE ENTOILAGE RAIDE	HOMBRO DAR UN CORTE ATIESADOR
STITCHING LINE STRETCH TUCK	LIGNE DE PIGURE ÉTIRER PLI	LÍNEA DE PUNTADAS ESTIRAR ALFORZA
UNDERBODICE UNDERDRESS UNDERLINING	DESSOUS DE CORSAGE DESSOUS DE ROBE TRIPLURE	CORPINO INTERIOR VESTIDO INTERIOR REFUERZO
UNDERSKIRT UPPER EDGE WAISTLINE	DESSOUS DE JUPE BORD SUPÉRIEUR LIGNE DE TAILLE	ENAGUA BORDE SUPERIOR LÍNEA DE LA CINTURA

Row D, Column 9

Butterick 5998 Size:8-16 Part:1 www.printsew.com

Row A, Column 10

Butterick 5998 Size:8-16 Part:1 www.printsew.com



N

or

E-

st

)

il



[illegible]

Row C, Column 10

Butterick 5998 Size:8-16 Part:1 www.printsew.com

SCHNITT- ERKLÄRUNGEN

GLOSSARIO PER MODELLI

PATROON- VERKLARINGEN

DEUTSCH	ITALIANO	NEDERLANDS
APPLIKATION ÜBERFALL FÜR DURCHZUG MITTE	APPLICAZIONE BLUSANTE GUAINA CENTRO	APPLIQUÉ BLOESEND TUNNEL/GOOT JE MIDDEN
RÜCKW. MITTE VORDERE MITTE KONTRAST	CENTRO DIETRO CENTRO DAVANTI CONTRASTO	MIDDEN ACHTER MIDDEN DEL FRENT KONTRAST
SCHRITTLINIE ... X ZUSCHNEIDEN ABSCHNEIDEN FÜR ...	LINEA DEL CAVALL TAGLIARE ... TAGLIARE QUI PER ...	KRUISLIJN ... X KNIPPEN AFKNIPPEN VOOR ...
... X AM STOFFBRUCH ZUSCHNEIDEN KLEID EINHALTEN	TAGLIARE ... SULLA PIEGA ABITO ACCOMODARE	... AAN STOFVOUT LEGGEN JURK INHOUDEN
STOFF BELAG STOFFBRUCH, UMBRUCHLINIE	TESSUTO MOSTRA PIEGA, LINEA DI PIEGA	STOF BELEG STOFVOUT, VOUTWUJN
FÜR... FÜR ZWISCHENGRÖSSE FÜR KLEINE DAMEN	PER ... PER MEZZA TAGLIA PER SIGNORA DI STATURA BASSA	VOOR ... VOOR HALFMATEN VOOR KLEINERE DAMES
EINKRÄUSELN FADENLAUF VORLAGE FÜR KNOPFLOCHER	ARRICCIARE DRITTO FILO GUIDA PER ASOLE	RIMPELEN DRAADRICHTING Sjabloon voor knoopsgat
SAUM EINLAGE HIER ABSCHNEIDEN EINLAGE	ORLO TAGLIARE L'INTERFO A QUESTA LINEA INTERFODERA	ZOOM TOT DEZE LIJN TUSSENVOERING TUSSENVOERING
LINKE SEITE HIER VERLÄNGERN ODER VERKÜRZEN FUTTER	LATO SINISTRO ALLUNGARE O ACCORCIARE QUI FODERA	LINKSE KANT HIER VERLENGEN OF VERKORTEN VOERING
UNTERE KANTE HIER ANLEGEN FALTE	BORDO INFERIORE LINEA DI SISTEMAZIONE PIEGA	ONDERKANT HIER AANLEGGEN PLOOI
RECHTE SEITE UMBRUCHLINIE NAHT	LATO DESTRO LINEA DE ARROTOLARE CUCITURA	RECHTSE KANT OBSLA LIJN NIET PERSEN NAAD
SCHULTER EINSCHNITT VERSTEIFUNG	SPALLA APERTURA RINFORZO RIGIDO	SCHOUDER KNIPPEN VERSTEVIGENDE VOERING
STEPPLINIE DEHNEN FALTE	LINEA DI CUCITURA TIRARE RIPRESA	NAAILIJN REK PLOOI
INNERES OBERTEIL UNTERKLEID INNENFUTTER	SOTTOCORPINO SOTTO L'ABITO CONTROFODERA	ONDERLIJFJE ONDERJURK ONDERVOERING
UNTERROCK OBERE KANTE TAILLENLINIE	SOTTOGONNA BORDO SUPERIORE LINEA DELLA VITA	ONDERROK BOVENKANT TAILLELIJN

Row D, Column 10

Butterick 5998 Size:8-16 Part:1 www.printsew.com