

New Look 6296 Size:3-14 Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select


Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



Row A, Column 1

New Look 6296 Size:3-14 Part:1 www.printsew.com



CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH

1
2
10
8
7
WAISTLINE
TAILLE
CINTURA
RIEM LIJN
TAILLENLIE

EASE IS THE DIFFERENCE BETWEEN THE
STANDARD BODY MEASUREMENTS FOR A
SIZE AS GIVEN ON THE ENVELOPE BACK
AND THE FINISHED GARMENT MEASUREMENTS
AS PRINTED ON THE PATTERN TISSUE.

*TOTAL EASE ABOVE
BODY MEASUREMENT IS
APPROXIMATELY: 3"
*L'AISSANCE TOTAL EN PLUS
DES MESURES DU CORP
EST APPROXIMATIVEMENT: 7.5CM
*LA HOLGURA TOTAL ADEMAS
DE LAS MEDIDAS DEL CUERPO
ES APROXIMADAMENTE DE: 7.5CM


7	29"	73.5CM
8	30"	76CM
10	31 1/2"	80CM
12	33"	84CM
14	35"	89CM

CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOFFVOUW KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN

FRONT - A, B
DEVANT
FRENTE
VOORKANT
VORDERTEIL

6296 - GIRL

GARMENTS MEASUREMENTS



Row C, Column 1

New Look 6296 Size:3-14 Part:1 www.printsew.com

GATHER
FRUNCE
FRUNCE
RIMPELEN
ZWISCHEN

14
12
10
7
8



3/8 IN. SEAM ALLOWANCE
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
VALEUR DE COUTURE DE 1.0 CM.
NAHTSUGABE

3/8 IN. SEAM ALLOWANCE

DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

14

12

10

Row D, Column 1

New Look 6296 Size:3-14 Part:1 www.printsew.com

5/8 IN. HEM ALLOWED
DUBLET DE 1.5 CM.

CROTCH LINE

CROTCH LINE

CROTCH LINE
LIGNE DE FOURCHE
ENTREPIERNA
KRUISLIJN
SCHRIJTLIJN

CENTER BACK SEAM
COUTURE DU MILIEU DU DOS
COSTURA DEL CENTRO DE ATRAS
MIDDENACHTERNAAD
RUCKWARTIGE MITTELNAHT

CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS
MIDDEN ACHTER
RUCKWARTIGE MITTE

16

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

BACK - D
DOS
ATRAS
ACHTERKANT
RUKENTEIL
10, 12, 14
SIZES/TALLAS/TALLAS

6296 - GIRL

NAHTSUGABE




Row E, Column 1

New Look 6296 Size:3-14 Part:1 www.printsew.com

3/8 IN. SEAM ALLOWANCE
VALEUR DE COU
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG

Row A, Column 2

New Look 6296 Size:3-14 Part:1 www.printsew.com



Row B, Column 2

New Look 6296 Size:3-14 Part:1 www.printsew.com

12
14
WAISTLINE
TAILLE
CINTURA
RIEM LIJN
TAILLENLINE

CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH

FINISHED G
CHEST
POITRINE
BUSTO
BUSTO
BUSTE
BUSTE
BUSTE




5/8 IN. HEM ALLOWED - A
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

5/8 IN. HEM ALLOWED - A

VIEW

Row C, Column 2

New Look 6296 Size:3-14 Part:1 www.printsew.com



3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0
MARGEN DE COSTURA DE 1.0
NAADTOESLAG

Row D, Column 2

New Look 6296 Size:3-14 Part:1 www.printsew.com

NAADTOLSLAG
NAHTSUGABE

6296 - G

SIZES/TAILLES/T

7, 8

BACK

DOS
ATRAS
ACHTERKA
RUKENTEIL

CUT

COUPEZ 2
CORTE 2
KNIPPEN
SCHNEIDE

10

CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS
MIDDEN ACHTER
RUCKWARTIGE MITTE

CENTER BACK SEAM
COUTURE DU MILIEU DU DOS
COSTURA DEL CENTRO DE ATRAS
MIDDENACHTERNAAD
RUCKWARTIGE MITTELNAHT

CROTCH LINE
LIGNE DE FOURCHE
ENTREPIERNA
KRUISLIJN
SCHRITTLINIE

CROTCH LINE

5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE


5/8 IN. HEM ALLOWED

Row E, Column 2

New Look 6296 Size:3-14 Part:1 www.printsew.com

Row A, Column 3


New Look 6296 Size:3-14 Part:1 www.printsew.com



Row B, Column 3

New Look 6296 Size:3-14 Part:1 www.printsew.com

CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH




VIEW - B
UE
STA
CHT
ISICHT

5/8 IN. SEAM ALLOWANCE - B
VALEUR DE COUTURE DE 1.5 CM.
MARGEN DE COSTURA DE 1.5 CM.
NAADTOESLAG
NAHTSUGABE


VIEW - B 5/8 IN. SEAM ALLOWANCE - B 8

TS

CHEN
LEN
CE



8
7
10
12
14



3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

6296 - GIRL

SIDE BACK - D


COTE DU DOS
COSTADO DE ATRAS
ZADE ACHTERKANT
SETLICHES RUCKENTEL

CUT 2


COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

17

6296
A(3-14)
0 0 4 6



3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE



Row D, Column 3

New Look 6296 Size:3-14 Part:1 www.printsew.com

TALLAS

D

NT

2

2
EN 2

6

6296 - GIRL

SIZES/TAILLES/TALLAS

10, 12, 14

FRONT - D

DEVANT
FRENTE
VOORKANT
VORDERTEIL

CUT 2

COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

14



CENTER FRONT SEAM
COUTURE DU MILIEU DU DEVANT
COSTURA DEL CENTRO DEL FRENTE

CROTCH LINE
LIGNE DE FO
ENTREPIERNA
KRUISLIJN
SCHRITTLINI

10

12

CROTCH

14

CROTCH

5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.

7

8

Row E, Column 3

New Look 6296 Size:3-14 Part:1 www.printsew.com

ZOOMTOESLAG
MIT SAUMZUGABE

10

12


5/8 IN. HEM ALLOWED

14

5/8 IN. HEM ALLOWED

Row A, Column 4

New Look 6296 Size:3-14 Part:1 www.printsew.com



MIT SAUMZUGABE
DOBLADO DE 1.5 CM.
DORLET DE 1.5 CM.

TALE
CINTURA
RIEM LIJN
TAILLELINIE

FRONT
RIMPE
ZWISCH

6296 - GIRL

FRONT - C
DEVANT
FRENTE
VOORKANT
VORDERTEIL

CUT 1 ON FOLD

COUPEZ 1 SUR LA PLIURE
CORTÉ 1 EN EL DOBLEZ
1 OP DE STOVOUN KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN



*EASE IS THE DIFFERENCE BETWEEN THE
STANDARD BODY MEASUREMENTS FOR A
SIZE AS GIVEN ON THE ENVELOPE BACK
AND THE FINISHED GARMENT MEASUREMENT
AS PRINTED ON THE PATTERN TISSUE.

FINISHED GARMENTS MEASUREMENTS

POITRAINE	7	29"	73.5CM
BUSTO	8	30"	76CM
BUSTE	10	31 1/2"	80CM
BUSTE	12	33"	84CM
BUSTE	14	35"	89CM

*TOTAL EASE ABOVE
BODY MEASUREMENT IS
APPROXIMATELY: 3"

*L'AISSANCE TOTAL EN PLUS
DES MESURES DU CORP
EST APPROXIMATIVEMENT: 7.5CM
*LA HOLGURA TOTAL ADEMAS
DE LAS MEDIDAS DEL CUERPO
ES APROXIMADAMENTE DE: 7.5CM

3/8 IN



7
8
10
12

Row B, Column 4

New Look 6296 Size:3-14 Part:1 www.printsew.com

Row C, Column 4

New Look 6296 Size:3-14 Part:1 www.printsew.com



3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

6296 - GIRL

KNOT - A, C

NOEUD
MUDO
KNOOP
KNOTTEN


CUT 1

COUPEZ 1
CORTE 1
KNIPPEN 1
SCHNEIDEN 1



3/8 IN. SEAM ALLOWANCE

WE USE RECYCLED PAPER
FOR OUR PATTERN PRODUCTS
NOUS UTILISONS DU PAPIER
RECYCLÉ POUR NOS PATTERNS



SIZE/TAILLE/TALLA

7, 8

FRONT - D


DEVANT
FRENTE
VOORKANT

VORDERTEIL

CUT 2

COUPEZ 2
CORTE 2
KNIPPEN 2

SCHNEIDEN 2



Row E, Column 4

New Look 6296 Size:3-14 Part:1 www.printsew.com

6296 - GIRL


3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTÖESLAG
NAHTSUGABE

12

14

Row A, Column 5

New Look 6296 Size:3-14 Part:1 www.printsew.com




Row B, Column 5

New Look 6296 Size:3-14 Part:1 www.printsew.com

10

12

14
WAISTLINE
TAILLE
CINTURA
RIEM LIJN
TAILLENLINE



7

8

10

12

14

5/8
DURL
DOBLA
ZOOMT
MIT SAUM



CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVouw
MITTEL STOFFBRUCH

8

12

8

12

12

14

Row C, Column 5

New Look 6296 Size:3-14 Part:1 www.printsew.com

6296 - GIRL

SIZES/TALLES/TALLAS

8, 12

YOKE BACK - A, B, C

EMPACEMENT DU DOS

CANESU DE ATRAS

ACHTERKANT PAS

RÜCKENPASSAGE

CUT 1 ON FOLD

COUPEZ 1 SUR LA PLIURE

CORTE 1 EN EL DOBLEZ

1 OP DE STOVOUW KNIPPEN

1 STOFFBRUCH ZUSCHNEIDEN

2

SEAM ALLOWANCE
DE COUTURE DE 1.0 CM.
DE COSTURA DE 1.0 CM.
LAG

3/8 IN. SEAM ALLOWANCE

CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH



7

8

10

12

14

00

12

CUT 1 ON FOLD
 COUPEZ 1 SUR LA PLIURE
 CORTE 1 EN EL DOBLEZ
 1 OP DE STOVOLM KNIPPEN
 1 IM STOFFBRUCH ZUSCHNEIDEN




5/8 IN. HEM ALLOWED
 DURET DE 1.5 CM.
 DOBLADILLO DE 1.5 CM.
 ZOONTOESLAG
 MIT SAUMZUGABE

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED




Row D, Column 5

New Look 6296 Size:3-14 Part:1 www.printsew.com


Row E, Column 5

New Look 6296 Size:3-14 Part:1 www.printsew.com



Row A, Column 6

New Look 6296 Size:3-14 Part:1 www.printsew.com



Row B, Column 6

New Look 6296 Size:3-14 Part:1 www.printsew.com

CUT 1
COUPEZ 1
CORTE 1
KNIPPEN 1
SCHNEIDEN 1

ALLOWANCE

IN. HEM ALLOWED
ET DE 1.5 CM.
DILLO DE 1.5 CM.
ESLAG
MZUGABE

7

8





10

12

14

Row C, Column 6

New Look 6296 Size:3-14 Part:1 www.printsew.com





5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED



GATHER
FROUNCE
FRUNCE
RIMPELEN
ZWISCHEN

6296 - GIRL

RUFFLE BACK - B
VOLANT DOS
VOLANTE DE ATRAS

Row D, Column 6

New Look 6296 Size:3-14 Part:1 www.printsew.com

Row E, Column 6

New Look 6296 Size:3-14 Part:1 www.printsew.com

10

12

14

14

12

10

8

7



CENT
PLI
PLIE
MIDD
MITT

EAM ALLOWANCE

3/8 IN. SEAM ALLOWANCE

STR

6296 - GIRL

ARMHOLE BAND - A, B, C

BADE DE L'ENMANCHURE
BANDA DE LA SOBRAQUERA
ARMISGATBAND
ARMAUSSCHNITTBELENDE

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

STR
ENTI
ESTI
REKH
DEKH


14

12

10

8


7



U.S. & Canada Toll-Free
1-888-588-2700



Web Site
<http://www.simplicity.com>



Row B, Column 7


New Look 6296 Size:3-14 Part:1 www.printsew.com

6296 - GIRL

TIE - C

GRAVATE
CORBATA
STRIK
BRODEBAND

3/8 IN. SEAM A



Row D, Column 7

New Look 6296 Size:3-14 Part:1 www.printsew.com

CUT 1 ON FOLD
COUPEZ 1 SUR LA PLOURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVQUIN KNIPPEN

RUFFLE FRONT - B
VOLANT DEVANT
VOLANTE DEL FRENTE

6296 - GIRL

GATHER
FROUNCE
FRUNCE
RIMPELEN
ZWISCHEN

SIDE FRONT - D
COTE DU DOS
COSTADO DEL FRENTE
ZIJDE VOORKANT
SEITLICHES VORDERTEIL

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

15

5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

10

8

7

5CM
B

5CM
5CM
5CM
5CM
5CM
5CM


A
F

S

Row E, Column 7

New Look 6296 Size:3-14 Part:1 www.printsew.com

PER FOLD
RE DU MILIEU
GUE DEL CENTRO
LE STOFFVOUW
TEL STOFFBRUCH



6296 - GIRL

8 IN. SEAM ALLOWANCE
EUR DE COUTURE DE 1.0 CM.
ARGEN DE COSTURA DE 1.0 CM.
ADTIOESLAG
HTSUGABE

Row A, Column 8

New Look 6296 Size:3-14 Part:1 www.printsew.com

14

12

10

8

7

5

YOKE BACK BAND - GIRL

6296 - GIRL

YOKE BACK BAND - A, B, C

BANDE DU EMPÈCHEMENT DU DOS

BANDA DEL CANESU DE ATRAS

CUT 1

COUPEZ 1

CORTE 1

KNIIPPEN 1

SCHNEIDEN 1

STRETCH

STRETCH

ENTIREZ

ESTIRE

REKKEN

DEHNEN

14

12

10

14

8

7

12

10

8

7

CENTER BACK SEAM

COUTURE DU MILIEU DU DOS

COSTURA DEL CENTRO DE ATRAS

STRETCH

ENTIREZ

ESTIRE

REKKEN

DEHNEN

14

12

10

8

7

6296 - GIRL

NECK BAND - A,

BANDE DE L'ENCOLURE

BANDA DEL ESCOTE

14

12

10

8

7

CENTER BACK

MILIEU DU DOS

CENTRO DE ATRAS

MIDDEN ACHTER

RÜCKWÄRTIGE MITTE

14

12

10

18

6296 - GIRL
WAIST STAY - D
REINFORCEMENT DE LA CINTURE
REFUERZO DE LA CINTURA

CUT 1
COUPEZ 1
CORTÉ 1
KNIPPEN 1
SCHNEIDEN 1

CENTER FRONT
MILIEU DU DEVANT
CENTRO DEL FRENTE
MIDDEN VOOR
VORDERE MITTE

CUT 1
COUPEZ 1
CORTÉ 1
KNIPPEN 1
SCHNEIDEN 1

CENTER FRONT
MILIEU DU DEVANT
CENTRO DEL FRENTE
MIDDEN VOOR
VORDERE MITTE

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

7 8 10 12 14
1 2 3 4

STRETCH
ENTIREZ
ESTIRE
REKKEN
DEHNEN

CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS

STRETCH

3/8 IN. SEAM ALLOWANCE

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE


7 8

10

Row C, Column 8

New Look 6296 Size:3-14 Part:1 www.printsew.com

14



70
80
100
120
140

CENTER
BACK

7

8

10

12

14

12

6296 - GIRL

BACK BAND - A, B, C

BANDE DU DOS
BANDA DEL ATRAS
RUGA BAND
RUCKWARTIGE BLENDE

STRETCH

STRETCH
ENTIREZ
ESTIRE
REKKEN
DEHNEN

CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS

3/8 IN. SEAM ALLOWANCE

CUT 1

COUPEZ 1
CORTE 1
KNIPPEN 1
SCHNEIDEN 1

3/8 IN. SEAM ALLOWANCE

- ☐ 14 ☐ 12 ☐ 10 ☐ 8 ☐ 7

*EASE IS THE DIFFERENCE BETWEEN THE
STANDARD BODY MEASUREMENTS FOR A
SIZE AS GIVEN ON THE ENVELOPE BACK
AND THE FINISHED GARMENT MEASUREMENTS
AS PRINTED ON THE PATTERN TISSUE.

*TOTAL EASE ABOVE
BODY MEASUREMENT
APPROXIMATELY: 2"

14	36"	91.8
12	34"	86.3
10	32"	81.8
8	30"	76.0
7	29"	73.1

FINISHED GARMENT
MEASUREMENTS
HIP
HANCH
CADER
HEUP
HUTE

Row E, Column 8

New Look 6296 Size:3-14 Part:1 www.printsew.com

8
7
6
5
4
3
2
1

3/4
M
N
N
N