

New Look 6296 Size:3-14 Part:2 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select


Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



New Look 6296 Size:3-14 Part:2 www.printsew.com

New Look 6296 Size:3-14 Part:2 www.printsew.com



Row B, Column 1

New Look 6296 Size:3-14 Part:2 www.printsew.com

FINISHED GARMENTS MEASUREMENTS

CHEST	
POITRINE	
BUSTO	4 25" 63.5CM
BUSTE	6 27" 68.5CM
BUSTE	

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

CUT 1 ON FOLD

COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVOUN KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN

FRONT - A, B
DEVANT
FRENTE
VOORKANT
VORDERTEIL

6296 - CHILD
SIZES/TALLAS/TALLAS
4, 6

GATHER
FRUNCE
FRUNCE
RIMPELEN
ZWISCHEN



3/8 IN. SEAM ALLOWANCE


ALLOWANCE
COUTURE DE 1.0 CM.
COSTURA DE 1.0 CM.
SUGABE

1. FOLD
2. DU MILIEU
3. JE DEL CENTRO
4. E STOFVOUN
5. L STOFFBRUCH

Row C, Column 1

New Look 6296 Size:3-14 Part:2 www.printsew.com





WAISTLINE
TAILLE
CINTURA
RIEM LIJN

3
4
5
6

CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH




CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVUUM KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN

DEVANT
FRENTE
VOORKANT
VORDERTEL

FRONT - C

6296 - CHILD


GATHER
FRUNCE
FRUNCE
RIMPELEN
ZWISCHEN



FINISHED GARMENTS MEASUREMENTS


CHEST
POITRINE
BUSTO
BUSTE
BUSTE
BUSTE
6 27" 68.5CM
5 26" 66CM
4 25" 63.5CM
3 24" 61CM

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE




Row E, Column 1

New Look 6296 Size:3-14 Part:2 www.printsew.com



New Look 6296 Size:3-14 Part:2 www.printsew.com

New Look 6296 Size:3-14 Part:2 www.printsew.com



New Look 6296 Size:3-14 Part:2 www.printsew.com

MEASUREMENTS

T


FRONT - A, B

GATHER
FRUNCE
FRUNCE
RIMPEN
ZWISCHEN

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

3/8 IN. SEAM ALLOWANCE

HA DE 1.0 CM.
CE DE 1.0 CM.



New Look 6296 Size:3-14 Part:2 www.printsew.com

12

COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVOUM KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN



6
Row E, Column 2

New Look 6296 Size:3-14 Part:2 www.printsew.com

1.5 CM. ALLOWED
TOESLAG 1.5 CM.
MIT SAUMZUGABE

Row A, Column 3

New Look 6296 Size:3-14 Part:2 www.printsew.com



6296 - CHILD

BACK - A, B

DOS
ATRAS
ACHTERKANT
RUKENTEIL

CUT 1 ON FOLD

COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVUUM KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN

— 3

— 4

— 5

— 6

WAISTLINE
TAILLE
CINTURA
RIEM L IIN

Row B, Column 3

New Look 6296 Size:3-14 Part:2 www.printsew.com

TAILENLINE

CENTER FOLD
PLIURE DU MILIEU
PLIEQUE DEL CENTRO
MIDDLE STOFFV
MITTEL STOFFE

CHEST
POITRINE
BUSTO
BUSTE
BUSTE
BUSTE

FINISHED GARMENT

5/8 IN. HEM ALLOWED - A
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

VIEW - B
VUE
VISTA
ZICHT
ANSICHT

5/8 IN. S
VALEUR
MARGEN
NAADTO
NAHTSU

3

4

5

6

5/8 IN. HEM ALLOWED - A

5/8 IN. HEM ALLOWED - A

5/8 IN. HEM ALLOWED - A

5/8 IN. S

5/8 IN. S

5/8 IN. S

6

5

4

3

5/8 IN. HEM ALLOWED
5/8 IN. HEM ALLOWED
5/8 IN. HEM ALLOWED

- 3
- 4
- 5
- 6

5/8 IN. HEM ALLOWED
DUR ET DE 1.5 CM



CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

SEITLICHES RÜCKENTEL
ZUDE ACHTERKANT
COSTADO DE ATRAS
COTE DU DOS

SIDE BACK - D

6296 - CHILD

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

WE USE RECYCLED PAPER
FOR OUR PATTERN PRODUCTS
NOUS UTILISON DU PAPIER
RECYCLE POUR NOS PATRONS

6296		
A(3-14)		
0	0	6

VOLANTE DEL FRENTE

CUT 1 ON FOLD

COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVOUIM KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN

PRINTED IN USA
IMPRIME AUX ETATS-UNIS
ESTAMPADA EN LOS ESTADOS UNIDOS



5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

5/8 IN. HEM ALLOWED


5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED



Row E, Column 3

New Look 6296 Size:3-14 Part:2 www.printsew.com




0

U

4

W



CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH

Row A, Column 4

New Look 6296 Size:3-14 Part:2 www.printsew.com

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

6296 - CHILD

FRONT - D

DEVANT
FRENTE
VOORKANT
VORDERTEIL

CUT 2

COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

14

Row B, Column 4

New Look 6296 Size:3-14 Part:2 www.printsew.com

5/8 IN. HEM ALLOWE
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 C
ZOOMTOESLAG
MIT SAUMZUGABE

5/8 IN. HEM ALLOWE

5/8 IN. HEM ALLOWE

5/8 IN. HEM ALLOWE

SEAM ALLOWANCE - B
DE COUTURE DE 1.5 CM.
DE COSTURA DE 1.5 CM.
ESLAG
GABE

SEAM ALLOWANCE - B

SEAM ALLOWANCE - B

N. SEAM ALLOWANCE - B

3/8 IN. SEAM ALLOWANCE

3/8 IN. SEAM ALL

3/8 IN. SEAM
VALEUR DE C
MARGEN DE C
NAADTOESLA
NAHTSUGABE

DEHNEN

DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED


5/8 IN. HEM ALLOWED

3/8 IN. SEAM ALLOWANCE

STRETCH

OWANCE

6296 - CHILD



TIE - C
GRAVATE
CORBATA
STRIK
BINDERAND


CUT 1
COUPEZ 1
CORTE 1
KNIPPEN 1
SCHNEIDEN 1

13

ALLOWANCE
COUTURE DE 1.0 CM.
COSTURA DE 1.0 CM.

3/8 IN. SEAM ALLOWANCE

New Look 6296 Size:3-14 Part:2 www.printsew.com
Row C, Column 4
5/8 IN. SEAM ALLOWANCE



FINISHED GARMENTS
MEASUREMENTS

15

CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

SIDE FRONT - D
COTE DU DOS
COSTADO DEL FRENTE
ZIJDE VOORKANT
SETLICHES VORDERTEL


6296 - CHILD

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.

Row D, Column 4

New Look 6296 Size:3-14 Part:2 www.printsew.com

CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENT
MIDDLE STOFFVO
MITTEL STOFFBR



CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE
CORTE 1 EN EL DOBLEZ
1 OP DE STOVOUN KNIPPEN
1 IM STOFFBRUCH ZUSCHNEIDEN



5/8 IN. HEM ALLOWED
DURLET DE 1.5 CM.
DOBLADILLO DE 1.5 CM.
ZOOMTOESLAG
MIT SAUMZUGABE

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED

5/8 IN. HEM ALLOWED


GATHER
FROUNCE
FRUNCE
RIMPELEN
ZWISCHEN

6296 - CHILD

RUFFLE FRONT - B
VOLANT DEVANT


Row E, Column 4

New Look 6296 Size:3-14 Part:2 www.printsew.com



Row A, Column 5

New Look 6296 Size:3-14 Part:2 www.printsew.com



1/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
MAADTOESLAG
MAATSUGABE

TESSUTO
LINEA DI PIEGATURA
PER SIGNORA
DI STATURA BASSA
ARRICCIARE
ORLO COMPRESO
FIANCHI
TELETTA
FODERA
PIEGA
CUCITURA
CINQOSA
LINEA DI CUCITURA
TENDERE
VITA
VITA

STOF
VOUWLIJN
VOOR KLEINE DAMES
RIMPELEN
ZOOMTOSLAG
HEUP
TUSSENVOERING
VOERING
PLOOI
NAAD
ZELFRAND
NAAIENLIJN
SPANNEN
REIMLIJN
REIMLIJN

STOFF
UMBRUCHLINIE
FÜR KLEINE DAMEN
EINREIHEN
MIT SAUMZUGABE
HUFTE
EINLAGE
FUTTER
FALTE
NAHT
WEBKANTE
NAHENLINIE
DEHNEN
TAILLE
TAILLENLINIE

6
5

New Look 6296 Size:3-14 Part:2 www.printsew.com

CM.

$$\begin{array}{r} 6 \\ \hline 5 \\ \hline 4 \\ \hline 3 \end{array}$$

6296 - CHILD

STRETCH
B, C

CL
COLL
COH
KNIN
SCH

YOKE BACK BAND - A, B, C
BANDE DU EMPLOIEMENT DU DOS
BANDE DEL CANEU DE ATLAS

STRETCH

STRETCH

00008543

STRETCH

CENTER BACK
SEAM 6 <


5
4
3

6
5
4
3
6
5
4
3

REKKEN

0000





NT
NECES
EZAS

erns



CENTER FRONT
MILIEU DU DEVANT
CENTRO DEL FRENTE
MIDDEN VOOR
VORDERE MITTE

3 4 5 6
○ ○ ○ ○

STRETCH

6296 - CHILD

ARMHOLE BAND - A, B, C

STRETCH
ENTIREZ
ESTIRE
REKKEN
DEHNEN

BANDE DE L'EMMANCHURE
BANDA DE LA SOBACUERA
ARMSGATBAND
ARMAUSSCHNITTLEBENDE



CUT 2
COUPEZ 2
CORTE 2
KNIPPEN 2
SCHNEIDEN 2

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM
MARGEN DE COSTURA DE 1.0 CM
NAADTOESLAG
NAHTSUGABE

Row D, Column 5

New Look 6296 Size:3-14 Part:2 www.printsew.com

PRO
JW
ICH


GATHER
FROUNCE
FRUNCE
RIMPELEN
ZWISCHEN

6296 - CHILD


RUFFLE BACK - B
VOLANT DOS
VOLANTE DE ATRAS

Row E, Column 5

New Look 6296 Size:3-14 Part:2 www.printsew.com




CENTER BACK



Row A, Column 6

New Look 6296 Size:3-14 Part:2 www.printsew.com



ENGLISH GLOSSARY	GLOSSARIO ITALIANO	WOORDENLIJST NEDERLANDS	GLOSSAR DEUTSCH
APPLIQUE BUST BUTTONHOLE GUIDE CASING CENTER CENTER BACK CENTER FRONT CUT... CUT...ON FOLD CUTTING LINE DART EASE ELASTIC GUIDE	APPLICAZIONE PETTO GUIDA PER ASOLE GUAINA CENTRO CENTRO DIETRO CENTRO DAVANTI TAGLIARE... TAGLIARE...SULLA PIEGA LINEA DI TAGLIO PINCE DIMINUIRE GUIDA PER ELASTICO	APPLIQUE BUSTE SABLOON VOOR KNOOPSGAAT TUNNEL MIDDEN MIDDEN VOOR MIDDEN ACHTER ...X KNIPPEN ... AAN STOFVOUW LEGGEN KNIPLIJN FIGUUR NAAD TOEGEVEN SABLOON VOOR ELASTIC	APPLIKATION OBERWEITE VORLAGE FÜR KNOPFLOCHER DURCHZUG MITTE RÜCKWÄRTIGE MITTE VORDERE MITTE ... X ZUSCHNEIDEN ... AM STOFFBRUCH ZUSCHNEIDEN SCHNITTLINIE ABNAHER EINHALTEN VORLAGE FÜR GÜMMIZUG

Si usted tiene un figura que corresponde solamente a UNA TALLA, simplemente seleccione la línea de corte para su talla. Marque con una estereográfica de colg y punta suave. Corte por la línea marcada. (A)

Si su figura es una COMBINACIÓN de DOS O MAS TALLAS, SELECCIONE las líneas de corte que corresponden a su talla de busto, cintura y cadera. MARQUE con una estereográfica de color y de punta las nuevas líneas marcadas, de una talla a la otra, así un PATRÓN A SU MEDIDA. Corte por la nueva línea marcada. (B) (B')

No olvide corregir las piezas del patrón que serán cosidas a las piezas que han sido corregidas. Por ejemplo, si usted hace un cambio en el frente, será necesario hacer los mismos cambios en la espalda. (A) (B') (B'')

Patrones New Look en TALLAS-MULTIPLES

Una manera fácil de ajustar su patron

Si vous avez une silhouette UNE TALLE, il vous suffira de CHOISIR la ligne de coupe qui correspond à votre TALLE. MARQUEZ-LA avec un stylo pointe feutre en couleur et COUPEZ le long la ligne tracée. (A)

Si votre silhouette est une COMBINAISON DE DEUX TALLLES OU PLUS, CHOISISSEZ les lignes de coupe qui correspondent à votre taille pour poitrine, taille et cadera. MARQUEZ-LES avec un stylo pointe feutre en couleur. Raccordez les lignes nouvellement marquées d'une talle à l'autre, créant ainsi votre PROPRE PATRON SUR MESURES. COUPEZ le long de la ligne tracée. (B)





Veillez à ajuster les pièces de patron qui seront piquées aux pièces que vous venez de rectifier. Par exemple, si vous avez fait un changement sur le dos, il sera nécessaire de faire les mêmes ajustements sur le dos. (A) (B') (B'')

Les Patrons MULTI-TAILLE de New Look La méthode facile d'ajuster votre patron vous offre la flexibilité de choisir votre taille séparément pour POITRINE(1) TALLE(2) HANCHES(3)

New Look's MULTI-SIZE Pattern

The easy way to fit your pattern

gives you the flexibility to choose your size separately for



If you have a ONE SIZE figure, just SELECT the cutting line that corresponds to your size. MARK with a colored felt tip pen and CUT along marked line. (A)

If your figure is a COMBINATION of TWO OR MORE SIZES, SELECT the cutting line that correspond to your size at bust, waist and hip and MARK with a colored felt tip pen. Blend the newly marked lines from one size to the other creating your own CUSTOMIZED PATTERN.

New Look 6296 Size:3-14 Part:2 www.printsew.com

Row D, Column 6

Be sure to adjust pattern pieces that will be adjusted. For example, if you made a change on the front, you will need to make the same adjustment to the back. (A) (B) (B2)

Row E, Column 6

New Look 6296 Size:3-14 Part:2 www.printsew.com