




# Push the boat out dress



1


Simple  
sew

NANCY TUNIC DRESS



#018

Test square


1" x 1"



love  
Sewing



3



Simple  
sew

NANCY TUNIC DRESS

#018


## SLEEVE

CUT TWO IN FABRIC


5


1.5cm seam allowance included  
use 1cm seam allowance at armhole

4





5







7



Straight grain







11



Straight grain



# BACK BODICE


CUT TWO IN FABRIC


2


1.5cm seam allowance included


12

KE 1 CM SEAM ALLOWANCE










ABRIC ON FOLD

16

1.5cm seam allowance included  
use 1cm seam allowance at armhole and neckli





18

TAKE 1 CM SEAM ALLOWANCE

Straight grain

1 CM ALLOWANCE

# COLLAR

CUT FOUR IN FABRIC  
CUT TWO IN INTERFACING

6

1.5cm seam allowance included  
use 1cm seam allowance  
at neckline







## FRONT BODICE

CUT ONE IN FABRIC ON FOLD

# 1

1.5cm seam allowance included  
use 1cm seam allowance at armhole and neckline

CUT ONE



HEMLINE FOR TOP

CUTTING LINE FOR TOP



22

8

10

12

14

16

18



20



24

20

18

16

14

12

10

8




25

HEMLINE FOR TOP

CUTTING LINE FOR TOP







28

16 18 20

20 18



