

Butterick 4910 Size:6-7-8 Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select

Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



Row A, Column 1

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com



Row B, Column 1

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

CUT HERE FOR D

CUT HERE FOR D

HEM 5/8" (1.5 CM)

CUT HERE FOR D

HEM 5/8" (1.5 CM)

LENGTHEN OR SHORTEN HERE


CUT HERE FOR C

LENGTHEN OR SHORTEN HERE

CUT HERE FOR C

LENGTHEN OR SHORTEN HERE

CUT HERE FOR C



Row A, Column 2

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com



fe
me
pa

Le
or
len
ad

•

•

Tr
me
of

Ge
cle

Row B, Column 2

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

8

7

HEM 5/8" (1.5 CM)

Row C, Column 2

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE

WAIST LINE

PREPARING PATTERN

⊕ Indicates the Bustline, Waistline and/or Biceps. Measurements refer to circumference of Finished Garment (Body Measurement + Wearing Ease + Design Ease). Adjust pattern if necessary.

Lengthen or Shorten at adjustment lines (==) where indicated on pattern. If substantial length is added, you may need to purchase additional fabric.

To Lengthen - Slash between adjustment lines. Spread amount as needed, keeping edges parallel.

To Shorten - Crease along adjustment line. Make a fold half the amount needed.

Transfer all tissue markings to fabric before removing pattern. Markings needed on right side of fabric should be thread traced.

Seamlines - 5/8" (15mm) from cut edge unless otherwise indicated. — ∇ —

Button Marking - Indicates button placement. X

Buttonhole Marking - Indicates exact length and placement of buttonholes. ————

Symbols - For matching seams and construction details. ○ ○ △ ◇ □

Notches, Fold lines, Placement lines, etc., are clearly marked; thread trace if desired.

PREPARATION DU

⊕ Indique: pointe de poitrine, de hanches et/ou avant-bras. Les mesures sont basées sur la circonférence du corps terminée (Mesures du corps + Aisance pour le port + Aisance de conception). Ajuster le patron si nécessaire.

Rallonger ou raccourcir aux lignes d'ajustement (==) ou à l'endroit indiqué. Si le rallongement est important, il peut être nécessaire d'acheter plus de tissu.

- Rallonger - Couper entre les lignes d'ajustement. Écartez les bords pour obtenir la longueur souhaitée.
- Raccourcir - Former un pli à l'endroit de rectification. Exemple: pli de raccourcir de 2 cm.

Reporter tous les repères sur l'endroit du tissu avant d'enlever le patron. Les repères sur l'endroit seront marqués au fil.

Lignes de couture - à 15 mm (5/8") des bords coupés, sauf contre-indication.

Repère-bouton - indique l'emplacement exact.

Repère-boutonnière - indique la longueur et l'emplacement.

Repères - utilisés pour faire correspondre coutures et détails de construction.

Lignes des pliures, emplacements de boutons, etc., sont imprimés clairement; si désiré, marquer au fil.

Row B, Column 3

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

6

CUT HERE FOR A B

CUT HERE FOR A B

CUT HERE FOR A B

A HEM 5/8" (1.5 CM)

A HEM 5/8" (1.5 CM)

A HEM 5/8" (1.5 CM)

8


7

6



Row C, Column 3

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com



Row A, Column 4

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

J PATRON

e, lignes de taille,
ras. Ces mesures
e du vetement fini
nfort + Aisance
essaire.

nes de rectifi-
ue sur le patron.
t, un exces de

lignes de rec-
(parallelement)
tree.

une des lignes
de 1cm pour

envers du tissu
eperes a reporter
fil.

des 
dique-

place- 

e 



nts, et milieux,
esire, les

PATTERN GLOSSARY	GLOSSAIRE DU PATRON	GLOSARIO DEL PATRON	ER
ENGLISH	FRANCAIS	ESPAÑOL	DE
APPLIQUE BLOUSING CASING CENTER	APPLIQUE PARTIE BLOUSANTE COUSSE MILIEU	APLICACION ABLUSADO JARETA CENTRO	APP URB FÜR MIT
CENTER BACK CENTER FRONT CONTRAST	MILIEU DOS MILIEU DEVANT CONTRASTE	CENTRO DE LA ESPALDA CENTRO DEL FRENTE CONTRASTE	RÜC VOR KOM
CROTCH LINE CUT _ CUT OFF FOR _	UGNE DEFOURCHE COUPER _ COUPER ICI POUR _	LÍNEA DEL TIRO CORTAR _ CORTAR AQUÍ PARA _	SCH _ X ABS
CUT _ ON FOLD DRESS EASE	COUPER _ SUR LA PUIRE ROBE SOUTENIR	CORTAR _ AL DOBLEZ VESTIDO ACOMODAR	_ X ZUS KLEI BNH
FABRIC FACING FOLD, FOLDUNE	TISSU PAREMENTURE PLIURE, UGNE DE PLIURE	TELA VISTA DOBLEZ, LÍNEA DEL DOBLEZ	STO BEL STO UMB
FOR _ FOR HALF SIZE FOR MISSES' PETITE	POUR _ POUR DEMI TAILLE POUR PETITE J. FEMME	PARA _ PARA TALLA MEDIA PARA SEÑORA JÓVEN (ESTATURA BAJA)	FÜR FÜR FÜR
GATHER GRAIN LINE, GRAIN GUIDE FOR BUTTONHOLES	FRONCER DROIT FIL PIÈCE GUIDE POUR BOUTONNIÈRES	FRUNCIR HILO DE LA TELA GUÍA PARA LOS OJALES	EINH FAD VOR KNÖ
HEM INTERFACE TO THIS LINE INTERFACING	OURLET COUPER ICI POUR ENTOILAGE ENTOILAGE	DOBLADILLO CORTAR AQUÍ PARA LA ENTRETELA ENTRETELA	SAU EINL ABS EINL
LEFT SIDE LENGTHEN OR SHORTEN HERE LINING	CÔTÉ GAUCHE RALLONGER OU RACCOURCIR ICI DOUBLURE	COSTADO IZQUIERDO ALARGAR O ACORTAR AQUÍ FORRO	LINK HIER ODE FUT
LOWER EDGE PLACEMENT LINE PLEAT	BORD INFÉRIEUR UGNE D'EMPLACEMENT PLI	BORDER INFERIOR LÍNEA DE COLOCACION PLIEGUE	UNT HIER FAL
RIGHTSIDE ROLL LINE SEAM	CÔTÉ DROIT UGNE DE PLIURE NON REPASSÉE COUTURE	COSTADO DERECHO LÍNEA DE DOBLAR SIN PLANCHAR COSTURA	REC UMB NAH
SHOULDER SLASH STIFFENING	ÉPAULE FENDRE ENTOILAGE RAIDE	HOMBRO DAR UN CORTE ATIESADOR	SCH BNS VER
STITCHING LINE STRETCH TUCK	UGNE DE FIGURE ÉTIRER PLI	LÍNEA DE PUNTADAS ESTIRAR ALFORZA	STE DEH FAL
UNDERBODICE UNDERDRESS UNDERLINING	DESSOUS DE CORSAGE DESSOUS DE ROBE TRIPLURE	CORRINO INTERIOR VESTIDO INTERIOR REFUERZO	INN UNT INN
UNDERSKIRT UPPER EDGE WASTUNE	DESSOUS DE JUPE BORD SUPÉRIEUR UGNE DE TAILLE	ENAGUA BORDE SUPERIOR LÍNEA DE LA CINTURA	UNT OBE TAIL

Row B, Column 4

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com



PREMIER
VORDERTEIL
DAVANTI
CUT 1 ON FOLD

BUTTERICK®

© 2006 The McCall Pattern Company
All Rights Reserved
Printed in U.S.A.
B4910 8 PIECES
SIZES
(CL (6-7-8))

LENGTHEN OR SHORTEN HERE

FOR C 6 1/2

FOR C

CENTER FRONT ON FOLD

Row C, Column 4

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

HEM 5/8" (1.5 CM)

CUT HERE FOR D

6

HEM 5/8" (1.5 CM)

CUT HERE FOR D

7

Row A, Column 5



Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

SCHNITT- KLARUNGEN

GLOSSARIO PER MODELLI


PATROON- VERKLARINGEN

DEUTSCH	ITALIANO	NEDERLANDS
UKATION RFALL DURCHZUG TE	APPLICAZIONE BLUSANTE GUAINA CENTRO	APPLIQUE BLOESEND TUNNEL/GOOTJE MIDDEN
KW. MITT E DERE MITTE T RAST	CENTRO DIETRO CENT RO DAVANTI CONT RASTO	MIDDEN ACHTER MIDDEN DELFRONTE KONTRAST
RITTUNIE ZUSCHNEIDEN CHNBDEN FÜR ...	LINEA DEL CAVALLO TAGUARE ... TAGUARE QUI PER ...	KRUISLIJN ... X KNIPPEN AFKNIPPEN VOOR ...
AM STOFF BRUCH CHNBDEN D ALTEN	TAGUARE ... SULLA PIEGA ABITO ACCOMODARE	... AAN STOFVOUT LEGGEN JURK INHOUDEN
FF AG FFBRUCH, RUCH LINE	TESSUTO MOSTRA PIEGA, LINEA DI PIEGA	STOF BELEG STOFVOUT, VOUTLIJN
... ZWISCHENGRÖSSE KLBN E DAMEN	PER ... PER MEZZA TAGUA PER SIGNORA DI STATURA BASSA	VOOR ... VOOR HALFMATEN VOOR KLBN ERE DAMES
CRÄUSELN ENLAUF PLAGE FÜR PFLÖCHER	ARRICCIARE DRITTO FILO GUIDA PER ASOLE	RIMPELEN DRAADRICHTING SJAALOOM VOOR KNOOPSGAT
M LAGEHIER CHNBDEN LAGE	ORLO TAGUARE L'INTERFODERA A QUESTA LINEA INTERFODERA	ZOOM TOT DEZE LIJN TUSSENVOERING TUSSENVOERING
LESBTE VERLÄNGERN R VERKÜRZEN TER	LATO SINISTRO ALLUNGARE O ACCORCIARE QUI FODERA	LINKSEKANT HIER VERLENGEN OF VERKORTEN VOERING
EREKANTE AN LEGEN TE	BORDO INFERIORE LINEA DI SISTEMAZIONE REGA	ONDERKANT HIER AANLEGGEN PLOOI
HTE SEITE RUCH LINE T	LATO DESTRO LINEA DE ARROTOLARE CUCITURA	RECHTSEKANT OMSLA LIJN NIET PERGEN NAAID
ULTER SCHNITT STBFUNG	SPALLA APERTURA RINFORZO RIGIDO	SCHOUDE KNIPPEN VERSTEMIGENDE VOERING
PP LINE NEN TE	LINEA DI CUCITURA TIRARE RIPRESA	NAALIJN REK PLOOI
ERES OBERTBL ERKLBD NE UTTER	SOTTOCORRINO SOTTO L'ABITO CONTROFODERA	ONDERLIJFJE ONDERJURK ONDERVOERING
ERROCK REKANTE LENLINE	SOTTOGONNA BORDO SUPERIORE LINEA DEL LA VITA	ONDERROK BOVENKANT TAILLELIJN



Row B, Column 5

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com



Row C, Column 5

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

HEM 5/8" (1.5 CM)

CUT HERE FOR D

8

HEM 5/8" (1.5 CM)

CUT HERE FOR C

LENGTHEN OR SHORTEN HERE

8

HEM 5/8" (1.5 CM)

CUT HERE FOR C

LENGTHEN OR SHORTEN HERE


7

HEM 5/8" (1.5 CM)

CUT HERE FOR C

LENGTHEN OR SHORTEN HERE

8



Row A, Column 6

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

6
RUFFLE C
VOLANT
VOLANTE
RÜSCHE
VOLANT
CUT 2 ON FOLD
Butterick
B4910
Sizes (CL (6-7-8))

Row B, Column 6

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com




Row C, Column 6

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

HEM 5/8" (1.5 CM)

HEM 5/8" (1.5 CM)

GRAINLINE



Row A, Column 7

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

HEM 5/8" (1.5 CM)

Gather

HEM 5/8" (1.5 CM)

CUT HERE FOR B C D

HEM 5/8" (1.5 CM)


CUT HERE FOR B C D

HEM 5/8" (1.5 CM)

CUT HERE FOR B C D

Row B, Column 7

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com



Row C, Column 7

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

CUT HERE FOR A

CUT HERE FOR A

A PLACEMENT LINE

A PLACEMENT LINE

A PLACEMENT LINE

Sizes (CL (6-7-8))

B4910


Butterick

CUT 2


MANCHE
MANGA
ARMEL
MANICA

SLEEVE A B C D

3






6
7
8



Row A, Column 8

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com




Row B, Column 8

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

CENTER FRONT

LENGTHEN OR SHORTEN HERE

GRAINLINE




Row C, Column 8

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

FOLD LINE

WAIST LINE

CENTER BACK



Row A, Column 9

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com



C A B C D
T R I Q U E
S T I C O

ND (GUMMIBAND)
T I C O

Sizes (CL (6-7-8))

B4910

Butterick

8


Butterick

B4910

Sizes (CL (6-7-8))

CUT 2

RUFFLE B (PANTS)
VOLANT (PANTALON)
VOLANTE (PANTALONES)
RÜSCHE (HOSE)
VOLANT (PANTALON)



HEM 5/8" (1.5 CM)

HEM 5/8" (1.5 CM)

HEM 5/8" (1.5 CM)

CUT HERE FOR A

CUT HERE FOR A

CUT HERE FOR A


Row C, Column 9

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

CROTCH LINE

CROTCH LINE

CROTCH LINE



Row A, Column 10

HEM 5/8" (1.5 CM)

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

Gather



GUIDE FOR ELASTIC
GUIDE POUR ELASTIC
GUÍA PARA EL ELASTIC
MARKIERUNGSSBAND
GUIDA PER L'ELASTIC
CUT 1

4

HEM 5/8" (1.5 CM)

Gather



Row B, Column 10

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

FRONT AND BACK A B (PANTS)

DEVANT ET DOS (PANTALON)
FRENTE Y LA ESPALDA (PANTALONES)
VORDER- UND RÜCKENTEIL (HOSE)
DAVANTI E DIETRO (PANTALONI)

CUT 2

Butterick

B4910

Sizes (CL (6-7-8))

6


7



Row C, Column 10

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

LENGTHEN OR SHORTEN HERE



Row A, Column 11(c) Sizes

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com

Butterick

CUT 2 ON FOLD

RUFFLE B
VOLANT
VOLANTE
RÜSCHE
VOLANT

5

6
7
8


6
7
8



GRAINLINE


Row B, Column 11

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com





Row C, Column 11

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com




Row A, Column 12

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com



Row B, Column 12

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com



Row C, Column 12

Butterick 4910 Size:6-7-8 Part:1 www.printsew.com