

Butterick 5354 Size:6-12 Part:1 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select



Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.



PREPARATION DU PATRON



Indique: pointe de poitrine, lignes de taille, de hanches et/ou avant-bras. Ces mesures sont basées sur la circonférence du vêtement fini (Mesures du corps + Aisance confort + Aisance mode). Ajuster le patron si nécessaire.

Rallonger ou raccourcir aux lignes de rectification (—) ou à l'endroit indiqué sur le patron. Si le rallongement est important, un excès de tissu peut s'avérer nécessaire.

- * Rallonger - Couper entre les lignes de rectification. Espacer les bords (parallèlement) pour obtenir la longueur désirée.
- * Raccourcir - Former un pli à une des lignes de rectification. Exemple: pli de 1cm pour raccourcir de 2cm.

Reporter tous les repères sur l'envers du tissu avant d'enlever le patron. Les repères à reporter sur l'endroit seront marqués au fil.

Lignes de couture - à 15mm des bords coupés, sauf contre-indique: — V — -

Repère-bouton - indique emplacement exact. X

Repère-boutonnière - indique frangeur et emplacement. — | —

Repères - utilisés pour faire correspondre coutures et détails de construction. o ○ △ ◇ □

HEM 1 1/4" (3.2 CM)

Cut here for A C D



Buttonhole Marking - Indicates exact length and placement of buttonholes.

Symbols - For matching seams and construction details.

Centers, Foldlines, Placement lines, etc., are clearly marked; thread trace if desired.

10 40" (101CM)
12 42 1/2" (108CM)

ABRICS ONLY
ELASTICITE MOYENNE
CON ELASTICIDAD MODERADA
MÄSSIGER DEHNBARKEIT
STAMENTE ELASTICITA

LENGTHEN OR SHORTEN HERE

PREPARING PATTERN



Indicates the Bustline, Waistline and/or
Biceps. Measurements refer to circum-
ference of Finished Garment (Body Measure-
ment + Wearing Ease + Design Ease). Adjust
pattern if necessary.

Lengthen or Shorten at adjustment lines (==)
or where indicated on pattern. If substantial
length is added, you may need to purchase
additional fabric.

- To Lengthen - Slash between adjustment
lines. Spread amount as needed, keeping
edges parallel.

- To Shorten - Crease along adjustment line.
Make a fold half the amount needed.

Transfer all tissue markings to fabric before re-
moving pattern. Markings needed on right side
of fabric should be thread traced.

Seamlines - 5/8" (15mm) from cut - $\frac{1}{4}$ -

Button Marking - Indicates button

X

Row B, Column 1

Butterick 5354 Size:6-12 Part:1 www.printsew.com

6 33" (84CM)
8 34" (86CM)
10 35" (89CM)
12 36 1/2" (92CM)



WAISTLINE

CENTER FRONT ON FOLD

Row C, Column 1

Butterick 5354 Size:6-12 Part:1 www.printsew.com

6 38" (96CM)
8 39" (99CM)





Pattern Company
reserved
U.S.A.
PIECES

BUTTERICK

ON FOLD

TABCD



Row D, Column 1

Butterick 5354 Size:6-12 Part:1 www.printsew.com





Row A, Column 2

Butterick 5354 Size:6-12 Part:1 www.printsew.com

Lignes des pliures, emplacements, et milieux,
sont imprimées clairement; si desiré, les
marquer au fil.

Row B, Column 2

Butterick 5354 Size:6-12 Part:1 www.printsew.com



FOR MODERATE STRETCH FABRIC
UNIQUEMENT POUR TISSU A
SOLAMENTE PARA TELLAS O
NUR FÜR STOFF MIT MITTELN
SOLO PER TISSUTO MODERATA

AA (6-8-10-12)

Row C, Column 2

Butterick 5354 Size:6-12 Part:1 www.printsew.com

All Rights Reserved

© 2009 The McCall Company

BUT

CUT 1

DAVANT


VORDETE

FRENTE

DEVANT

FRONT

1



MOST
FABRIC CUT
INTERFACING: CO


701.0

Row D, Column 2

Butterick 5354 Size:6-12 Part:1 www.printsew.com

Row A, Column 3

Butterick 5354 Size:6-12 Part:1 www.printsew.com



This neckline is 1 1/2" (3.8 CM) below base of neck

Cette ligne d'encolure est à 3.8 CM au-dessous de la base du cou

Este escote queda 3.8 CM por debajo de la base del cuello

Diese Linie ist 3.8 CM unterhalb des normalen Halsausschnittes

Questa scollatura è a 3.8 CM di distanza dalla base del collo

3

BACK A B C D

DOS

ESPALDA

RÜCKENTEIL

DIETRO

CUT 1 ON FOLD

Butterick

B5354

Sizes (AA (6-8-10-12))

FOR MODERATE STRETCH FABRICS ONLY

UNIQUEMENT POUR TISSU A ELASTICITE MOYENNE

SOLAMENTE PARA TELLAS CON ELASTICIDAD MODERADA

NUR FÜR STOFF MIT MITTELMÄSSIGER DEHNBARKEIT

SOLO PER TISSUTO MODERATAMENTE ELASTICITA

A B HEM 5/8" (1.5 CM)

12
10
8
6
10
8
6



CENTER BACK ON FOLD

LENGTHEN OR SHORTEN HERE

WAISTLINE

PATTERN
GLOSSARY

GLOSSAIRE
DU PATRON

GLOSARIO
DEL PATRON

SCHNITT-
ERKLÄRUNGEN

ENGLISH	FRANCAIS	ESPANOL	DEUTSCH
APPLIQUE BLOUSING CASING CENTER	APPLIQUE PARTIE BLOUSANTE COUISSE MILIEU	APPLICACION ABLUSADO JARETA CENTRO	APPLIKATION ÜBERFALL FÜR DURCHZUG MITTE
CENTER BACK CENTER FRONT CONTRAST	MILIEU DOS MILIEU DEVANT CONTRASTE	CENTRO DE LA ESPALDA CENTRO DEL FRENTE CONTRASTE	RÜCKW. MITTE VORDERE MITTE KONTRAST
CROTCH LINE CUT _ CUT OFF FOR _	LIGNE DE FOURCHE COUPER _ COUPER ICI POUR _	LÍNEA DEL TIRO CORTAR _ CORTAR AQUÍ PARA _	SCHRITTLINIE _ X ZUSCHNEIDEN ABSCHNITTEN FÜR _
CUT _ ON FOLD DRESS EASE	COUPER _ SUR LA PLOURE ROBE SOUTENIR	CORTAR _ AL DOBLEZ VESTIDO ACOMODAR	_ X AM STOFF BRUCH ZUSCHNEIDEN KLEID BINHALTEN
FABRIC FACING FOLD EDGE LINE	TISSU PAREMENTURE PLOURE LIGNE	TELA VISTA DOBLEZ LÍNEA DEL	STOFF BELAG STOFFBRUCH

Row C, Column 3

Butterick 5354 Size:6-12 Part:1 www.printsew.com

column 3 FOR THE SIZE Size:6-12 Part:1 www.printsew.com	DE PUIRE	DOBLEZ	UMBR HUNIE
	POUR — POUR DEM TAILLE	PARA — PARA TALLA MEDIA PARA SENO JÓVEN (ESTATURA BAJA)	FÜR — FÜR ZWISCHENGROSSE FÜR KLEINE DAMEN
GATHER GRAIN LINE, GRAIN GUIDE FOR BUTTONHOLES	FRONCER DROIT FIL PIECE GUIDE POUR BOUTONNIERES	FRUNCIR HILO DE LA TELA GUÍA PARA LOS OJALES	EINKRÄUSELN FADENLAUF VORLAGE FÜR KNOPFLOCHER
HEM INTERFACE TO THIS LINE INTERFACING	OURLET COUPER ICI POUR ENTOLAGE ENTOLAGE	DOBLADILLO CORTAR AQUÍ PARA LA ENTRETELA ENTRETELA	SAUM EINLAGEHIER ABSCHNITTEN EINLAGE
LEFT SIDE LENGTHEN OR SHORTEN HERE LINING	CÔTÉ GAUCHE RALLONGER OU RACCOURCIR ICI DOUBLURE	COSTADO IZQUIERDO ALARGAR O ACORTAR AQUÍ FORRO	LINKSEITE HIER VERLÄNGERN ODER VERKÜRZEN FUTTER
LOWER EDGE PLACEMENT LINE PLEAT	BORD INFÉRIEUR LIGNE D'EMPLACEMENT PLI	BORDER INFERIOR LINEA DE COLOCACION PLIEGUE	UNTERE KANTE HIER ANLEGEN FALTE
RIGHT SIDE ROLL LINE SEAM	CÔTÉ DROIT LIGNE DE PUIRE NON REPASSEE COUTURE	COSTADO DERECHO LINEA DE DOBLAR SIN PLANCHAR COSTURA	RECHTE SEITE UMBRUCH LINE NAHT
SHOULDER SLASH STIFFENING	ÉPAULE FENDRE ENTOILAGE RAIDE	HOMBRO DAR UN CORTE ATIESADOR	SCHULTER EINSCHNITT VERSTÄRFUNG
STITCHING LINE STRETCH TUCK	LIGNE DE FIGURE ÉTIRER PLI	LÍNEA DE PUNTADAS ESTIRAR ALFORZA	STEPPLINE DEHNEN FALTE
UNDERBODICE UNDERDRESS UNDERLINING	DESSOUS DE CORSAGE DESSOUS DE ROBE TRIPLURE	CORPINO INTERIOR VESTIDO INTERIOR REFUERZO	INNERES OBERTEL UNTERKLEID INNENFUTTER
UNDERSKIRT UPPER EDGE WASTUNE	DESSOUS DE JUPE BORD SUPÉRIEUR LIGNE DE TAILLE	ENAGUA BORDE SUPERIOR LINEA DE LA CINTURA	UNTERROCK OBERE KANTE TALLENLINIE

Cut here for A C D

HEM 1 1/4" (3.2 CM)


Row D, Column 3

Butterick 5354 Size:6-12 Part:1 www.printsew.com

HEM 1 1/4" (3.2 CM)

Row A, Column 4

Butterick 5354 Size:6-12 Part:1 www.printsew.com



Row B, Column 4

Butterick 5354 Size:6-12 Part:1 www.printsew.com

FOR
UNIQ
SOLA
NUR
SOLO

PATTERN GLOSSARY

ENGLISH

APPLIQUE
BLOUSING
CASING
CENTER

CENTER BACK
CENTER FRONT
CONTRAST

CROTCH LINE
CUT _
CUT OFF FOR _

CUT _ ON FOLD

DRESS
EASE

FABRIC
FACING
FOLD, FOLDUNE


FOR _
FOR HALF SIZE
FOR MISSES' PETITE

GATHER
GRAIN LINE, GRAIN
GUIDE FOR
BUTTONHOLES

HEM
INTERFACE TO

Row C, Column 4

Butterick 5354 Size:6-12 Part:1 www.printsew.com




THIS LINE INTERFACING	
LEFT SIDE LENGTHEN OR SHORTEN HERE UNING	
LOWER EDGE PLACEMENT LINE PLEAT	
RIGHTSIDE ROLL LINE	
SEAM	
SHOULDER SLASH STIFFENING	
STITCHING LINE STRETCH TUCK	
UNDERBODICE UNDERDRESS UNDERLINING	
UNDERSKIRT UPPER EDGE WASTUNE	

Row D, Column 4

Butterick 5354 Size:6-12 Part:1 www.printsew.com

Row A, Column 5

Butterick 5354 Size:6-12 Part:1 www.printsew.com



Row B, Column 5

Butterick 5354 Size:6-12 Part:1 www.printsew.com

Butterick

B5354

Sizes (AA (6-8-10-12))

MODERATE STRETCH FABRICS ONLY
UMENT POUR TISSU A ELASTICITE MOYENNE
AMENTE PARA TELLAS CON ELASTICIDAD MODERADA
FÜR STOFF MIT MITTELMÄSSIGER DEHNBARKEIT
D PER TISSUTO MODERATAMENTE ELASTICITA



6 11 1/4" (28CM)
8 11 5/8" (29CM)
10 12" (30CM)
12 12 1/2" (32CM)


GLOSSARIO PATROON-
PER MODELLI VERKLARINGEN

ITALIANO	NEDERLANDS
APPLICAZIONE BLUSANTE GUAINA CENTRO	APPLIQUE BLOESEND TUNNEL/GOOTJE MIDDEN
CENTRO DIETRO CENTRO DAVANTI CONTRASTO	MIDDEN ACHTER MIDDEN DELFRONT KONTRAST
LINEA DEL CAVALLO TAGUARE ... TAGUARE QUI PER ...	KRUISLIJN ... X KNIPPEN AFKNIPPEN VOOR ...
TAGUARE ... SULLA PIEGA ABITO ACCOMODARE	... AAN STOFVUW LEGGEN JURK INHOUDEN
TESSUTO MOSTRA PIEGA, LINEA DI PIEGA	STOF BELEG STOFVUW, VOUWLIJN
PER ... PER MEZZA TAGLIA PER SIGNORA DI STATURA BASSA	VOOR ... VOOR HALFMATEN VOOR KLEINERE DAMES
ARRICCIARE DRITTO FILO GUIDA PER ASOLE	RIJPELEN DRAADRICHTING SJAALOOIJN VOOR KNOOPGAT
ORLO TAGUARE L'INTERFERA	ZOOM ... OT DEZE LIJN

GRAINLINE


A QUESTA LINEA INTERFODERA	TUSSENVOERING
Row C, Column 5	ANT
Butterick 5354 Size:6-12 Part:1 www.printsew.com	
FODERA	VOERING
BORDO INFERIORE LINEA DI SISTEMAZIONE REGIA	ONDERKANT HIER AANLEGGEN PLOOI
TO DESTRO LINEA DE ARROTOLARE CUCITURA	RECHTSEKANT OMSLA UJN NIET PERS EN NAAD
SPALLA APERTURA RINFORZO RIGIDO	SCHOU DER KNIP PEN VERSTEMIGEN DE VOERING
LINEA DI CUCITURA TIRARE RIPRESA	NAAI UJN REK P LOOI
SOTTOCORMINO SOTTO L'ABITO CONTROFODERA	ON DER UJFJE ON DER JURK ON DER VOERING
SOTTOGONNA BORDO SUPERIORE LINEA DEL LA VITA	ON DER ROK BOVENKANT TAILLE UJN

LENGTHEN OR SHORTEN HERE




Row D, Column 5

Butterick 5354 Size:6-12 Part:1 www.printsew.com




Row A, Column 6

Butterick 5354 Size:6-12 Part:1 www.printsew.com



Row B, Column 6

Butterick 5354 Size:6-12 Part:1 www.printsew.com



Row C, Column 6

Butterick 5354 Size:6-12 Part:1 www.printsew.com

Row D, Column 6

Butterick 5354 Size:6-12 Part:1 www.printsew.com