

Simplicity 1606 Size:4-12 Part:2 Paper:a4

Generated by printsew.com

Patent No: 7,716,143

Any reproduction and/or redistribution is strictly prohibited.

PRINT THIS PAGE FIRST! To make sure your printer setup correctly.
The below square should measure 1 inch x 1 inch (2.54 cm x 2.54 cm) after printing.
Allow square to have 1/16 inch (2 mm) deviation for printer calibration differences.

select

Make sure your printer is set to the same paper size that you

To save ink, set your printer to Draft or Fast Draft.

1606

Simplicity

AmazingFit
COLLECTION



A



B



C

Individual Pattern
pieces given for A,B,C,D
Cup Sizes

**PRINCESS
SEAMS**

ON BODICE
AND OVERLAY
FOLLOW
CONTOURS
SMOOTHLY


**WAISTLINE
SEAM**


SITS AT THE
NATURAL
WAISTLINE

**CIRCULAR
SKIRT**

FINISHES JUST
BELOW KNEE









Row C, Column 1

Simplicity 1606 Size:4-12 Part:2 www.printsew.com




Simplicity®


1606 - MISS D CUP

SIZES/TAILLES/TALLAS

4, 6, 8, 10, 12


BODICE FRONT






Row E, Column 1


Simplicity 1606 Size:4-12 Part:2 www.printsew.com



Row A, Column 2

Simplicity 1606 Size:4-12 Part:2 www.printsew.com





CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MITTEL STOFFVUW
MITTEL STOEERBRUCH

CONTRASTANT
CONTRASTANTE

C -

GNINI

FABRIC

Row C, Column 2

Simplicity 1606 Size:4-12 Part:2 www.printsew.com


DEVANT DU CORSAGE
FRENTE DEL CORPINO

CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE DU TISSU
CORTE 1 EN DOBLEZ DE TELA

CUT 1 ON FOLD
COUPEZ 1 SUR LA PLIURE DU TISSU
CORTE 1 EN DOBLEZ DE TELA

FRONT OVERLAY
PIECE DESSUS DU DEVANT
SOBREPUESTO PARA EL FRENTE

CUT 1 ON FOLD OF
COUPEZ 1 SUR LA PLIURE DU TISSU
CORTE 1 EN EL DOBLEZ DE TELA



3/8 IN. SEAM ALLOWANCE - B
VALEUR DE COUTURE DE 1.0 CM
MARGEN DE COSTURA DE 1.0 CM

Simplicity®

1606 - MISS C CUP

SIZES/TAILLES/TALLAS

4, 6, 8, 10, 12

BODICE FRONT - B

DEVANT DU CORSAGE
FRENTE DEL CORPINO

CUT 1 ON FOLD OF FABRIC
COUPEZ 1 SUR LA PLIURE DANS DU TISSU
CORTE 1 EN DOBLEZ DE TELA

CUT 1 ON FOLD OF LINING
COUPEZ 1 SUR LA PLIURE DU DOUBLURE
CORTE 1 EN DOBLEZ DE FORRO


FRONT OVERLAY - C

PIECE DESSUS DU DEVANT
SOBREPUESTO PARA EL FRENTE

CUT 1 ON FOLD OF CONTRAST

COUPEZ 1 SUR LA PLIURE EN TISSU CONTRASTANT
CORTE 1 EN EL DOBLEZ DE TELA CONTRASTANTE

CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH




CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MITTEL STOFFVORW

CUT 1 ON FOLD OF Lining
COUPEZ 1 SUR LA PLIURE DANS DU TISSU
CORTE 1 EN DOBLEZ DE TELA

CUT 1 ON FOLD OF Lining
COUPEZ 1 SUR LA PLIURE DU DOUBLURE
CORTE 1 EN DOBLEZ DE FORRO

FRONT OVERLAY - C
PIECE DESSUS DU DEVANT
SOBREPUESTO PARA EL FRENTE

CUT 1 ON FOLD OF CONTRAST
COUPEZ 1 SUR LA PLIURE EN TISSU CONTRASTANT
CORTE 1 EN EL DOBLEZ DE TELA CONTRASTANTE



3/8 IN. SEAM ALLOWANCE - B
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.

Simplicity®

1606 - MISS A CUP

SIZES/TALLES/TALLAS
4, 6, 8, 10, 12

BODICE FRONT -

DEVANT DU CORSAJE
FRENTE DEL CORPINO

CUT 1 ON FOLD OF F
COUPEZ 1 SUR LA PLIURE DANS DU TIS
CORTE 1 EN DOBLEZ DE TELA

CUT 1 ON FOLD OF L
COUPEZ 1 SUR LA PLIURE DU DOUBLUR
CORTE 1 EN DOBLEZ DE FORRO

FRONT OVERLAY -

PIECE DESSUS DU DEVANT
SOBREPUESTO PARA EL FRENTE

CUT 1 ON FOLD OF
COUPEZ 1 SUR LA PLIURE EN TISS
CORTE 1 EN EL DOBLEZ DE TELA

Row E, Column 2

Simplicity 1606 Size:4-12 Part:2 www.printsew.com

ALLOWANCE - B 8 6 4

B

FABRIC


LINING


Y - C

IF CONTRAST
SU CON IASTANT
CONF STANTE

CENTER FOLD
PLIURE DU MILIEU
PLIEGUE DEL CENTRO
MIDDLE STOFFVOUW
MITTEL STOFFBRUCH









Row C, Column 3

Simplicity 1606 Size:4-12 Part:2 www.printsew.com


ADJUST LINE
LIGNE C
VERANE
ANDERL
SLINIE F
INGSLIJ
JUSTE
AJUSTE
JUSTAGE
BNT



1000
D5(4-12)
0 0 6 6


■ Simplicity 1606 Size:4-12 Part:2 www.printsew.com

■ Simplicity 1606 Size:4-12 Part:2 www.printsew.com



Row E, Column 3

Simplicity 1606 Size:4-12 Part:2 www.printsew.com



Row A, Column 4

Simplicity 1606 Size:4-12 Part:2 www.printsew.com

DES MESURES DU CORP
EST APPROXIMATIVEMENT: 7.5 CM
* LA HOLGURA TOTAL ADEMÁS
DE LAS MEDIDAS DEL CUERPO
ES APROXIMADAMENTE DE: 7.5 CM

CINTURA	66 CM	71 CM
TAILLE	26"	28"
TAILLEN	9	10

6 5

4	25"	63.5 CM	WAIST
8	27"	68.5 CM	TAILLE
12	29 1/2"	75 CM	CINTURA
			TAILLE
			TAILLEN

*TOTAL EASE ABOVE
BODY MEASUREMENT IS
APPROXIMATELY: 3 IN
*L'AISSANCE TOTAL EN PLUS
DES MESURES DU CORP
EST APPROXIMATIVEMENT: 7.5 CM
*LA HOLGURA TOTAL ADEMÁS
DE LAS MEDIDAS DEL CUERPO
ES APROXIMADAMENTE DE: 7.5 CM

ADJUSTMENT LINE FOR MISS PETITE
LIGNE D'AJUSTAGE POUR PETITE JEUNE FEMME
LINEA DE AJUSTE PARA SEÑORITA PEQUEÑA
VERANDERINGSLIJN VOOR SIERLIJK FIGUUR
ÄNDERUNGSLINIE FÜR ZIERLICHE FIGUR

FOR 45" WIDE FABRIC

FOR 60"

1 IN. SEAM ALLOWANCE
1 IN. SEAM ALLOWANCE
1 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 2.5
MARGEN DE COSTURA DE 2.5

CUT 2 OF CONTRAST FABRIC
COUPEZ 2 DU TISSU CONTRASTANT
CORTE 2 DE TELA CONTRASTANTE

The diagram illustrates the waist measurement process for a skirt pattern. It shows a trapezoidal shape representing the skirt piece. At the top, there are two horizontal arrows indicating the required fabric width: "FOR 45\"

Row C, Column 4

Simplicity 1606 Size:4-12 Part:2 www.printsew.com

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.

CUT 1
COUPEZ 1
CORTE 1

12

1606

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE

1 IN. SEAM ALLOWANCE

VALEUR DE COUTURE DE 2.5 CM.
MARGEN DE COSTURA DE 2.5 CM.
NOTESLAG
FUGABE

Row D, Column 4

Simplicity 1606 Size:4-12 Part:2 www.printsew.com

Simplicity®

1606 – MISS

SIZES/TAILLES/TALLAS

4, 6, 8, 10, 12

7

SKIRT BACK – A, B, C

DOS DE LA JUPE

ATRAS DE LA FALDA

ACHTERKANT ROK

HINTERE ROCKBAHN

CUT 2 OF FABRIC

COUPEZ 2 DANS DU TISSU

CORTE 2 DE TELA

KNIP 2 DE STOF

SCHNEIDEN 2 AUS DEM STOFF

CUT 2 OF CONTRAST FABRIC – C

COUPEZ 2 DU TISSU CONTRASTANT

CORTE 2 DE TELA CONTRASTANTE

KNIP 2 IN KONTRAST

2 AUS KONTRAST SCHNEIDEN

Row E, Column 4

Simplicity 1606 Size:4-12 Part:2 www.printsew.com


TAILLE
CINTURA
RIEM LIJN
TAILLENL


CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS
MIDDEN ACHTER
RUCKWARTIGE MITTE

MISSES SIZES

8 10 12







Row C, Column 5

Simplicity 1606 Size: 4-12 Part: 2 www.printsew.com

3/8 IN.

ALLOWANCE

Simplicity®

1606 - MISS

ALL SIZES

ALL SIZES

ALL SIZES

NOT - B

END

Row D, Column 5

Simplicity 1606 Size:4-12 Part:2 www.printsew.com



FOR 45" WIDE FABRIC



FOR 60" WIDE FABRIC

LY

Row E, Column 5

Simplicity 1606 Size:4-12 Part:2 www.printsew.com

MISS PETITE

4 6 8 10 12

CENTER BACK SEAM
COUTURE DU MILIEU DU DOS
COSTURA DEL CENTRO DE ATRAS
MIDDEWACHTERNAAD
RÜCKWÄRTIGE MITTELNAHT

Simplicity®

1606 - MISS D CUP

SIZES/TAILLES/TALLAS

4, 8, 12

9-D

BODICE SIDE FRONT - B

COTE DEVANT DU CORSAGE

COSTADO DEL FRENTE DEL CORPINO

CUT 2 OF FABRIC

COUPEZ 2 DANS DU TISSU

CORTE 2 DE TELA

CUT 2 OF LINING

COUPEZ 2 DANS DE LA DOUBLURE

CORTE 2 DEL FORRO

SIDE FRONT OVERLAY - C

COTE DU DOS PIEGE RAPPORTEE

COSTADO DEL FRENTE PIEZA SOBREPUESTA

CUT 2 OF CONTRAST FABRIC

COUPEZ 2 DU TISSU CONTRASTANT

CORTE 2 DE TELA CONTRASTANTE

FOR 60" WIDE FABRIC

SEAM ALLOWANCE - C - B

3/8 IN. SEAM ALLOWANCE - B

FINISHED

GARMENTS MEASUREMENTS

BUST

POITRINE

BUSTO

4 34 1/2" 87.5 CM


8 36 1/2" 92.5 CM

12 39" 99 CM

SEAM ALLOWANCE OF 2.5 CM.

SEAM ALLOWANCE

SEAM ALLOWANCE



Simplicity®

1606 - MISS D CUP

SIZES/TAILLES/TALLAS

6, 10

9-D

BODICE SIDE FRONT - B

COTE DEVANT DU CORSAGE

COSTADO DEL FRENTE DEL CORPINO

CUT 2 OF FABRIC

COUPEZ 2 DANS DU TISSU

CORTE 2 DE TELA

CUT 2 OF LINING

COUPEZ 2 DANS DE LA DOUBLURE

CORTE 2 DEL FORRO

SIDE FRONT OVERLAY - C

COTE DU DOS PIEGE RAPPORTEE

COSTADO DEL FRENTE PIEZA SOBREPUESTA

CUT 2 OF CONTRAST FABRIC

COUPEZ 2 DU TISSU CONTRASTANT

CORTE 2 DE TELA CONTRASTANTE

FINISHED

GARMENTS MEASUREMENTS

BUST

POITRINE

BUSTO

6 35 1/2" 90 CM

10 37 1/2" 95 CM

1/4" SEAM ALLOWANCE
1/4" DE COUTURE DE 2,5 CM

1/4" SEAM ALLOWANCE

3/8" IN. SEAM ALLOWANCE - B
3/8" IN. HEM ALLOWED - C

12
10
8
6


Row C, Column 6

Simplicity 1606 Size:4-12 Part:2 www.printsew.com

5/8" IN. HEM ALLOWED FOR SKIRT
DOUBLET DE 1.5 CM. POUR LA JUPE
DOBLADILLO DE 1.5 CM. PARA FALDA

Row D, Column 6

Simplicity 1606 Size:4-12 Part:2 www.printsew.com




Row E, Column 6

Simplicity 1606 Size:4-12 Part:2 www.printsew.com


Row A, Column 7

Simplicity 1606 Size:4-12 Part:2 www.printsew.com



Row B, Column 7

Simplicity 1606 Size:4-12 Part:2 www.printsew.com




IN. SEAM ALLOWANCE
EUR DE COUTURE DE 1.0 CM.
EN DE COSTURA DE 1.0 CM.
D'OEUSLAG
TSUGABE

KNIPPEN 1
SCHNEIDEN 1

Row C, Column 7

Simplicity 1606 Size:4-12 Part:2 www.printsew.com



Simplicity 1606 Size:4-12 Part:2 www.printsew.com

Simplicity 1606 Size:4-12 Part:2 www.printsew.com

3/8 IN. HEM ALLOWED FOR SKIRT OVERLAY - C
DURLET DE 1.0 CM. POUR LA JUPE PIEGE RAPPEUESTA
DOBLADILLO DE 1.0 CM.

[illegible]

ST FABRIC



Row E, Column 7

Simplicity 1606 Size:4-12 Part:2 www.printsew.com

Row A, Column 8

Simplicity 1606 Size:4-12 Part:2 www.printsew.com



Row B, Column 8

Simplicity 1606 Size:4-12 Part:2 www.printsew.com

3/8 IN. SEAM ALLOWANCE
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

Simplicity®

1606 – MISS

ALL SIZES

TOUTES TAILLES

TODAS LAS TALLAS

ALLES GROOTTE

ALLES GROBE


BOW – B

BOUCLE

LAZO

STRIK

SCHLEIFE




CUT 1

COUPÉZ 1
COPT 1

Row C, Column 8

Simplicity 1606 Size:4-12 Part:2 www.printsew.com



Row D, Column 8

Simplicity 1606 Size: 4-12 Part: 2 www.printsew.com

CUT 2 OF CONTRA
COUPEZ 2 DU TISSU CONTRANT

PIECE DESSUS DU DOS
SOBREPUESTO PARA LA ESPALDA

BACK OVERLAY -

CUT 2 OF LINING
COUPEZ 2 DANS DE LA DOUBLURE
CORTE 2 DEL FORRO

CUT 2 OF FABRIC
COUPEZ 2 DANS DU TISSU
CORTE 2 DE TELA

DOS DU CORSAJE
ATRAS DEL CORPINO

BODICE BACK - B

SIZES/TALLAS/TALLAS
4, 6, 8, 10, 12

1606 - MISS
Simplicity®

CENTER BACK
MILIEU DU DOS
CENTRO DE ATRAS
MITTEN ACHTER
RUCKWARTIGE MITTE

4 3/8 IN. SEAM ALLOWANCE - B
VALEUR DE COUTURE DE 1.0 CM.
MARGEN DE COSTURA DE 1.0 CM.
NAADTOESLAG
NAHTSUGABE

3/8 IN. HEM ALLOWED - C

6 3/8 IN. SEAM ALLOWANCE - B

8 3/8 IN. SEAM ALLOWANCE - B

10 3/8 IN. SEAM ALLOWANCE - B

12 3/8 IN. SEAM ALLOWANCE - B

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

3/8 IN. HEM ALLOWED - C

Row E, Column 8

Simplicity 1606 Size:4-12 Part:2 www.printsew.com