



Freya and Sarah co-own Crafty Sew & So, a Leicester-based fabric shop and sewing studio. They launched their pattern range, My Handmade Wardrobe Patterns, in January 2018 and design modern sewing patterns that everyone can sew. Visit www.craftysewandso.com for more!


We love
STYLE



Funnel neck **JUMPER**


This boxy jumper featuring bell sleeves, side splits and a neat funnel neck, is a stylish and modern take on a cosy spring layering staple!

Project **FREYA GILBERT & SARAH WADEY**
from Crafty Sew & So (www.craftysewandso.com)
My Handmade Wardrobe Patterns



LAYPLAN:

Fabric 150cm/60ins wide
Sizes XS-M



SIZE CHART (IN CM)

Size	XS	S	M	L	XL	XXL
Bust	82	92	102	114	126	138
Waist	66	76	86	99	109	120
Hip	90	100	110	120	130	140

MATERIALS & TOOLS:

- 180cm of 150cm/60"-wide fabric for main body (see fabric notes)
- 25cm stretch knit interfacing
- Templates downloaded from www.craftworld.com/cms/love-sewing

NOTES:






Any stable stretch knit fabric including true knit, sweat, French terry, jacquard jersey, ponti roma
All seam allowances are 1.5cm unless stated otherwise

We recommend using an overlocker and stretch/zigzag stitch on a sewing machine to construct the garment. All fabrics are placed right sides together before sewing, unless stated otherwise

HOW TO MAKE:

- 1 Join the front and the back at the shoulder seams. (See pics A & B.)
- 2 Join the short edges of the neck band to create a circle. Fold this with wrong sides

- together and baste the raw edges together. (See Pic C.)
- 3 Divide the neckband into quarters and mark with a small snipped notch. (See Pic D.)
 - 4 Attach the neckband to the main body neckline, matching the snipped notches with the centre front notch, centre back notch and shoulder seams. Stitch to secure. (See Pic E.)
 - 5 Open out the front and the back of the garment and place on a flat surface with the right side facing up. Match the notch in the centre of the sleeve head with the shoulder seam then, matching the under arm of the sleeve and body pieces, ease the sleeve head into the armhole using lots of pins. (See pics F to H.)
 - 6 Stitch in place.
 - 7 Apply interfacing to the hem facing panels.
 - 8 Finish the top raw edge of each of the hem facings. (See Pic I.)



9 Place the hem-facing panel right sides together over the front hem, aligning the hem edges, and join at the lower edge. Repeat to the back hem facing.

10 Next, join the facing to the main body stitching up to the side notches only. Snip into the side seam allowances at the notch to release them.

(See pics J & K.)

11 Join the front to the back at the sleeve and side seams, stitch down to the side seam splits only. If overlocking, press the seam to one side, if using a sewing machine, press the seam open.

12 Join the facings at the top just above the side splits. If overlocking, press the seam to the opposite side of the main body, if using a sewing machine, press the seam open. (See Pic L.)

13 Snip the corners of the seam allowances diagonally at the side splits and turn through to create sharp corners. Press firmly, using steam and a pressing cloth.

(See pics M to O.)

14 Mark the hem topstitching lines onto the outside of the hem with removable marker like chalk or a fabric pen. Tack the facing to the main body and then topstitch following your marked lines. (See pics P & Q.)

15 Join the short edges of the cuff to create a circle. Fold this with wrong sides together. (See Pic R.)

16 Divide the neckband into quarters and mark with a small

snipped notch as you did for the neckband.

17 Work two rows of gathering stitches around the hem of the sleeve.


18 With Raw edges aligning and matching notches, slip the cuff inside the sleeve. (See Pic S.)

19 Evenly gather the sleeve fabric until it fits the cuff. Use lots of pins to secure and stitch. It is easiest to do this with the flat side of the fabric facing up. (See pics T & U.)



Shopping list

Camel True Knit, £12 per metre
www.craftysewandso.com




MARK A NOTCH AT THE CENTRE BACK




ACE ON FOLD

MHW037 BOXY FUNNEL NECK JUMPER


PATTERN IS PRINTED
TO SCALE IF THIS
SQUARE MEASURES
3CM X 3CM





MARK A NOTCH AT THE CENTRE FRONT

ON FOLD



└─┘

(5, 1)

└─┘

└─┘


PLA



MHW037 BOXY FUNNEL NECK JUMPER
BACK
CUT 1 ON FOLD

1.5CM SEAM ALLOWANCE

B




PLACE

MHW037 BOXY FUNNEL NECK JUMPER
FRONT
CUT 1 ON FOLD


1.5CM SEAM ALLOWANCE

A



$\begin{array}{c} | \\ + \\ | \end{array}$ (5, 2) $\begin{array}{c} | \\ | \\ + \end{array}$

$\begin{array}{c} + \\ | \end{array}$ $\begin{array}{c} | \\ + \end{array}$



PLACE ON FOLD





MHW037 BOXY FUNNEL NECK JUMPER
HEM FACING
CUT 2 ON FOLD
PLUS 2 ON FOLD IN INTERFACING


1.5CM SEAM ALLOWANCE

C









⊕ (5, 3) ⊖

⊕ ⊖





(2, 4)






(3, 4)



MHW037 BOXY FUNNEL NECK J



┌ (5, 4) ┐

UMPER
└



MHW03
SLEEVE
CUT 2

1.5CM



7 BOXY FUNNEL NECK JUMPER


SEAM ALLOWANCE

Pattern Size Key

SIZE XS - - - - -

SIZE S - - - - -

SIZE M - - - - -




└┐

(4, 1)

+

└

(1, 2)




D



SIZE **L** - - - - -
SIZE **XL** —————
SIZE **XXL** - - - - -






$\begin{matrix} | \\ + \\ - \end{matrix}$ (4, 2) $\begin{matrix} | \\ - \\ + \end{matrix}$

$\begin{matrix} + \\ - \\ | \end{matrix}$ $\begin{matrix} - \\ + \\ | \end{matrix}$

(1, 3)






MHW037 BOXY FUNNEL NECK JUMPER
CUFF
CUT 2

1.5CM SEAM ALLOWANCE


FOLDLINE

E






(1, 4)



(2, 4)



MHW037 BOXY FUNNEL NECK JUMPER
NECK BAND
CUT 1

1.5CM SEAM ALLOWANCE

F



(3, 4)



DIRECTION OF STRETCH



