

We love
STYLE

Into the **BLUE**

Sew these classic fitted trousers in a cotton sateen for a slight stretch and added comfort

Project **JULIA CLARIDGE**
www.bobbinsnbuttons.co.uk




ABOUT **BOBBINS & BUTTONS**

Bobbins & Buttons is a hub of sewing based in the East Midlands, offering own-brand patterns, fabric and workshops. Julia designs a range of sewing patterns for all the family. Styles are versatile, adaptable and easy to make. A collection of fabric that suits the sewing patterns is available. Julia offers sewing classes that are flexible to your skill level and geared towards what you would like to learn.

For more information
visit Julia's website
www.bobbinsnbuttons.co.uk






MATERIALS & TOOLS:

- cotton sateen fabric – Sizes 8-16 – 1.20m x 140cm wide
Sizes 16-20 – 2.20m x 140cm wide
- fusible interfacing
- hook & bar
- 20cm invisible zip
- templates downloaded from www.craftworld.com/cms/love-sewing

LAYPLAN



NOTES

Use a 1.5cm seam allowance except where otherwise stated. Apply interfacing to the waistband.

CUTTING

From main fabric, cut:

- pair fronts
- pair backs
- waistband

From interfacing, cut:

- waistband (half width)

HOW TO MAKE

- Following the pattern markings, make the darts in the front and back panels, then press darts towards the centre. With RST, pin and stitch the centre front seam, neaten raw edges. Do the same with the centre back seams. (See Pic A.)
- Neaten the edges of the side seams. With RST, pin the zip to the front left-hand side (as worn) of the trousers. Using a zip foot, stitch the zip close to the zip teeth. Pin the other edge of the zip RST

to the corresponding back panel, stitch. (See Pic B.)

- With RST, pin the seam below the zip, starting from just above the end of the zip and with the zip foot still attached. Stitch the side seam. With RST, pin and stitch the other side seam. (See Pic C.)

- Press seams open. With centre back and front seams matched, and with RST, pin and stitch the inside leg seam. (See Pic D.)

- Fold and press the waistband in half along the length, then turn and press the seam allowance on the non-interfaced edge of the waistband. With RST, pin the interfaced waistband edge to the waist edge. The waistband should extend 1.5cm beyond the zip (zip tucked in towards the garment) on the left-hand side and a few centimetres more at the other end. Stitch and press the seam in towards the waistband. (See Pic E.)

Shopping list


Peacock blue cotton sateen,
£10 per metre
www.bobbinsnbuttons.co.uk

- Fold the waistband ends back so the right sides are together, with the seam allowance on the non-interfaced side remaining pressed inwards, pin the ends of the waistbands. The left-hand side (as worn) should line up with the zip and the other side a few cm longer. Stitch, trim and turn to the right side. (See Pic F.)
- Press the waistband so that the waist seam is pushed inside the waistband, pin the folded edge of the unstitched waistband in line with the waist seam. Slip-stitch the waistband in place. Hand stitch a hook and bar above the zip. (See Pic G.)
- Neaten the raw edges of the hems. Turn and press a 2.5cm single turned hem, hand stitch or machine stitch to complete. (See Pic H.)


GARMENT MEASUREMENTS

	8	10	12	14	16	18	20
Waist	62cm	67cm	72cm	77cm	82cm	87cm	92cm
Hips	91cm	96cm	101cm	106cm	111cm	116cm	121cm
Length from under waistband to hem	92cm	93cm	94cm	95cm	96cm	97cm	98cm


Teal Capri Trousers



1



2





3




WAISTBAND
CUT X 1 ON FOLD

4



5



6




7





9



10





12






14



BACK
CUT X 1 PAIR

15





17








20









24



25

