






Define the size that should be the pocket opening and mark on paper
(I used a roll of duct tape ... :))




Draw the pocket
in this format





cut two equal



Now cut the
middle circle
in just one

the two parts of
the inner pocket
are ready

This is the part that is not visible (I made of transparent fabric in order to show how it will be placed)



This is the part that is visible
(the core of the flower)




Cut the chosen appliqué (there are thousands of images on the Internet, and all of them will have to be adapted to pocket format)




So are the three parts of the pattern:
internal pocket and external appliqué

Pin very well the appliqué to the dress front of the right side, and exactly where you should be the pocket opening. Outline the flower petals with tightly closed zig-zag (I did open to go faster, but you do it well done, please ...;))

Only after all sewn flower petals is that you should cut out the middle circle (which will be the opening of the pocket) If you cut before, the fabric may leave the place and the opening may be deformed.




It looks like this:




Put the first liner - which has the middle circle clipped - over flower (do not use as thin fabric: I used so you could see that the flower is down the liner.

Pin and sew the half circle with short stitches



Make "notches" around the
entire half circle






Sew a seam in the lining, close to the half circle edge, holding the liner and the inner fabric of "nitched" sewing




Like this:



Turn the lining to the wrong side
and iron.

(Note that the wrong side of the appliqué
It is under the lining)

Place over the first liner
another liner, one that will be visible
and which will form the core of the flower.
Therefore, the right side of this lining
It should be turned down.



Stitching around the pocket and serger



The right side will be as figure



Now just sew as usually the back to the front, reinforcing the seam where it begins and ends the pocket opening

Back



Front

And voilà !!!
Your pocket is ready

:)

