




Frill-ing **JERSEY DRESS**

Sew this fun ruffle detail dress
for every day or a
special occasion

Project **FREYA GILBERT & SARAH WADEY**
from **Crafty Sew & So** www.craftysewandso.com




Learn how to
measure your
fabric's stretch
on page 24!



LAYPLAN:

Fabric 150cm/60ins wide



MATERIALS & TOOLS:

- 3m of 150cm/60" wide stretch knit fabric with at least 20% stretch
- templates downloaded from www.craftworld.com/cms/love-sewing


NOTES:

All seam allowances are 1.5cm unless stated otherwise.

We recommend using an overlocker or zigzag stitch on a sewing machine to construct this jersey garment. All fabrics are placed RST before sewing, unless stated otherwise.

HOW TO MAKE

- 1 On the back panel, apply a small length of ribbon or clear elastic to the inside of the shoulder edge to strengthen the shoulder seams. (See Pic A.)
- 2 Stitch the front to the back at the shoulder seams. (See Pic B.)
- 3 Press the ruffles in half RST and sew two rows of gathering stitches along the raw edge.



You could try jersey, velour, stretch lace or ponti roma

- 4 Place the ruffles over the sleeves, aligning raw edges. Gather ruffles to fit onto the sleeve heads between dots and baste. (See pics C & D.)

- 5 Stitch sleeves into armholes. (See Pic E.)

- 6 Stitch side seams and sleeve seams along each side. (See Pic F.)

- 7 Turn up the sleeve hem, and topstitch, leaving a small gap to insert the elastic. (See Pic G.)

- 8 Insert the elastic, overlap the ends and stitch to secure.

Continue topstitching to close the gap. (See pics H & I.)

- 9 Stitch the short ends of the neckband to create a circle. (See Pic J.)

- 10 With RST, press the neckband in half-width-ways to create a long thin band. If fabric rolls, baste stitch through both layers close to the open edge.







- 11 With RST, pin the neckband onto the outside of the neck opening, aligning raw edges. Start by lining up the

Top tip!

Use plenty of pins to attach the neckband

SIZE CHART:

Size	1	2	3	4	5	6	7	8
Bust	82	87	92	97	102	107	114	126
Waist	66	71	76	81	87	93	99	109
Hip	90	95	100	105	110	115	120	130



neckband seam with one of the shoulder seams – the other notches will match the other shoulder seam and the centre front. Match all notches and stretch band evenly to fit between the notches around the neck opening. (See Pic K.)

12 Stitch the band into the neck opening, stretching the band to fit as you sew.

13 Press the neckline seam allowances towards the body and topstitch

with a three-step zigzag or twin needle.

14 Join the hem flounce panels at the side seams.

15 Sew two rows of gathering stitches along the top raw edge of the flounce panel for seam to seam, separately on the back and front.

16 Pin the flounce to the main dress hem, matching the side seams. Gather the flounce to fit the hem distributing the gathers evenly, and secure using lots of pins. Sew in place. (See Pic L.)


17 Press the flounce hem 1cm to the inside and topstitch with a stretch stitch or twin needle to finish.

Shopping list


Multicoloured viscose jersey, £12.99 per metre www.minerva.com




Jersey Dress




1



2




3




4



5



6






MY HANDMADE
WARDROBE

JERSEY DRESS
HEM FLOUNCE
CUT 2 ON FOLD

1.5CM SEAM ALLOWANCE

D




8



9

2CM HEM








MY HANDMADE
WARDROBE


JERSEY DRESS
SLEEVE
CUT 2

1.5CM SEAM ALLOWANCE


C



12



13



PATTERN IS PRINTED
TO SCALE IF THIS
SQUARE MEASURES
3CM X 3CM



PATTERN SIZE KEY

SIZE ①


SIZE ②


SIZE ③




SIZE ④


SIZE ⑤


SIZE ⑥


SIZE ⑦


SIZE ⑧




MY HANDMADE
WARDROBE


JERSEY DRESS
NECK BAND
CUT 1 ON FOLD


1.5CM SA

B


PLACE ON FOLD








20







MY HANDMADE
WARDROBE

JERSEY DRESS
FRONT





23



24



MY HANDMADE
WARDROBE

JERSEY DRESS
BACK
CUT 1 ON FOLD

1.5CM SEAM ALLOWANCE

FOLD





MY HANDMADE
WARDROBE

SEY DRESS
EVE FRILL
2

M SEAM ALLOWANCE

E




25

CENTRE FRONT - PLACE ON FOLD



27 CUT 1 ON FOLD
1.5CM SEAM ALLOWANCE

A








30

B

CENTRE BACK- PLACE ON







33



1.5CM HEM

34



35



36



.5CM HEM

