


REF: 010 V Wired Halter Tie Side Bikini Swimsuit

PDF Sewing Patterns

XS -3XL



Copyright© LouellaPatterns

NOTE ON COPYRIGHT

NOT ALLOWED:

DO NOT Re-sell the PATTERNS

DO NOT Link the PATTERNS PDF file directly

DO NOT Email or otherwise share the PATTERNS PDFs with other people

DO NOT Modify the PDF files in any way (including screenshots)

DO NOT store the files on a public website or sharing platform (on your Website, Dropbox, iCloud, Google Drive, etc... so that other people may access it

DO NOT Use the PDF as a means of driving traffic to your website





DO NOT print and distribute or share with others

Any images or information within this pattern file and pattern instruction file cannot be shared under any circumstances.




Items made using the pattern:

- This pattern is intended for your personal use, and cannot be used to create garments for sale on a **LARGE** commercial scale.
- Items made from **LOUELLAPATTERNS** may be produced on a **SMALL** scale from a home-based setting. Items made using this pattern **CAN** be used by small-scale businesses to make finished products from the patterns in order to sell in their business.
- Small-scale businesses are defined as retail businesses selling finished garments, with 2 or fewer employees/owners and in which manufacturing or production is done entirely in house. You cannot use these patterns to outsource manufacturing of any kind and this pattern cannot be shared outside of your business.

PRINTING WITH LAYERS



PATTERN ASSEMBLY



Print out the pattern pages, cut out margins, tape pages together and cut out pattern pieces.

YOU WILL NEED:

- Light to medium weight knits swimwear fabric with 4-way stretches such as Lycra or Nylon spandex.
- Swimwear lining (for fully lined option)
- Swimwear elastic 1/4 in (6 mm) wide
- Basic Sewing Supplies: Scissors, sewing machine, thread, iron, and pins.

Fabric and Elastic quantity:

Size	XS	S	M	L	XL	2XL	3XL
Self Fabric	90 (35")	90cm (35")	90cm (35")	100cm (39")	100cm (39")	100cm (39")	100cm (39")
Lining	90cm (35")	90cm (35")	90cm (35")	100cm (39")	100cm (39")	100cm (39")	100cm (39")
Elastic	282cm (111")	294cm (116")	307cm (121")	320cm (126")	335cm (132")	348cm (137")	361cm (142")

SIZE CHART

Size		XS	S	M	L	XL	2XL	3XL
Bust	cm	81cm	82-85cm	86-89cm	90-93cm	94-97cm	98-102cm	103-107cm
	in	32"	33-33.5"	34-35"	36-37"	38"	39-40"	41-42"
Waist	cm	61cm	64-65cm	66-69cm	70-73cm	74-77cm	78-82cm	83-87cm
	in	24"	25-26"	27"	28-29"	30"	31-32"	33-34"
Hip	cm	86cm	87-90cm	91-94cm	95-98cm	99-102cm	103-107cm	108-112cm
	in	34"	35"	36-37"	38-39"	40"	41-42"	43-44"
Torso	cm	142cm	143-146cm	147-150cm	151-154cm	155-158cm	159-162cm	163-166cm
	in	56"	57-57.5"	58-59"	60-61"	62"	63-64"	65"


Take your measurements

Bust: Measure under your armpits, around your shoulder blades, and over the fullest part of your bust. Don't pull the tape measure too hard.


Waist: Measure around your natural waistline. This is the narrow part of your waist, about an inch above your navel. Relax and breathe out before you measure.

Hip: The hip should be measured around its fullest part (about 8 inches. below your waist).

Torso: Start at the high point of the shoulder, run tape through the leg and back up to the starting point.




BIKINI TOP SEWING INSTRUCTIONS




With the right sides together, place the self front and self back. Pin or clip sides seam together and sew.




Repeat with lining




With right side of lining to right side of self, pin or clip lining. Neckline, Armholes and Back.




Optional but recommended - Baste Neckline, Armholes and Back self and lining together.




Sew the elastic around Neckline, Armholes and Back.



With right sides together, fold strap in half lengthwise. Baste along edge, creating a tube.




Sew elastic to the straps




Turn tube right sides out. (x2 straps)




With right side of strap to right side of self front, pin or clip strap in place. Sew straps.




Trim excess fabric




Sew the elastic around V-shape neckline




Turn top right sides out. Baste self and lining together along bottom opening.




Sew elastic to the bottom seam



Fold under elastic and top-stitch or zig-zag along inner edge of elastic.




With right sides together, place self front on top of self back. Pin or clip together at crotch seam. Repeat with lining.




Place self and lining right sides together. Baste legs and waist opening.




Sew elastic to legs and waist opening.




Turn tube right sides out. (x4 straps)




Open an small hole in the lining crotch and Insert straps to the bottom through that hole (4x straps)



Trim excess fabric



Turn bottom right sides out.



That's it! You're done!

Thank you!