


#UP1003

Thong bodysuit

This thong bodysuit is a staple for any wardrobe, offering a flattering and romantic look. Its short sleeves, scoop neckline, and crotch snap opening make this a must-have item. Sew it now to create a timeless look.

1 cm seam allowance included!



Material

- 125 x 150 cm of 70-80% stretch jersey with spandex
- All-purpose thread
- Stretch needle
- Stretch twin needle
- Stay tape (1 cm wide)
- 1.5 m clear elastic (1 cm wide)
- 2x snaps, riveting or sew-on (0.8 cm wide)

Print & Assemble

- First, be sure to use ACROBAT READER to open your PDF sewing patterns. It's free!
- Then, open your file and click on the LAYERS icon (left side of the screen) and uncheck all the sizes you won't need.
- Now, click on the PRINT icon at the top of the screen. The print settings will appear, so verify that the ACTUAL SIZE option is checked. Click on the PRINT button!
- A 5 x 5 cm (and 2 x 2") control square is provided to ensure that your pattern is true to size.
- To ASSEMBLE, cut the sheets at the bottom and right margins, as indicated. Each sheet is labelled with a letter and a number (A1, B2...), so tape them together in numerical and alphabetical order. The sheets on one row should have the same letter, and the ones on the same column should have the same number.

Sizing Guide

	XXS	XS	S	M	L	XL	XXL
Bust	85 cm	89 cm	93 cm	99 cm	105 cm	113 cm	121 cm
Waist	64 cm	68 cm	72 cm	78 cm	84 cm	92 cm	100 cm
Hips	92 cm	96 cm	100 cm	106 cm	112 cm	120 cm	128 cm

This pattern is drafted according to a standard height of **1.64 m**.

Garment measurements

- **Length:** approx. 73 cm

#UP1003

Thong bodysuit

Pattern Pieces

- Front, 1x fabric
- Back, 1x fabric
- Neckband, 1x fabric
- Sleeve, 2x fabric
- Elastic length, 2x clear elastic

Sewing Assembly

Unless otherwise specified, sew using a **1cm** wide seam allowance.


1. Sew the shoulders.
2. Make the neckband and attach it to the neckline (stretch to fit).
3. Attach the sleeves.
4. Sew the side and underarm seams.
5. Hem the bottom of sleeves with the twin needle (turn once 3 cm).
6. Add stay tape at the crotch opening edges.
7. Apply a clear elastic on each leg opening (stretch to fit)
8. Hem the leg openings with the twin needle (turn once 1 cm).
9. Hem the crotch openings (turn once 1 cm).
10. Add the snaps on the crotch. The front should overlap the back.



Share a photo of you
wearing proudly
your new bodysuit
with

#unfetteredpatterns!





Cut on this line

Cut on this line


unfetteredpatte

Model #UP1003

Sizes **XXS-XXL**


Neckband

Cut x1 fabric



Cut on this line

Cut on this line



unfettered
— unfettered patterns —

unfetteredpatterns.wordpress.com

Model **#UP1003**

Sizes **XXS-XXL**

Back

Cut x1 fabric

SIZE KEY

XXL

XL

L

M

S


XS

XXS

Grainline

Cut on this line

Cut on this line



Cut on this line


Cut on this line


wide)

SIZE KEY

XXL	
XL	
L	
M	
S	
XS	
XXS	

Cut on this line






Hem

Cut on this line

Cut on this line



unfetter

Cut on this line

Cut on this line

unfettered
— unfettered patterns —

unfetteredpatterns.wordpress.com

Model **#UP1003**

Sizes **XXS-XXL**

Front

Cut x1 fabric

Grainline



Cut on this line

Sizes **XXS-XXL**

Sleeve

Cut x2 fabric

Cut on this line



Grainline

SIZE KEY


XXL
XL
L
M
S
XS
XXS

allowance 3 cm

Hem allowance 1 cm



Cut on this line



unfettered

—unfettered patterns—

© 2013

Hem
allowance
1 cm

