


#UP1029

Front tie blouse


This front tie blouse is perfect for creating an elegant and modern style. It features gathered waist and sleeves, a cropped length, and a sophisticated bishop sleeve. Get our free downloadable PDF sewing pattern and make yours now!

1 cm seam allowance included!

Front



Back



Material

- 150 x 150 cm crêpe de chine, silk charmeuse, viscose fabric or crêpe georgette
- 50 x 110 cm fusible interfacing
- All-purpose thread
- Microtex needle

Print & Assemble

- First, be sure to use ACROBAT READER to open your PDF sewing patterns. It's free!
- Then, open your file and click on the LAYERS icon (left side of the screen) and uncheck all the sizes you won't need.
- Now, click on the PRINT icon at the top of the screen. The print settings will appear, so verify that the ACTUAL SIZE option is checked. Click on the PRINT button!

- A 5 x 5 cm (and 2 x 2") control square is provided to ensure that your pattern is true to size.
- To ASSEMBLE, cut the sheets at the bottom and right margins, as indicated. Each sheet is labelled with a letter and a number (A1, B2...), so tape them together in numerical and alphabetical order. The sheets on one row should have the same letter, and the ones on the same column should have the same number.

Sizing Guide

	S	S/M	M	M/L	L
Bust	89 cm	93 cm	97 cm	101 cm	105 cm
Waist	68 cm	72 cm	76 cm	80 cm	84 cm
Hips	96 cm	100 cm	104 cm	108 cm	112 cm

Garment measurements

- **Length (w/o belt):** about 37.5 cm
- **Sleeve length:** about 62 cm

This pattern is drafted according to a standard height of **1.64 m**.

#UP1029

Front tie blouse

Pattern Pieces

- Front, 2x fabric
- Frt facing, 2x fabric 2x interfacing
- Back, 1x fabric
- Back neck tape, 1x fabric
- Belt, 2x fabric
- Sleeve, 2x fabric
- Elastic length, 2x elastic

Sewing Assembly

Unless otherwise specified, sew using a **1 cm** wide seam allowance.

1. Fuse the front facing.
2. Attach the facing to the front panels.
3. Sew the shoulders and side seams.
4. Attach the back neck tape.
5. Gather the bottom of the top.
6. Make the belt.
7. Attach the belt to the bottom of the top.
8. Gather the cap of the sleeves.
9. Make the sleeves.
10. Attach the elastic at the bottom of the sleeves.
11. Hem the bottom of the sleeves (turn once 1 cm).
12. Attach the sleeves to the armholes.



Share a photo of you
wearing proudly
your new handmade
blouse with
#unfetteredpatterns!






Grainline

Cut on this line

Cut on this line





Cut on this line

Cut on this line

Hem allowance 1 cm

Cut on this line



SIZE KEY


Grainline

Cut on this line

a4

Cut on this line

enit siht no tnt
Front facing
Cut x2 fabric
Cut x2 interfacing



unfetter
— unfettered p

unfetteredpat
Model #UP1029
Sizes S-L

Belt
Cut x2 fabric

Cut on this line

Cut on this line

102

Cut on this line

unfetteredpatterns.wordpress.com

Model #UP1029

Sizes S-L

103

unfettered
—unfettered patterns—

unfetteredpatterns.wordpress.com
Model #UP1029
Sizes S-L

Sleeve


Cut x2 fabric



Cut on this line

Cut on this line

1043



Cut on this line

Grainline

Cut on this line

Center back



ed
atterns —

erns . wordpress . com

SIZE KEY

XL	-----
L	
M	-----
S	-----
XS	-----

Cut on this line




SIZE KEY

XL	-----
L	
M	=====
S	-----


Cut on this line

Cut on this line



Cut on this line


Cut on this line



unfettered
— unfettered patterns —

unfettered patterns

Cut on this line



Cut on this line



XS

==

on the fold of the fabric

Cut this edge

unfettered
— unfettered patterns —

unfetteredpatterns.wordpress.com


Model **#UP1029**

Sizes **S-L**

Back

Cut x1 fabric

Cut on this line



Cut on this line

unfetteredpatterns.wordpress

Model #UP1029

Sizes S-L

unfetteredpatterns.wordpress

Model #UP1029



Sizes S-L

ess.wordpress.com
Model #UP1029
Sizes S-L

Front
Cut x2 fabric

Grainline

SIZE KEY



ess.com

Elastic length

Cut x2 knitted elastic (1 cm wide)



.com

Back neck tape

Cut x1 fabric

